

MODEL: OSAPIAN

50701 12V-30Lbs **50702** 12V-40Lbs

50703 12V-55Lbs









SPECIFICATIONS

MODEL: 产品型号:

50701 / 50702 / 50703

Power of thrust: 峰值推力:

30Lbs / 40Lbs / 55Lbs

Max Voltage: 电压: DC 12V (All)

Power - Max: 功率: 360W / 500W / 600W

Amp - Max: 电流: 30A / 42A / 50A

Depth Adjustment: 深度调节:

Depth Collar (All)

Prop Type: 螺旋桨型号:

2 blade prop 9inch diam (50701,50702) 3 blade prop 9.3inch diam (50703)

Prop Speed at Full Power: 转速: Max. 1200 / 1380 / 1250 rpm underwater

Battery Type Required: 电池要求:

1x105AH deep cycle (All) **Steering:** 转向操控:

360 degree control (All)

Decibel Level (db): 噪音等级:

50db (All)

Weight (N.W.): 重量: 6.6kg / 7.1 kg / 8.6kg

Shaft Type: 主杆类型: Cast Aluminium (All)

Shaft Length: 主杆长度: 800mm/900mm/900mm

Colour: 颜色: Black (All)

Max Boat Length (Suggestion): 船长:

4m / 4.7m / 5.5m



TILTING THE MOTOR 角度调节支架

Offer 10 levels of tilting position.



FOLDING HANDLE 手柄角度调节

Angle of the handle can adjust 0 to 110 degrees.



SPEED CONTROL 推进变速调节

Provide 5-speed levels of forward and 3-speed levels of reverse control.



TELESCOPING 伸缩性操纵手柄

350mm length of handle extension.



POWER DISPLAY 电源显示

Display 5 levels of battery power.

The Osapian range features durable 12 volt motors and available in 30, 40 and 55Lbs models. Osapian motors are equipped with 5 forward and 3 reverse positions. Osapian models are light- weight (from 6.6kg), easily portable and very compact thanks to the collapsible steering lever.

The depth height can easily be adjusted, so you can motor in virtually any water. The steering lever adjusts to different angles, is telescopic and extendable for comfortable control. The Osapian models also features an LED battery level indicator. Suitable for both salt and fresh water.



MODEL: 产品 및 목:

50708 / 50714 / 50716

Power of thrust: 峰值推力:

30Lbs / 40Lbs / 55Lbs

Max Voltage: 电压:

DC 12V (AII)

Power - Max: 功率: 360W / 500W / 600W Amp - Max: 电流: 30A / 42A / 50A

Depth Adjustment: 深度调节:

Depth Collar (All)

Prop Type: 螺旋桨型号:

2 blade prop 9inch diam (50708,50714) 3 blade prop 9.3inch diam (50716)

Prop Speed at Full Power: 转谏: Max. 1200 / 1380 / 1250 rpm underwater

Battery Type Required: 电池要求:

1x105AH deep cycle (All) Steering: 转向操控:

360 degree control (All)

Decibel Level (db): 噪音等级:

50db (All)

Weight (N.W.): 重量: 6.3kg / 6.9 kg / 8.4kg

Shaft Type: 主杆类型: Cast Aluminium (All)

Shaft Length: 主杆长度: 800mm / 900mm / 900mm

Colour: 颜色: Black (All)

Max Boat Length (Suggestion): 船长:

4m / 4.7m / 5.5m



TILTING THE MOTOR 角度调节支架

Offer 10 levels of tilting position.



SPEED CONTROL 推进变速调节

Provide 5-speed levels of forward and 3-speed levels of reverse control.



1缩性操纵手柄

350mm length of handle extension.



POWER DISPLAY 电源显示

Display 3 levels of battery power.

The Osapian F range features durable 12 volt motors and available in 30, 40 and 55lbs models. Osapian F motors are equipped with 5 forward and 3 reverse positions. Osapian F models are light- weight (from 6.3kg).

The depth height can easily be adjusted, so you can motor in virtually any water. The steering lever adjusts to different angles, is telescopic and extendable for comfortable control. The Osapian F models also features an LED battery level indicator. Suitable for both salt and fresh water. 2

MODEL: W20



Battery Meter

- 2

前进/后退档位调速 Mult-Speed F/R

Bracket

High/Low Speed Control Switch

Foldable Handle

Durable Motor



图片与实物略有不同! Actual model may vary from image!







SPECIFICATIONS

MODEL: 产品型号:

50735

Power of thrust: 峰值推力:

20Lbs

Max Voltage: 电压:

DC 12V

Power - Max: 功率:

200W

Amp - Max: 电流:

17A

Depth Adjustment: 深度调节:

Depth Collar

Prop Type: 螺旋桨型号: 2 blade prop / 5.9inch diam

Prop Speed at Full Power: 转速:

Max.1200 rpm underwater

Battery Type Required: 电池要求:

1x20AH Deep Cycle **Steering:** 转向操控: 360 degree control

Decibel Level (db): 噪音等级:

≤50db

Weight (N.W.): 重量:

2.3kg

Shaft Type: 主杆类型:

Cast Aluminium

Shaft Length: 主杆长度:

600mm

Colour: 颜色:

Black

Max Boat Length (Suggestion): 船长:

3m



FOLDING HANDLE 手柄角度调节

Angle of the handle can adjust 0 to 110 degrees.



POWER DISPLAY 电源显示

Display 3 levels of battery power.



SPEED CONTROL 推进变速调节

Provide Forward / Reverse with High and Low speed control.



TILTING THE MOTOR 角度调节支架

Offer 0 degree and 90 degree of tilting position.

The W20 range features durable 12 volt motor and available in 20Lbs models. W20 motor are equipped with 2 forward and 2 reverse positions. W20 model are lightweight (from 2.3kg), easily portable and very compact thanks to the collapsible steering lever.

The depth height can easily be adjusted, so you can motor in virtually any water. The steering lever adjusts to different angles. The W20 model also features an LED battery level indicator. Suitable for both salt and fresh water.



MODEL: 产品型号: 50700 / 50718D

Power of thrust: 峰值推力:

55l bs / 80l bs

Max Voltage: 电压:

DC 12V / 24V

Power - Max: 功率: 600W / 1080W

Amp - Max: 电流:

50A / 45A

Depth Adjustment: 深度调节:

Depth collar (All)

Prop Type: 螺旋桨型号:

3blade prop / 9.3inch diam (50700) 2blade prop / 11.4inch diam (50718D)

Prop Speed at Full Power: 转谏:

Max. 1250 rpm underwater (50700) Max, 1500 rpm underwater (50718D)

Battery Type Required: 电池要求:

1 x105AH Deep Cycle (50700) 2 x105AH Deep Cycle (50718D)

Steering: 转向操控: 360 degree control (All)

Decibel Level (db): 噪音等级:

50db (All)

Weight (N.W.): 重量:

13.7kg / 17.5kg

Shaft Type: 主杆类型:

Cast Aluminium (All)

Shaft Length: 主杆长度: 1370mm / 1490mm

Colour: 颜色:

Black (All)

Max Boat Length (Suggestion): 船长:

5.5m / 6.5m



t进器收放踏板

Press it to deploy or stow the motor easily.



50802

REMOTE CONTROLLER

Function: On/Off, Speed Up/Down, Full Speed, Turn Left/Right, Pairing.

Not Included!



WIRED FOOT CONTROLLER 线控脚踏控制器 (选配)

LCD Display; Function: On/Off, Speed Up/Down, Full Speed. Turn Left/Right.



独立鳍翼设计

Separated design for propeller protection.



POWER DISPLAY 电源显示

Display 5 levels of battery power.

The Cayman B Bow Mount Trolling Motor aimed at serious fishermen who require the versatility of guiding their motor via a wireless hand remote or wired foot control pedal. This feature packed bow mount trolling motor comes standard with a wireless hand control, sacrificial anode and encapsulated electronics. Supplied standard with all the necessary stainless steel nuts and bolts to fit straight onto the boat, or option up with our quick release plate with a foot print of just 120mm x 200mm when not in use. All motors feature LED battery meters. Upgraded packages are available which include the wired foot controller and quick release mounting plate. Suitable for both salt and fresh water.

MODEL: OSAPIAN

50727 With Gear Box

Battery Meter

8 Step Speed Control

前进/后退档位调速
Mult-Speed F/R

Expandable Handle

Bracket

50727
Brush Motor
With Gear Box
有刷齿轮箱变速电机

50755 DD Brush Motor 有刷直驱电机

图片与实物略有不同! Actual model may vary from image!

Durable Motor







SPECIFICATIONS

MODEL: 产品型号: 50727 / 50755

Power of thrust: 峰值推力:

80Lbs (All)

Max Voltage: 电压:

DC 24V (AII)

Power - Max: 功率: 840W / 1080W

Amp - Max: 电流:

35A / 45A

Depth Adjustment: 深度调节:

Depth Collar (All)

Prop Type: 螺旋桨型号:

3blade prop / 11.8inch diam (50727) 2blade prop / 11.4inch diam (50755)

Prop Speed at Full Power: 转速:

Max. 890 rpm underwater (50727) Max. 1500 rpm underwater (50755)

Battery Type Required: 电池要求:

2x105AH Deep Cycle (All)

Steering: 转向操控: 360 degree control (All)

Decibel Level (db): 噪音等级:

60db / 50db

Weight (N.W.): 重量:

12.2kg / 13.5kg

Shaft Type: 主杆类型:

Cast Aluminium (All)

Shaft Length: 主杆长度:

1000mm (All) Colour: 颜色:

Black (All)

Max Boat Length (Suggestion): 船长:

6.5m (All)



TILTING THE MOTOR 角度调节支架

Offer 7 levels of tilting position.



FOLDING HANDLE 手柄角度调节

Angle of the handle can adjust 0 to 110 degrees.



SPEED CONTROL 推进变速调节

Provide 5-speed levels of forward and 3-speed levels of reverse control.



TELESCOPING 申缩性操纵手柄

350mm length of handle extension.



POWER DISPLAY 电源显示

Display 5 levels of battery power.

The Osapian range features durable 24 volt motors and available in 80Lbs models. Osapian motors are equipped with 5 forward and 3 reverse positions. Osapian models are very compact thanks to the collapsible steering lever.

The depth height can easily be adjusted, so you can motor in virtually any water. The steering lever adjusts to different angles, is telescopic and extendable for comfortable control. The Osapian models also features an LED battery level indicator. Suitable for both salt and fresh water.



MODEL: 产品型号:

50717

Power of thrust: 峰值推力:

55Lbs

Max Voltage: 电压:

DC 12V

Power - Max: 功率:

660W

Amp - Max: 电流:

55A

Depth Adjustment: 深度调节:

Electric Trim System

Prop Type: 螺旋桨型号: 3 blade prop / 9.3inch diam

Prop Speed at Full Power: 转速:

Max.1200 rpm underwater

Battery Type Required: 电池要求:

1 x105AH Deep Cycle **Steering:** 转向操控:

90 degree control

Decibel Level (db): 噪音等级:

50db

Weight (N.W.): 重量:

14.5kg

Shaft Type: 主杆类型:

Stainless steel

Shaft Length: 主杆长度:

Variable

Max Boat Length (Suggestion): 船长:

5.5m



ELECTRIC UP & DOWN 电动升降调节

Press to control the motor up or down. 265mm depth of motor extension.



2:1 STEERING 2:1 操控转向手柄

90 degree -2:1 steering system to control the motor 180 degree turning.



TILTING THE MOTOR 角度调节支架

Offer 10 levels of tilting position.



FOLDING HANDLE 角度调节手柄

Trolling handle has folding functions. Folding angle:120°



POWER DISPLAY 电源显示

Display 3 levels of battery power.

The Comax N electric trolling motor range specifically designed for electric only waterways features a durable 12 volt 55lbs motor and integrated electric trim system, innovative 2:1 steering system and telescopic steering lever. Comax N motors are equipped with a step-less digital speed controller which provides precise power control, ideal for trolling at the optimum speed. The Comax N also features an LED battery level indicator. Suitable for both salt and fresh water.



MODEL: 产品型号: 50739 / 50742 / 50743

Power of thrust: 峰值推力: 55Lbs / 80Lbs / 101Lbs

Max Voltage: 电压: DC 12V / 24V / 36V Power - Max: 功率:

600W / 1080W / 1620W **Amp - Max:** 电流: 50A / 45A / 45A

Depth Adjustment: 深度调节:

Depth collar (All)

Prop Type: 螺旋桨型号:

3blade prop / 9.3inch diam (50739) 2blade prop / 11.4inch diam (50742,50743)

Prop Speed at Full Power: 转速:

Max. 1250 rpm underwater (50739) Max. 1500 rpm underwater (50742,50743)

Battery Type Required: 电池要求:

1 x105AH Deep Cycle (50739) 2 x105AH Deep Cycle (50742) 3 x105AH Deep Cycle (50743)

Steering: 转向操控: 360 degree control (All)

Decibel Level (db): 噪音等级:

50db (All)

Weight (N.W.): 重量: 13.5kg / 14.7kg / 16.4kg Shaft Type: 主杆类型: Cast Aluminium (All)

Shaft Length: 主杆长度: 1370mm / 1490mm / 1490mm

Colour: 颜色: Black (All)

Max Boat Length (Suggestion): 船长:

5.5m / 6.5m / 7m



RETRACTABLE 推进器收放踏板

Press it to deploy or stow the motor easily.



REMOTE CONTROLLER 工作運物器

Function: On/Off, Speed Up/Down, Full Speed, Turn Left/Right, Pairing.



50805N

FOOT REMOTE CONTROLLER 脚踏控制器 (选配)

LCD Display; Function: On/Off, Speed Up/Down, Full Speed, Turn Left/Right, Pairing.



MOTOR FIN 独立鳍翼设计

Separated design for propeller protection.



POWER DISPLAY

Display 5 levels of battery power.

The Cayman B Bow Mount Trolling Motor aimed at serious fishermen who require the versatility of guiding their motor via a wireless hand remote or wireless foot remote pedal. This feature packed bow mount trolling motor comes standard with a wireless hand control, sacrificial anode and encapsulated electronics. Supplied standard with all the necessary stainless steel nuts and bolts to fit straight onto the boat, or option up with our quick release plate with a foot print of just 120mm x 200mm when not in use. All motors feature LED battery meters. Upgraded packages are available which include the wireless foot remote controller and quick release mounting plate. Suitable for both salt and fresh water.



MODEL: 产品型号:

50736 / 50737 / 50738

Power of thrust: 峰值推力:

55Lbs / 80Lbs / 101Lbs

Max Voltage: 电压: DC 12V / 24V / 36V

Power - Max: 功率: 600W / 1080W / 1620W

Amp - Max: 电流: 50A / 45A / 45A

Depth Adjustment: 深度调节:

Depth collar (All)

Prop Type: 螺旋桨型号:

3blade prop / 9.3inch diam (50736) 2blade prop / 11.4inch diam (50737,50738)

Prop Speed at Full Power: 转速:

Max. 1250 rpm underwater (50736)

Max. 1500 rpm underwater (50737,50738)

Battery Type Required: 电池要求:

1 x105AH Deep Cycle (50736)

2 x105AH Deep Cycle (50737)

3 x105AH Deep Cycle (50738)

Steering: 转向操控: 360 degree control (All)

Decibel Level (db): 噪音等级:

50db (All)

Weight (N.W.): 重量: 13.9kg / 15.1kg / 16.8kg

Shaft Type: 主杆类型: Cast Aluminium (All)

Shaft Length: 主杆长度: 1370mm / 1490mm / 1490mm

Colour: 颜色: Black (All)

Max Boat Length (Suggestion): 船长:

5.5m / 6.5m / 7m

GPS SMART NAVIGATION SYSTEM GPS智能导航系统

- 1. Record Routes
- 2. GPS Navigation
- 3. Anchor
- 4. Cruise Control



SMART PHONE OPERATING SYSTEM 智能手机终端控制

Download the Helmsman APP to operate all functions with your smart phone.



POWER DISPLAY

Display 5 levels of battery power.



RETRACTABLE 推进器收放踏板

Press it to deploy or stow the motor easily.



REMOTE CONTROLLER 无线谣控器

Function: On/Off, Speed Up/Down, Full Speed, Turn Left/Right, Pairing.

The Cayman B/with GPS Bow Mount Trolling Motor aimed at serious fishermen who require the versatility of guiding their motor via a wireless hand remote or wireless foot remote pedal. This feature packed bow mount trolling motor comes standard with a wireless hand control, sacrificial anode and encapsulated electronics. Supplied standard with all the necessary stainless steel nuts and bolts to fit straight onto the boat, or option up with our quick release plate with a foot print of just 120mm×200mm when not in use. GPS smart navigation system and smart phone operation system are available for all motors. All motors feature LED battery meters. Upgraded packages are available which include the wireless foot remote controller and quick release mounting plate. Suitable for both salt and fresh water.

MODEL: HTT

51200 3.5HP-2 Stroke Outboard Motor

3.5匹二冲程烷油舷外机



图片与实物略有不同! Actual model may vary from image!







SPECIFICATIONS

MODEL: 产品型号:

51200

Power of thrust: 峰值推力:

3.5HP

Type of Engine: 引擎类型:

2 Stroke

Prop Type: 螺旋桨型号:

3 blade prop / 7.5inch diam

Prop Speed at Full Power: 转速:

Max.2400 rpm underwater

Steering: 转向操控: 360 degree control

Decibel Level (db): 噪音等级:

65db

Weight (N.W.): 重量:

15.6kg

Capacity of Oil Box: 油箱容量:

2700ml

Cooling System: 冷却系统:

Water Cooling

Shaft Type: 主杆类型:

Cast Aluminium

Max Boat Length (Suggestion): 船长:

6m



SPEED CONTROL 油门变速调节

Provide stepless forward and reverse speed control.



THROTTLE ADJUSTER 油门定位

This knob provide stepless throttle control.



FORWARD & REVERSE 正反推进调节

This handle has three modes of operating: Forward / Off / Reverse



EMERGENCY STOP 緊急傾火莊学

Kill switch available if the emergency happened.



WATER COOLING 循环式水冷系统

Water cooling system is available when the motor is working.

The HTT-3.5 is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water by way of a quick lock, so you can motor in virtually any water. As an added safety feature, the HTT-3.5 is equipped with an auto propeller cut-out in the event of a collision. The HTT-3.5 model suitable for both salt and fresh water.

50728 With PROTRUAR G 3.0/24V Gear Box

50713 With PROTRUAR G 4.0/24V Gear Box

电动无刷推进器系列







SPECIFICATIONS

MODEL: 产品型号: 50728 / 50713 Shaft Power: 动力:

Comparable petrol outboards (thrust):

等效汽油机: 4HP / 5HP

3HP / 4HP

Peak Thrust in Lbs: 峰值推力:

110Lbs / 130Lbs **Max Voltage:** 电压: DC 24V (AII)

Power - Max: 功率: 1200W / 1800W **Amp - Max:** 电流: 50A / 75A

Depth Adjustment: 深度调节:

Depth collar (All)

Prop Type: 螺旋桨型号: 3blade prop / 11.8inch diam (All)

Prop Speed at Full Power: 转速: Max. 630 rpm underwater (50728) Max. 1100 rpm underwater (50713)

Battery Type Required: 电池要求:

2x105AH Deep Cycle (50728) 2x120AH Deep Cycle (50713)

Steering: 转向操控: 360 degree control (All)

Decibel Level (db): 噪音等级:

65db (All)

Weight (N.W.): 重量:

8.0kg / 8.3kg

Shaft Type: 主杆类型:

Cast Aluminium / Stainless Steel

Shaft Length: 主杆长度:

900mm / 1000mm **Colour:** 颜色: Black (All)

Max Boat Length (Suggestion): 船长:

7m / 7.5m



FOLDING HANDLE 操控杆角度调节

This Trolling handle has the folding functions. Folding angle:100°



TILTING THE MOTOR 角度调节支垫

Offer7 levels of tilting position.



SPEED CONTROL 无级变速调节+熄火钥匙

Digital technology provide stepless forward and reverse speed control.



POWER DISPLAY 电源显示

Display 5 levels of battery power.




PROP-CLUTCH 螺旋桨离合功能

Break away running prop when it is block. This prevent prop damage.

The Protruar G is equipped with a brushless 3.0/4.0 24volt motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water and the trim height is adjustable by way of a quick lock, so you can motor in virtually any water. As an added safety feature, the Protruar G is equipped with an auto propeller cut-out in the event of a collision. The Protruar G models also features an LED battery level indicator. Suitable for both salt and fresh water.

With LIPO Battery ULTIMA 55Lbs/29 6V

电动无刷推进器带可充电绳



前进/后退无级调速 Stepless Speed F/R




Magnetic Kill Switch Included

图片与实物略有不同



Input: 100V-240V

充电器已配备



SPECIFICATIONS

MODEL: 产品型号: 50762

Shaft Power: 动力:

Comparable petrol outboards (thrust):

等效汽油机:

1.5HP

Peak Thrust in Lbs: 峰值推力:

551 bs

Max Voltage: 电压:

DC 29.6V

Power - Max: 功率:

380W

Amp - Max: 电流:

Depth Adjustment: 深度调节:

Not Available

Prop Type: 螺旋桨型号: 3blade prop / 9.3inch diam

Prop Speed at Full Power: 转读:

Max. 1200 rpm underwater

Battery Type Required: 电池要求: 29.6V, 14.5Ah rechargeable LIPO battery

Charging Time: 充电时间:

4-5 hours

Steering: 转向操控:

360 degree control

Decibel Level (db): 噪音等级:

≤55db

Weight (N.W.): 重量:

13.2ka

Shaft Type: 主杆类型:

Cast Aluminium

Shaft Length: 主杆长度:

700mm Colour: 颜色:

Black

Max Boat Length (Suggestion): 船长:



SPEED CONTROL 推进变速调节

Digital technology provide stepless forward and reverse speed control. With magnetic kill switch.



EXPAND & FOLD 伸縮+角度调节操纵手柄

400mm length of handle extension. Trolling handle has folding functions. Folding angle: 180°



TILTING THE MOTOR 角度调节支架

Offer 7 levels of tilting position.



RECHARGEABLE BATTERY 可充电锂电池

Separated rechargeable LIPO battery included.



POWER DISPLAY 电源显示

Display 5 levels of battery power.



The Ultima 55Lbs is equipped with a brushless 55Lbs/29.6volt motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water. So you can motor in virtually any water, All the motor is included the high-performance lithium battery (29.6V). The Ultima 55Lbs model also features an LED battery level indicator. Suitable for both salt and fresh water.

50741 ULTIMA 3.0/29.6V With LIPO Battery

电动无刷推进器带可充电锂电池豪华系列



Output: 4A Charger Included



MODEL Max.speed Range Running time 50741 (km/h) (km) hh:mm 34 10:05 Slow 3.4 Half throttle 5.1 15.3 03:10 8.8 5.8 00:40 Full throttle

图片与实物略有不同! Actual model may vary from image!



SPECIFICATIONS

MODEL: 产品型号: 50741

Shaft Power: 动力:

3HP

Comparable petrol outboards (thrust):

等效汽油机:

4HP

Peak Thrust in Lbs: 峰值推力:

110Lbs

Max Voltage: 电压:

DC 29.6V

Power - Max: 功率:

1030W

Amp - Max: 电流:

35A

Depth Adjustment: 深度调节:

Not Available

Prop Type: 螺旋桨型号: 3blade prop / 9.3inch diam

Prop Speed at Full Power: 转速:

Max. 1530 rpm underwater

Battery Type Required: 电池要求: 29.6V, 20.3AH rechargeable LIPO battery

Charging Time: 充电时间:

6-7 hours

Steering: 转向操控: 360 degree control

Decibel Level (db): 噪音等级:

≤55db

Weight (N.W.): 重量:

15.9kg

Shaft Type: 主杆类型:

Cast Aluminium

Shaft Length: 主杆长度:

700mm

Colour: 颜色:

Blac

Max Boat Length (Suggestion): 船长:

7m



SPEED CONTROL 推进变速调节

Digital technology provide stepless forward and reverse speed control. With magnetic kill switch.



EXPAND & FOLD 伸缩+角度调节操纵手柄

400mm length of handle extension. Trolling handle has folding functions. Folding angle:180°



TILTING THE MOTOR 角度调节支架

Offer 7 levels of tilting position.



RECHARGEABLE BATTERY 可充电锂电池

Separated rechargeable LIPO battery included.



POWER DISPLAY

Display 5 levels of battery power.



The Ultima 3.0 is equipped with a brushless 3.0/29.6volt motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water. So you can motor in virtually any water. All the motor is included the high-performance lithium battery (29.6V). The Ultima 3.0 model also features an LED battery level indicator. Suitable for both salt and fresh water.



MODEL: 产品型号: 50744 / 50745 /50715

Shaft Power: 动力: 1HP/2HP/3HP

Comparable petrol outboards (thrust): 等效汽油机:

2HP / 3HP / 4HP

Peak Thrust in Lbs: 峰值推力:

65Lbs / 85Lbs / 110Lbs Max Voltage: 电压:

DC 12V / 24V / 24V Power - Max: 功率:

600W / 960W /1440W Amp - Max: 电流:

Depth Adjustment: 深度调节:

Depth collar (All)

50A / 40A / 60A

Prop Type: 螺旋桨型号: 3blade prop / 9.3inch diam (All)

Prop Speed at Full Power: 转速:

Max. 1250 rpm underwater (50744) Max. 1350 rpm underwater (50745) Max. 1450 rpm underwater (50715)

Battery Type Required: 电池要求:

1x105AH Deep Cycle (50744)

2x105AH Deep Cycle (50745,50715)

Steering: 转向操控: 360 degree control (All)

Decibel Level (db): 噪音等级:

<55db (AII)

Weight (N.W.): 重量: 6.6kg / 6.9kg / 9.9kg

Shaft Type: 主杆类型: Cast Aluminium (50744,50745)

Stainless Steel (50715)

Shaft Length: 主杆长度:

900mm (All) Colour: 颜色: Black (All)

Max Boat Length (Suggestion): 船长:

6m / 6.5m / 7m



TILTING THE MOTOR 角度调节支架

Offer 10 or 7 levels of tilting position.



SPEED CONTROL 推进变速调节

Digital technology provide stepless forward and reverse speed control.



EXPAND & FOLD 伸缩+角度调节操纵手柄


400mm length of handle extension. Trolling handle has folding functions. Folding angle: 180°



POWER DISPLAY

Display 3 levels of battery power.

The Protruar is equipped with a brushless 1.0/2.0/3.0 12V or 24V motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water and the trim height is adjustable by way of a quick lock, so you can motor in virtually any water. The Protruar models also features an LED battery level indicator. Suitable for both salt and fresh water.



MODEL: 产品型号:

50719

Shaft Power: 动力:

5HP

Comparable petrol outboards (thrust):

等效汽油机:

6HP

Peak Thrust in Lbs: 峰值推力:

160Lbs

Max Voltage: 电压:

DC 24V

Power - Max: 功率:

2520W

Amp - Max: 电流:

105A

Depth Adjustment: 深度调节:

Depth collar

Prop Type: 螺旋桨型号: 3blade prop / 10.7inch diam

Prop Speed at Full Power: 转速:

Max. 1450 rpm underwater

Battery Type Required: 电池要求:

2x120AH Deep Cycle **Steering:** 转向操控: 360 degree control

Decibel Level (db): 噪音等级:

≤55db

Weight (N.W.): 重量:

14kg

Shaft Type: 主杆类型:

Stainless Steel

Shaft Length: 主杆长度:

1000mm **Colour:** 颜色:

Black

Max Boat Length (Suggestion): 船长:

8m



SPEED CONTROL 推进变速调节

Digital technology provide stepless forward and reverse speed control. With magnetic kill switch.



TILTING THE MOTOR 角度调节支架

Offer 7 levels of tilting position.



EXPAND & FOLD 伸缩+角度调节操纵手柄

400mm length of handle extension. Trolling handle has folding functions. Folding angle:180°



POWER DISPLAY 由海見示

Display 3 levels of battery power.

The Protruar is equipped with a brushless 5.0/24V motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water and the trim height is adjustable by way of a quick lock, so you can motor in virtually any water. The Protruar model also features an LED battery level indicator. Suitable for both salt and fresh water.

14



电动无刷推进器豪华系列









SPECIFICATIONS

MODEL: 产品型号:

50749

Shaft Power: 动力:

5HP

Comparable petrol outboards (thrust): 等效汽油机:

6HP

Peak Thrust in Lbs: 峰值推力:

160Lbs

Max Voltage: 电压:

DC 24V

Power - Max: 功率:

2520W

Amp - Max: 电流:

105A

Depth Adjustment: 深度调节:

Not Available

Prop Type: 螺旋桨型号: 3blade prop / 10.7inch diam

Prop Speed at Full Power: 转速:

Max. 1450 rpm underwater

Battery Type Required: 电池要求:

2x120AH Deep Cycle **Steering:** 转向操控: 360 degree control

Decibel Level (db): 噪音等级:

≤55db

Weight (N.W.): 重量:

15.7kg

Shaft Type: 主杆类型: Stainless Steel + Aluminium Shaft Length: 主杆长度:

700mm

Colour: 颜色:

Black

Max Boat Length (Suggestion): 船长:

8m



SPEED CONTROL 推进变速调节

Digital technology provide stepless forward and reverse speed control. With magnetic kill switch



TILTING THE MOTOR 角度调节支架

Offer 7 levels of tilting position.



EXPAND & FOLD 伸缩+角度调节操纵手板

400mm length of handle extension. Trolling handle has folding functions. Folding angle:180°



LED POWER DISPLAY LED电源电压显示

Can show you the battery power in anytime.

The Ventura T is equipped with a brushless 5.0/24V motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water, so you can motor in virtually any water. The Ventura T model also features an LED battery level indicator. Suitable for both salt and fresh water.



MODEL: 产品型号: 50731 / 50732

Shaft Power: 动力:

8HP / 10HP

Comparable petrol outboards (thrust):

等效汽油机: 10HP / 12HP

Peak Thrust in Lbs: 峰值推力: 250Lbs / 300Lbs

Max Voltage: 电压:

DC 48V (AII) **Power - Max:** 功率: 4320W / 6000W

Amp - Max: 电流: 90A / 125A

Depth Adjustment: 深度调节:

Not Available (All)

Prop Type: 螺旋桨型号:

3blade prop / 11.8inch diam (All)

Prop Speed at Full Power: 转速:

Max. 1050 rpm underwater (50731) Max. 1200 rpm underwater (50732)

Battery Type Required: 电池要求:

4x120AH Deep Cycle (All) **Steering:** 转向操控:

360 degree control (All)

Decibel Level (db): 噪音等级:

75db (AII)

Weight (N.W.): 重量:

27.3kg / 28.8kg

Shaft Type: 主杆类型:

Cast Aluminium (All)

Shaft Length: 主杆长度:

670mm (All) **Colour:** 颜色: Black (All)

Max Boat Length (Suggestion): 船长:

9m (All)



SPEED CONTROL 推进变速调节

Digital technology provide stepless forward and reverse speed control. With magnetic kill switch.



EXPAND & FOLD 伸縮+角度调节操纵手柄

360mm length of handle extension. Trolling handle has folding functions. Folding angle:180°



TILTING THE MOTOR 角度调节支架

Offer 3 levels of tilting position, the angle is 18, 27, 60 degree.



LED POWER DISPLAY LED电源电压显示

Can show you the battery power in anytime.



WATER COOLING 循环式水冷系统

Water cooling system is available when the motor is working forward.

The Armada T is equipped with a brushless 8.0/10.0 48V motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water. so you can motor in virtually any water. The Armada T models also features an LED battery level indicator. Suitable for both salt and fresh water.

50756 MODEL: PROTRUAR 3.0/12V 电动是刷推进器低电压太马力系列 Magnetic Kill Switch LOW Voltage Stepless Speed Control Battery Meter Expandable Handle Foldable Handle 前进/后退无级调速 Stepless Speed F/F Bracket Magnetic Kill Switch Included Durable Motor **DD Brushless Motor** 无刷直驱电机



MODEL: 产品型号:

50756

Shaft Power: 动力:

Comparable petrol outboards (thrust):

等效汽油机:

4HP

Peak Thrust in Lbs: 峰值推力:

110Lbs

Max Voltage: 电压:

DC 12V

Power - Max: 功率:

900W

Amp - Max: 电流:

75A

Depth Adjustment: 深度调节:

Depth collar

Prop Type: 螺旋桨型号: 3blade prop / 10.7inch diam

Prop Speed at Full Power: 转速:

Max. 1250 rpm underwater

Battery Type Required: 电池要求:

1x120AH Deep Cycle Steering: 转向操控: 360 degree control

Decibel Level (db): 噪音等级:

55db

Weight (N.W.): 重量:

14.5kg

Shaft Type: 主杆类型:

Stainless Steel

Shaft Length: 主杆长度:

1000mm

Colour: 颜色:

Black

7m



SPEED CONTROL 推进变速调节

Digital technology provide stepless forward and reverse speed control. With magnetic kill switch.



TILTING THE MOTOR 角度调节支架

Offer 7 levels of tilting position.



EXPAND & FOLD 伸缩+角度调节操纵手柄

400mm length of handle extension. Trolling handle has folding functions. Folding angle: 180°



POWER DISPLAY

Display 3 levels of battery power.



The Protruar is equipped with a brushless 3.0/12V motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water and the trim height is adjustable by way of a quick lock, so you can motor in virtually any water. The Protruar model also features an LED battery level indicator. Suitable for both salt and fresh water.



Actual model may vary from image!

图片与实物略有不同!







图片与实物略有不同! Actual model may vary from image!







SPECIFICATIONS

MODEL: 产品型号:

50752

Shaft Power: 动力:

5HP

Comparable petrol outboards (thrust):

等效汽油机:

6HP

Peak Thrust in Lbs: 峰值推力:

160Lbs

Max Voltage: 电压:

DC 24V

Power - Max: 功率:

2520W

Amp - Max: 电流:

105A

Depth Adjustment: 深度调节:

Not Available

Prop Type: 螺旋桨型号: 3blade prop / 10.7inch diam

Prop Speed at Full Power: 转速:

Max. 1450 rpm underwater

Battery Type Required: 电池要求:

2x120AH Deep Cycle **Steering:** 转向操控: 360 degree control

Decibel Level (db): 噪音等级:

≤55db

Weight (N.W.): 重量:

15.7kg

Shaft Type: 主杆类型: Stainless Steel + Aluminium

Shaft Length: 主杆长度:

800mm

Colour: 颜色:

Black

Max Boat Length (Suggestion): 船长:

8m



STEPLESS SPEED CONTROLLER 无级变速器及感应开关

Digital technology provide stepless forward and reverse speed control.With magnetic kill switch



TILTING THE MOTOR 角度调节支架

Offer 4 levels of tilting position with 3 angles additional option.



STEERING WHEEL CONTROL 另购方向盘操控

An additional steering wheel unit is required. The steering angle: from -45° to +45°.



LED POWER DISPLAY LED电源电压显示

Can show you the battery power in anytime.

The Ventura F is equipped with a brushless 5.0/24V motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water, so you can motor in virtually any water. The Ventura F model also features an LED battery level indicator. An additional steering wheel unit is required. Suitable for both salt and fresh water.

MODEL: Steering Wheel Series

50733 ARMADA F 8.0/48V

50734 ARMADA F 10.0/48V

电动无刷推进器豪华方向盘系列

Brushless Motor With Gear Box


无刷齿轮箱变速电机



Steering Wheel Unit Is Required!



Magnetic Kill Switch Included









SPECIFICATIONS

MODEL: 产品型号: 50733 / 50734 Shaft Power: 动力:

OLID / 10UD

8HP / 10HP

Comparable petrol outboards (thrust):

等效汽油机: 10HP / 12HP

Peak Thrust in Lbs: 峰值推力:

250Lbs / 300Lbs Max Voltage: 电压:

DC 48V (AII)

Power - Max: 功率: 4320W / 6000W **Amp - Max:** 电流:

90A / 125A

Depth Adjustment: 深度调节:

Not Available (All)

Prop Type: 螺旋桨型号:

3blade prop / 11.8inch diam (All)

Prop Speed at Full Power: 转速:

Max. 1050 rpm underwater (50733) Max. 1200 rpm underwater (50734)

Battery Type Required: 电池要求:

4x120AH Deep Cycle (All)

Steering: 转向操控: 360 degree control (All)

Decibel Level (db): 噪音等级:

75db (All)

Weight (N.W.): 重量:

27.3kg / 28.8kg

Shaft Type: 主杆类型: Cast Aluminium (All)

Shaft Length: 主杆长度:

670mm (All) **Colour:** 颜色: Black (All)

Max Boat Length (Suggestion): 船长:

9m (All)



STEPLESS SPEED CONTROLLER 无级变速器及感应开关

Digital technology provide stepless forward and reverse speed control.With magnetic kill switch



TILTING THE MOTOR 角度调节支架

Offer 4 levels of tilting position with 3 angles additional option.



STEERING WHEEL CONTRO 另购方向盘操控

An additional steering wheel unit is required.
The steering angle: from -45° to +45°.



LED POWER DISPLAY LED电源电压显示


Can show you the battery power in anytime.



WATER COOLING 循环式水冷系统

Water cooling system is available when the motor is working forward.

The Armada F is equipped with a brushless 8.0/10.0 48V motor and is excellent for the propulsion of a wide range of boats and waterways. This powerful motor is equipped with step-less adjustable speed control and a safety lanyard. The motor can easily be tilted in and out of the water. so you can motor in virtually any water. The Armada F models also features an LED battery level indicator. An additional steering wheel unit is required. Suitable for both salt and fresh water.



KAYAK SPECIFICATIONS

MODEL: 产品型号:

54601

NAME: 名称: Single Winix Kayak Dimension: 尺寸:

 $L3.3m \times W0.8m \times H0.4m$

Weight: 重量:

60kg

Max Load: 载重:

150kg

Steering: 转向操控: Rudder control by Foot

MOTOR SPECIFICATIONS

Power of thrust: 峰值推力:

40Lbs

Max Voltage: 电压:

DC 12V

Power - Max: 功率:

500W

Amp - Max: 电流:

42A

Depth Adjustment: 深度调节:

Not available

Prop Type: 螺旋桨型号: 2 blade prop 9inch diam

Prop Speed at Full Power: 转速:

Max. 1380 rpm underwater

Battery Type Required: 电池要求:

1x105AH deep cycle

Decibel Level (db): 噪音等级:

≤50db

Driving Type: 驱动模式: 5 Forward / 3 Reverse control



STAND UP SUPPORT 配备站立扶手

For more safety and wide-view.



ROD HOLDERS 配备鱼竿支架

The necessary fishing assistants Included.



RUDDER CONTROL 脚控尾舵方向

Rudder control by foot.



RETRACTABLE STABILIZER 浮筒展收功能

This stability to allow you stand up and move about with confidence when stationary.



12V WATER PUMP 12V 排水泵(另购)

Can drain away the water easily.

Not Included

Not included

The new innovative Haswing Fishing Kayak series, utilising the 40Lbs electric trolling motor; this kayak has a fully integrated steering and electric propulsion system. The kayak is equipped with retractable side pods for stability, this allows you to stand up and move about with confidence when stationary. The integrated 40Lbs electric outboard provides a generous amount of propulsion, and the tilt trim system allows for smooth beach landings. The Kayak is equipped with Rod holders, storage centre, Stain-less Steel stand up rail, carry handles, cleats, elevated plastic seat and much more!







KAYAK SPECIFICATIONS

MODEL: 产品型号:

54602

NAME: 名称: Twin Windex Kayak Dimension: 尺寸:

 $L3.8m \times W0.8m \times H0.4m$

Weight: 重量:

67kg

Max Load: 载重:

350kg

Steering: 转向操控: Rudder control by Foot

MOTOR SPECIFICATIONS

Power of thrust: 峰值推力:

40Lbs

Max Voltage: 电压:

DC 12V

Power - Max: 功率:

500W

Amp - Max: 电流:

42A

Depth Adjustment: 深度调节:

Not available

Prop Type: 螺旋桨型号: 2 blade prop 9inch diam

Prop Speed at Full Power: 转速:

Max. 1380 rpm underwater

Battery Type Required: 电池要求:

1x105AH deep cycle

Decibel Level (db): 噪音等级:

≤50db

Driving Type: 驱动模式: 5 Forward / 3 Reverse control



TWO TAIL WHEELS 船尾拖轮设计

Two tail wheels included, Easy to move the boat by single person.



SEAT AND TABLE 双座椅和置物台

Include front and rear seats.
With table in the middle.



RUDDER CONTROL 脚控尾舵方向

Rudder control by foot.



RETRACTABLE STABILIZER 浮筒展收功能

This stability to allow you stand up and move about with confidence when stationary.



12V WATER PUMP 12V 排水泵(另购)


Can drain away the water easily.

Not Included

The new innovative Haswing Fishing Kayak series, utilising the 40Lbs electric trolling motor; this kayak has a fully integrated steering and electric propulsion system. Two retractable side stabilizer allow you stand up and move about with confidence when stationary. The integrated 40Lbs electric outboard provides a generous amount of propulsion, and the tilt trim system allows for smooth beach

table, elevated plastic seats and much more! Two peoples can enjoy.

landings. The Kayak is equipped with Rod holders, storage centre, carry handles,



KAYAK SPECIFICATIONS

MODEL: 产品型号:

54603

NAME: 名称: Single Winfix Kayak Dimension: 尺寸:

 $L3.3m \times W0.8m \times H0.4m$

Weight: 重量:

60kg

Max Load: 载重:

150ka

Steering: 转向操控: Rudder control by Foot

MOTOR SPECIFICATIONS

Power of thrust: 峰值推力:

40Lbs

Max Voltage: 电压:

DC 12V

Power - Max: 功率:

500W

Amp - Max: 电流:

42A

Depth Adjustment: 深度调节:

Not available

Prop Type: 螺旋桨型号: 2 blade prop 9inch diam

Prop Speed at Full Power: 转速:

Max. 1380 rpm underwater

Battery Type Required: 电池要求:

1x105AH deep cycle

Decibel Level (db): 噪音等级:

≤50db

Driving Type: 驱动模式: 5 Forward / 3 Reverse control



STAND UP SUPPORT配备站立扶手

For more safety and wide-view.



ROD HOLDERS 配备鱼竿支架

The necessary fishing assistants Included.



RUDDER CONTROL 脚控尾舵方向

Rudder control by foot.



RETRACTABLE STABILIZER 浮筒展收功能


This stability to allow you stand up and move about with confidence when stationary.



WATER DRAIN OFF

4 drain holes was designed. Can drain away the water automatically.


The new innovative Haswing Fishing Kayak series, utilising the 40Lbs electric trolling motor; this kayak has a fully integrated steering and electric propulsion system. The kayak is equipped with retractable side pods for stability, this allows you to stand up and move about with confidence when stationary. The integrated 40Lbs electric outboard provides a generous amount of propulsion, and the tilt trim system allows for smooth beach landings. The Kayak is equipped with Rod holders, storage centre, Stain- less Steel stand up rail, carry handles, cleats, elevated plastic seat and much more!



图片与实物略有不同! Actual model may vary from image!



Be easily Assembled by 4 Parts!







BOAT SPECIFICATIONS

MODEL: 产品型号:

54604

NAME: 名称: Winpab Boat

Dimension: 船体尺寸: L3.0m × W0.9m × H0.4m

Weight: 重量:

46kg

Max Load: 载重:

250kg

Trolling Motor Suggestion:

需另购推进器:

Item 50702/40Lbs (Not Included)

50702 MOTOR SPECIFICATIONS

Power of thrust: 峰值推力:

40Lbs

Max Voltage: 电压:

DC 12V

Power - Max: 功率:

500W

Amp - Max: 电流:

42A

Depth Adjustment: 深度调节:

Depth Collar

Prop Type: 螺旋桨型号: 2 blade prop 9inch diam

Prop Speed at Full Power: 转速:

Max. 1380 rpm underwater

Battery Type Required: 电池要求:

1x105AH deep cycle

Decibel Level (db): 噪音等级:


≤50db

Driving Type: 驱动模式: 5 Forward / 3 Reverse control



SMALL VOLUME 小体积拼装船

Only has small volume while unpacked.



TROLLING MOTOR 1 可选配船头机(另购)

Bow Mount Trolling Motor (not included) can be used if needed.



TROLLING MOTOR 2 可选配船尾机(另购)

Transom Mount Trolling Motor (not included) can be used if needed.



RETRACTABLE SIDE PODS 配置有双浮筒

2pcs side pods are included: This stability to allow you stand up and move about with confidence when stationary.



AIR PUMP 配置有充气泵

Air Pump is included!

The new innovative Haswing Fishing Portable Assembly Boat, can be easily assembled by 4 Parts. It is required to utilise the electric trolling motor (not included). The boat is equipped with retractable side pods for stability, this allows you to stand up and move about with confidence when stationary. The boat can be both used bow mount trolling motor and transom mount trolling motor. Also the boat is equipped with stainless steel pod holders, air pump, aluminium seat cleat, 12pcs lock catch and much more!

Replacement

All Propellers Here





MODEL:24000225 3-blade prop. / 9.3inch Suitable for MODEL:

50700, 50703, 50704, 50706, 50716, 50720, 50736, 50739



MODEL:24001176
3-blade prop. / 10.7inch
Suitable for MODEL:

50719, 50749, 50752, 50756



MODEL:24000236 2-blade prop. / 9inch Suitable for MODEL: 50701, 50702, 50708, 50714



000


MODEL:24000522 2-blade prop. / 5.9inch Suitable for MODEL: 50735



MODEL:24001309 3-blade prop. / 9.3inch Suitable for MODEL: 50744, 50745,50762



MODEL:24000333 3-blade prop. / 11.8inch Suitable for MODEL: 50713, 50727



MODEL:24001357 3-blade prop. / 11.8inch Suitable for MODEL: 50731, 50732, 50733, 50734



MODEL:24000318 3-blade prop. / 11.8inch Suitable for MODEL: 50728



MODEL:24000825 2-blade prop. / 11.4inch Suitable for MODEL:

50718D, 50721, 50722, 50737, 50738, 50742, 50743, 50755, 50757, 50758



MODEL:24001273 3-blade prop. / 9.3inch Suitable for MODEL: 50715, 50741

Full Range Supply



Wireless Foot Remote Controller

无线脚踏控制器





MODEL:50805

2.4GHz; LCD Display; With USB Charger; 3.7V/1100mAh Lipo battery included.

Suitable for MODEL: 50736, 50737, 50738

Wireless Remote Controller for GPS Items 无线遥控器(GPS)



MODEL:50806

2.4GHz: Bluetooth: Wifi: 3.7V/1100mAh Lipo battery included: With USB Charger

Suitable for MODEL: 50736, 50737, 50738



MODEL:59904 Material: Steel

Size:40cmX50cmX85cm Suitable for MODEL:

most of HASWING electric motors

DC Adapter 直流电源适配器





Input Voltage:8-15V: Output Voltage:5V. Output Current: 1.2A Max.

Suitable for MODEL:

Display Metal Stand

推进器展示架

MODEL:59915

50802, 50802N, 50805, 50805N, 50806, 50806N and Smartphone

Sacrificial Anode A 牺牲阳极 A



MODEL:59907

Φ10mm hole, easily-consumed spare parts

Suitable for MODEL:

most of HASWING electric motors

Sacrificial Anode B

牺牲阳极 B



MODEL:59908

Φ8mm hole, easily-consumed spare parts

Suitable for MODEL:

most of HASWING electric motors

Sacrificial Anode C

牺牲阳极 C



MODEL:59909

easily-consumed spare parts

Suitable for MODEL: 51200 only.

Sparking Plug

火花塞



MODEL:59910

easily-consumed spare parts

Suitable for MODEL: 51200 only.

Wireless Remote Controller

无线遥控器





MODEL:50802

433MHz; With USB Charger; 3.7V/200mAh Lipo battery included;

Suitable for MODEL:

50700, 50718D, 50706, 50757, 50758

Quick Release Bracket 快拆板









CONTENT

Quick release bracket




50700, 50718D, 50720, 50721, 50722, 50736, 50737, 50738, 50739, 50742, 50743















Replacemen

Full Range Supply





固定式鱼竿固定器



MODEL:54700

Only to be fixed a board. Suitable for MODEL:

54601, 54602, 54603 and others.

Water Pump 独木舟排水泵



MODEL:54705

DC 12V/1.6A

Can drain away the water easily. Suitable for MODEL: 54601, 54603

Transformative Bracket

转换支架



MODEL:59913

Change the bow motor to transom motor.

Suitable for MODEL:

50736, 50737, 50738, 50739, 50742, 50743

Multi Function Fishing Rod Holder

多用途鱼竿固定器



MODEL:54701

Can be fixed to a board/a pole or a pipe.

Suitable for MODEL:

54601, 54602, 54603 and others.

Magnetic Kill Switch

紧急停止开关



MODEL:24000392 Available

Suitable for MODEL:

50719, 50729, 50731, 50732, 50733, 50734,

50741, 50749, 50752, 50756

Kill Switch

熄火拉绳



MODEL:59911 Available

Suitable for MODEL: 51200 only.

Kill Switch

紧急停止拉索



MODEL:24000645

Available

Suitable for MODEL: 50713, 50728

60-Amp Clips

小鳄鱼夹



MODEL:59912

With higher amp rating.

Suitable for MODEL: Amp-Max.: 60A

120-Amp Clips

大鳄鱼夹



MODEL:59916

With higher amp rating.

Suitable for MODEL: Amp-Max.: 120A

40Lbs Electric Trolling Motor



MODEL:54704

DD Brush Motor

Power of thrust: 40Lbs

有刷直驱电机 Max Voltage: DC 12V

Power - Max: 500W Amp - Max: 42A

Prop Type: 2 blade prop 9inch diam

Prop Speed at Full Power: Max. 1380 rpm underwater

Battery Type Required:

1x105AH deep cycle

Weight: 5.5kg

Suitable for MODEL: 54601, 54602, 54603









ZhongShan YaTai Electric Appliances Co., Ltd.

Add: No.4 XinLong Street, NanLong Industrial Park, SanXiang, ZhongShan, GuangDong Province, China Postcode:528463

Email(Overseas Market): ye@haswing.com, daniel@haswing.com Email(Chinese Market): wang1688@126.com, 304327713@qq.com

Tell: +86 760 8633 8326, +86 760 8669 2666

Fax: +86 760 8669 2996



WWW.HASWING.COM www.zsyatai.en.alibaba.com