



**Youlanda**  
**优兰达**



**宁波优兰达喷雾有限公司**  
**NINGBO YOLANDA SPRAY CO., LTD.**

地址: 浙江省余姚市低塘街道城东北路95号 \ No.95 Northern Rode East City, Ditang Street, Yuyao, Zhejiang, China  
邮编(P.C): 315492 \ 电话(TEL): 0574-62268622 \ 传真(FAX): 0574-62268621 \ Http://www.nbyolandaspray.com



[www.nbyolandaspray.com](http://www.nbyolandaspray.com)  
2018



# BRIEF INTRODUCTION

## 公司简介

宁波优兰达喷雾器有限公司是一家专业生产方枪,香水卡口喷头,乳液泵等各类化妆品包材的生产厂家,产品广泛应用于化妆品,食品,医药,绿化等领域。我们是从原材料生产、模具制造到成品于一体的专业化生产企业。公司拥有精良的开模设备,经验丰富的技术队伍。目前公司有注塑机,全自动化生产机器设备,自动检测仪器等现代化生产配套设备。我们视产品质量为生命,以优质服务为使命,用专业化水平给每位来自海内外的客户提供高质量的产品和服务。

我们以高品质高质量为使命,为了适应现代化市场多变的特点,依托高新的技术设备,优质的软硬件投入,努力把公司打造成国际化标准的喷雾器企业。“致力成为全球诚挚可靠的分配器供应商”这是本公司的抱负,也是我们为之奋斗不息的目标!

Ningbo Yolanda Spray Co., Ltd. is a manufacturer which specialized in producing plastic trigger sprayer, perfume crimp pump, Lotion pump and different kinds of cosmetic package. Our products can be extensive adapted to Cosmetic, Food, Medical and Greening field. We are a factory which integrative from the raw material, the completion of mold and products. We have own advanced molding equipment and experienced technical team. And now we already have many sets of injection machines, automatic producing machines and testing device. We also have mold making workshop. We treat the quality as our life, good service as mission. With our professional service to provide the best quality products and service to all over the world.

We always take the high quality as our mission, in order to follow up the modern market changeable characteristics, based on high and new technical settings to make our enterprise into a international standard sprayer company.

Facing intense competition, though it's full of challenges and frustrations, We'll devote ourselves to achieve further satisfaction of esteemed customers. Thanks for your attention and cooperation.



# R&D CENTER

## 研发中心

宁波优兰达喷雾有限公司拥有一支经验丰富的专业研发和设计团队,并自有高规格的精密模具制造车间,产品从设计开发到模具制造再到成品生产形成了完整的生产系统,确保了高品质产品的稳定性。

Ningbo Yolanda Spray Co., Ltd. has an experienced and professional R & D and design team . There is high- standard precision mold manufacturing workshop. The product has been a complete productive system at the stage of design mold making and the formation of production to ensure the stability of high-quality products.





# ADVANCED EQUIPMENT

## 先进设备

公司积极引进现代化的产品生产和组装设备，拥有自动化无尘组装车间，无论是方枪、喷头还是卡口等产品均实现了80%以上的自动化生产和组装，大大提高了生产效率，确保了产品生产周期；高素质的技师队伍、科学的生产工艺以及苛刻的原料采购系统，保证了企业强大的生产制造能力。

Company introduce modernizational production and assembly equipment in high passion. And it's owns automated assembly plant clean. Either trigger sprayer, lotion pumps or perfume sprayer and other products have achieved more than 80% production and assembly automated which can improve greatly production efficiency and ensure the production cycle; The highly qualified technician team, scientific production technology and strict raw materials procurement system to ensure that the enterprise strong production capacity.



# QUALITY INSPECTION

## 品质检测

把产品质量视为企业生存和发展的命脉，优兰达一直注重产品质量的控制和品牌价值的提升，不断完善严格的质量管理体系，严格按照产品零缺陷的检验检测标准，为打造优兰达高质量的产品和企业形象而不断努力。



Product quality was regarded as the lifeblood of enterprise survival and development . Yolanda has been focusing on the control of product quality and improvement, and constantly improve the strict quality management system, in strict accordance with inspection standard of zero-defect products. They make great efforts continuously to create high-quality products and enterprises image.





# PRODUCT CONTENTS

## 产品目录



# YOLANDA SPRAY PERFUME SPRAYER



SERIES





**YLD1101**

Discharge Rate: **0.06-0.08ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅15/400	2000 PCS	38x36x21.5CM	6.5 / 7.0 KG
∅18/400	2000 PCS	43x36x21.5CM	7.5 / 8.0 KG
∅20/400	2000 PCS	48x36x21.5CM	8.5 / 9.0 KG

**YLD1104**

Discharge Rate: **0.08-0.10ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅15/400	2000 PCS	38x36x21.5CM	6.5 / 7.0 KG
∅18/400	2000 PCS	43x36x21.5CM	7.5 / 8.0 KG
∅20/400	2000 PCS	48x36x21.5CM	8.5 / 9.0 KG



**YLD1102**

Discharge Rate: **0.06-0.08ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅15/400	2000 PCS	38x36x21.5CM	6.5 / 7.0 KG
∅18/400	2000 PCS	43x36x21.5CM	7.5 / 8.0 KG
∅20/400	2000 PCS	48x36x21.5CM	8.5 / 9.0 KG

**YLD1105**

Discharge Rate: **0.12-0.13ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅15/400	2000 PCS	42x36x21.5CM	7.0 / 7.5 KG
∅18/400	2000 PCS	47x36x21.5CM	8.0 / 8.5 KG
∅20/400	2000 PCS	52x36x21.5CM	9.0 / 9.5 KG



**YLD1103**

Discharge Rate: **0.08-0.10ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅15/400	2000 PCS	38x36x21.5CM	6.5 / 7.0 KG
∅18/400	2000 PCS	43x36x21.5CM	7.5 / 8.0 KG
∅20/400	2000 PCS	48x36x21.5CM	8.5 / 9.0 KG





## More combinations More options


### NOZZLE OPTIONS




### TRIGGER OPTIONS



### CLOSURE OPTIONS



### COVER OPTIONS



YOLANDA SPRAY  
TRIGGER SPRAYER







YLD2101

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	49x38x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	51x38x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	53x38x39CM	11.0 / 12.0 KG



YLD2102

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	49x38x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	51x38x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	53x38x39CM	11.0 / 12.0 KG



YLD2103

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x38x39CM	11.0 / 12.0 KG
∅28/410	500 PCS	63x38x39CM	12.0 / 13.0 KG
∅28/415	500 PCS	66x38x39CM	13.0 / 14.0 KG



YLD2104

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	49x38x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	51x38x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	53x38x39CM	11.0 / 12.0 KG

YLD2105

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	53x32x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	55x32x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	57x32x39CM	11.0 / 12.0 KG



YLD2106

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	53x32x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	55x32x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	57x32x39CM	11.0 / 12.0 KG



YLD2107

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	49x38x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	51x38x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	53x38x39CM	11.0 / 12.0 KG



Ratchet





YLD2108

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	49x38x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	51x38x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	53x38x39CM	11.0 / 12.0 KG

YLD2111

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	49x38x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	51x38x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	53x38x39CM	11.0 / 12.0 KG



YLD2109

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	53x32x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	55x32x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	57x32x39CM	11.0 / 12.0 KG

YLD2112

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	49x38x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	51x38x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	53x38x39CM	11.0 / 12.0 KG



YLD2110

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	49x38x39CM	9.0 / 10.0 KG
∅28/410	500 PCS	51x38x39CM	10.0 / 11.0 KG
∅28/415	500 PCS	53x38x39CM	11.0 / 12.0 KG

YLD2113

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x38x39CM	11.0 / 12.0 KG
∅28/410	500 PCS	63x38x39CM	12.0 / 13.0 KG
∅28/415	500 PCS	66x38x39CM	13.0 / 14.0 KG



YLD2114

Discharge Rate: 0.65-0.85ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x38x39CM	11.0 / 12.0 KG
∅28/410	500 PCS	63x38x39CM	12.0 / 13.0 KG
∅28/415	500 PCS	66x38x39CM	13.0 / 14.0 KG





Discharge Rate:  
**0.80-0.90ml/T**



**YLD2101J**

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
∅28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
∅28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG



**YLD2102J**

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
∅28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
∅28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG



**YLD2103J**

Discharge Rate: **0.80-0.90ml/T**


SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	63x38x39CM	11.0 / 12.0 KG
∅28/410	500 PCS	66x38x39CM	12.0 / 13.0 KG
∅28/415	500 PCS	69x38x39CM	13.0 / 14.0 KG



**YLD2104J**

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
∅28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
∅28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG



**Nozzle Options**



**Trigger Options**



**Closure Options**







YLD2105J

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	500 PCS	52x32x43CM	10.0 / 11.0 KG
Ø28/410	500 PCS	55x32x43CM	11.0 / 12.0 KG
Ø28/415	500 PCS	58x32x43CM	12.0 / 13.0 KG

YLD2108J

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
Ø28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
Ø28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG



YLD2106J

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	500 PCS	52x32x43CM	10.0 / 11.0 KG
Ø28/410	500 PCS	55x32x43CM	11.0 / 12.0 KG
Ø28/415	500 PCS	58x32x43CM	12.0 / 13.0 KG

YLD2109J

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	500 PCS	52x32x43CM	10.0 / 11.0 KG
Ø28/410	500 PCS	55x32x43CM	11.0 / 12.0 KG
Ø28/415	500 PCS	58x32x43CM	12.0 / 13.0 KG



YLD2107J

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
Ø28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
Ø28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG

YLD2110J

Discharge Rate: **0.80-0.90ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
Ø28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
Ø28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG







YLD2111J

Discharge Rate: 0.80-0.90ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
∅28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
∅28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG



YLD2112J

Discharge Rate: 0.80-0.90ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
∅28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
∅28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG



YLD2113J

Discharge Rate: 0.80-0.90ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
∅28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
∅28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG



YLD2114J

Discharge Rate: 0.80-0.90ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	55x32x43CM	10.0 / 11.0 KG
∅28/410	500 PCS	58x32x43CM	11.0 / 12.0 KG
∅28/415	500 PCS	52x38x43CM	12.0 / 13.0 KG

YLD2107M

Discharge Rate: 0.80-0.90ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	53x38x39CM	11.0 / 12.0 KG
∅28/410	500 PCS	56x38x39CM	12.0 / 13.0 KG
∅28/415	500 PCS	58x38x39CM	13.0 / 14.0 KG




YLD2106M



YLD2107M



YLD2110M



Nozzle Options



Spray/Spray N1

Trigger Options



Normal Trigger T1



Pot Trigger T2

Closure Options




28/415



28/410



28/400



Rechat



**YOLANDA SPRAY  
TRIGGER SPRAYER**




**More combinations More options**

**NOZZLE OPTIONS**





**TRIGGER OPTIONS**



**CLOSURE OPTIONS**



**COVER OPTIONS**








YLD2204

Discharge Rate: 1.30-1.50ml/T

NEW!



SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	400 PCS	50x38x44CM	11.0 / 12.0 KG
∅28/410	400 PCS	53x38x44CM	12.0 / 13.0 KG
∅28/415	400 PCS	56x38x44CM	13.0 / 14.0 KG



YLD2205

Discharge Rate: 1.30-1.50ml/T

BE APPLIED TO HIGH VISCOSITY LIQUID  
适用于高粘度液体

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	400 PCS	50x38x44CM	11.0 / 12.0 KG
∅28/410	400 PCS	53x38x44CM	12.0 / 13.0 KG
∅28/415	400 PCS	56x38x44CM	13.0 / 14.0 KG



NEW!

YLD2206


Discharge Rate: 1.30-1.50ml/T

BE APPLIED TO HIGH VISCOSITY LIQUID  
适用于高粘度液体

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	400 PCS	48x38x44CM	11.0 / 12.0 KG
∅28/410	400 PCS	50x38x44CM	12.0 / 13.0 KG
∅28/415	400 PCS	52x38x44CM	13.0 / 14.0 KG



NEW!







YLD2201A

Discharge Rate: 1.30-1.50ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	400 PCS	50x38x44CM	11.0 / 12.0 KG
Ø28/410	400 PCS	53x38x44CM	12.0 / 13.0 KG
Ø28/415	400 PCS	56x38x44CM	13.0 / 14.0 KG

YLD2201AS

Discharge Rate: 1.10-1.30ml/T

ALL PLASTIC

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	400 PCS	50x38x44CM	11.0 / 12.0 KG
Ø28/410	400 PCS	53x38x44CM	12.0 / 13.0 KG
Ø28/415	400 PCS	56x38x44CM	13.0 / 14.0 KG



YLD2202B

Discharge Rate: 1.30-1.50ml/T



SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	400 PCS	48x38x44CM	11.0 / 12.0 KG
Ø28/410	400 PCS	50x38x44CM	12.0 / 13.0 KG
Ø28/415	400 PCS	52x38x44CM	13.0 / 14.0 KG

YLD2201AS

Discharge Rate: 1.10-1.30ml/T

ALL PLASTIC

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	400 PCS	48x38x44CM	11.0 / 12.0 KG
Ø28/410	400 PCS	50x38x44CM	12.0 / 13.0 KG
Ø28/415	400 PCS	52x38x44CM	13.0 / 14.0 KG




YLD2203C

Discharge Rate: 1.30-1.50ml/T



SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28/400	500 PCS	50x38x44CM	11.0 / 12.0 KG
Ø28/410	500 PCS	53x38x44CM	12.0 / 13.0 KG
Ø28/415	500 PCS	55x38x44CM	13.0 / 14.0 KG







YLD2281

Discharge Rate: 1.00-1.20ml/T

ALL PLASTIC

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x38x44CM	13.5 / 14.5 KG
∅28/410	500 PCS	62x38x44CM	14.5 / 15.5 KG

YLD2401

Discharge Rate: 0.80-1.00ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x33x38CM	11.0 / 12.0 KG
∅28/410	500 PCS	60x38x38CM	13.0 / 14.0 KG



YLD2282

Discharge Rate: 1.00-1.20ml/T

ALL PLASTIC

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x38x44CM	13.5 / 14.5 KG
∅28/410	500 PCS	62x38x44CM	14.5 / 15.5 KG

YLD2402

Discharge Rate: 0.80-1.00ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x33x38CM	11.0 / 12.0 KG
∅28/410	500 PCS	60x38x38CM	12.0 / 13.0 KG



YLD2283

Discharge Rate: 1.00-1.20ml/T

ALL PLASTIC

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	56x38x38CM	11.0 / 12.0 KG
∅28/410	500 PCS	59x38x38CM	12.0 / 13.0 KG

YLD2403

Discharge Rate: 0.80-1.00ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x33x38CM	11.0 / 12.0 KG
∅28/410	500 PCS	60x38x38CM	12.0 / 13.0 KG



YLD2284

Discharge Rate: 1.00-1.20ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	500 PCS	57x33x39CM	12.0 / 13.0 KG
∅28/410	500 PCS	59x33x39CM	13.0 / 14.0 KG

YLD2404

Discharge Rate: 0.80-1.00ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	500 PCS	60x33x38CM	11.0 / 12.0 KG
∅28/410	500 PCS	60x38x38CM	12.0 / 13.0 KG







YLD2301

Discharge Rate: 0.55-0.60ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	500 PCS	57x33x39CM	12.0 / 13.0 KG
∅28/410	500 PCS	59x33x39CM	13.0 / 14.0 KG

YLD2303

Discharge Rate: 0.55-0.60ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	500 PCS	45x32x37CM	7.0 / 7.5 KG
∅24/410	500 PCS	45x32x39CM	7.5 / 8.0 KG
∅28/410	500 PCS	47x32x39CM	8.0 / 8.5 KG



YLD2302A

Discharge Rate: 0.25-0.30ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	500 PCS	47x32x37CM	7.0 / 7.5 KG
∅24/410	500 PCS	45x32x39CM	7.5 / 8.0 KG
∅28/410	500 PCS	47x32x39CM	8.0 / 8.5 KG

YLD2304

Discharge Rate: 0.25-0.30ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	500 PCS	47x32x37CM	7.0 / 7.5 KG
∅24/410	500 PCS	45x32x35CM	7.5 / 8.0 KG
∅28/410	500 PCS	47x32x35CM	8.0 / 8.5 KG



YLD2302B

Discharge Rate: 0.25-0.30ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	500 PCS	47x32x37CM	7.0 / 7.5 KG
∅24/410	500 PCS	45x32x39CM	7.5 / 8.0 KG
∅28/410	500 PCS	47x32x39CM	8.0 / 8.5 KG

YLD2305

Discharge Rate: 0.25-0.30ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	500 PCS	57x34x36CM	7.0 / 7.5 KG
∅24/410	500 PCS	55x34x38CM	7.5 / 8.0 KG
∅28/410	500 PCS	57x34x38CM	8.0 / 8.5 KG





YOLANDA SPRAY  
CREAM PUMP



YOU LANDA SPRAY



SERIES

YLD6101

Discharge Rate: 0.60ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	800 PCS	57x32x38CM	11.0 / 12.0 KG



OUTER SPRING  
外置弹簧

YLD6102

Discharge Rate: 0.60ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	800 PCS	57x32x38CM	9.0 / 10.0 KG



OUTER SPRING  
外置弹簧

YLD6103

Discharge Rate: 0.60ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	800 PCS	57x32x38CM	9.0 / 10.0 KG



OUTER SPRING  
外置弹簧

YLD6104

Discharge Rate: 0.60ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	800 PCS	57x32x38CM	9.0 / 10.0 KG



OUTER SPRING  
外置弹簧



OUTER SPRING  
外置弹簧



YLD6105

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	2000 PCS	60x38x40CM	11.0 / 12.0 KG
∅24/410	1500 PCS	60x38x40CM	11.0 / 12.0 KG

YLD6109

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	1500 PCS	47x38x30CM	12.5 / 13.5 KG
∅24/410	1000 PCS	48x37.5x38.5CM	8.0 / 9.0 KG

OUTER SPRING  
外置弹簧



OUTER SPRING  
外置弹簧



YLD6106

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	2000 PCS	56x38x42CM	11.0 / 12.0 KG
∅24/410	1500 PCS	56x37x38CM	11.0 / 12.0 KG

YLD6110

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/415	2000 PCS	56x37x38CM	11.0 / 12.0 KG

OUTER SPRING  
外置弹簧



OUTER SPRING  
外置弹簧



YLD6107

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	3000 PCS	50x38x39CM	10.0 / 11.0 KG
∅20/410	2500 PCS	50x38x39CM	11.0 / 12.0 KG

YLD6111

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1500 PCS	56x37x38CM	11.0 / 12.0 KG

OUTER SPRING  
外置弹簧



OUTER SPRING  
外置弹簧



YLD6108

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	2200 PCS	60x38x40CM	11.0 / 12.0 KG
∅20/410	2000 PCS	60x38x40CM	11.0 / 12.0 KG
∅24/410	1800 PCS	60x38x40CM	11.0 / 12.0 KG

YLD6112

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	2000 PCS	58x38x35CM	15.5 / 16.0 KG

OUTER SPRING  
外置弹簧







YLD6201

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	2000 PCS	58x38x35CM	15.5 / 16.0 KG

AIRLESS PUMP  
真空泵

YLD6301

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	2000 PCS	57x32x38CM	11.0 / 12.0 KG
∅20/410	2000 PCS	57x32x38CM	11.0 / 12.0 KG
∅24/410	1500 PCS	48x37.5x38.5CM	11.0 / 12.0 KG



INNER SPRING  
内置弹簧

YLD6302

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	2000 PCS	50x38x39CM	11.0 / 12.0 KG
∅20/410	2000 PCS	50x38x39CM	11.0 / 12.0 KG
∅24/410	1500 PCS	52x38x39CM	11.0 / 12.0 KG



INNER SPRING  
内置弹簧



YLD6202

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	2000 PCS	58x38x35CM	15.5 / 16.0 KG

AIRLESS PUMP  
真空泵

YLD6303

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	2000 PCS	56x38x42CM	11.0 / 12.0 KG
∅24/410	1500 PCS	56x37x38CM	11.0 / 12.0 KG



INNER SPRING  
内置弹簧



YLD6203

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	2200 PCS	58x38x35CM	15.5 / 16.0 KG
∅20/410	2000 PCS	58x38x35CM	15.0 / 15.5 KG

AIRLESS PUMP  
真空泵

YLD6304

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	2000 PCS	60x38x39CM	15.0 / 16.0 KG
∅20/410	1500 PCS	60x38x39CM	15.0 / 16.0 KG



INNER SPRING  
内置弹簧





INNER SPRING  
内置弹簧

YLD6305

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	2000 PCS	60x38x39CM	15.0 / 16.0 KG
∅20/410	1500 PCS	60x38x39CM	15.0 / 16.0 KG



INNER SPRING  
内置弹簧

YLD6306

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	2500 PCS	50x38x39CM	11.0 / 12.0 KG
∅24/410	2000 PCS	52x38x39CM	13.0 / 14.0 KG



INNER SPRING  
内置弹簧

YLD6307

Discharge Rate: 0.25ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅18/410	2200 PCS	60x38x40CM	11.0 / 12.0 KG
∅20/410	2000 PCS	60x38x40CM	11.0 / 12.0 KG
∅24/410	1800 PCS	60x38x40CM	11.0 / 12.0 KG

YOLANDA SPRAY  
LOTION PUMP  
left:right lock / screw-up



SERIES







**YLD31**

Discharge Rate: **1.20-2.00ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	54x38x39CM	13.5 / 14.5 KG


Nozzle Options



Closure Size Options



Closure Options



**YLD3101**

Discharge Rate: **1.20-2.00ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG



**YLD3102**

Discharge Rate: **1.20-2.00ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG



**YLD3103**

Discharge Rate: **1.20-2.00ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅28/400	800 PCS	57x38x39CM	11.0 / 12.0 KG
∅28/410	800 PCS	60x38x39CM	11.5 / 12.5 KG







**YLD3104**

Discharge Rate: **2.00-2.20ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	1000 PCS	54x38x39CM	13.0 / 14.0 KG
Ø28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
Ø28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG

OUT SPRING  
外置弹簧

**YLD3108**

Discharge Rate: **1.00ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø20/410	1000 PCS	52x38x39CM	11.0 / 12.0 KG
Ø24/410	1000 PCS	54x38x39CM	12.0 / 13.0 KG



**YLD3105**

Discharge Rate: **2.00-2.20ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
Ø28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
Ø28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG

OUT SPRING  
外置弹簧

**YLD3109**

Discharge Rate: **1.00ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø20/410	1000 PCS	52x38x35CM	11.0 / 12.0 KG
Ø24/410	1000 PCS	54x38x39CM	12.0 / 13.0 KG



**YLD3106**

Discharge Rate: **2.00-2.20ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
Ø28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
Ø28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG

OUT SPRING  
外置弹簧

**YLD3110**

Discharge Rate: **1.00ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø20/410	1000 PCS	52x38x35CM	11.0 / 12.0 KG
Ø24/410	1000 PCS	54x38x39CM	12.0 / 13.0 KG



**YLD3107**

Discharge Rate: **2.00-2.20ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
Ø28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
Ø28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG

OUT SPRING  
外置弹簧

**YLD3111**

Discharge Rate: **1.80-2.20ml/T**

left-right lock

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø20/410	1000 PCS	52x38x35CM	11.0 / 12.0 KG
Ø24/410	1000 PCS	54x38x39CM	12.0 / 13.0 KG







YLD32

Discharge Rate: 1.20-2.00ml/T

screw-up

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	54x38x39CM	13.5 / 14.5 KG



YLD3201

Discharge Rate: 1.20-2.00ml/T

screw-up

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG

YLD3202

Discharge Rate: 1.20-2.00ml/T

screw-up

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG



YLD3203

Discharge Rate: 1.20-2.00ml/T

screw-up

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG




Nozzle Options



Closure Options



Closure Size Options







YLD3204

Discharge Rate: 1.20-2.00ml/T

screw-up

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG

YLD3301

Discharge Rate: 4.00ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG



YLD3205

Discharge Rate: 1.20-2.00ml/T

screw-up

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG

YLD3302

Discharge Rate: 4.00ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG



YLD3206

Discharge Rate: 1.20-2.00ml/T

screw-up

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	1200 PCS	54x38x39CM	14.0 / 15.0 KG
∅28/400	1000 PCS	54x38x39CM	13.0 / 14.0 KG
∅28/410	1000 PCS	57x38x39CM	13.5 / 14.5 KG

YLD3303

Discharge Rate: 2.00-4.00ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG







**YLD3304**

Discharge Rate: **2.00-4.00ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG

**YLD3307**

Discharge Rate: **2.00-4.00ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG



**YLD3305**

Discharge Rate: **2.00-4.00ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG

**YLD3308**

Discharge Rate: **2.00-4.00ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG



**YLD3306**

Discharge Rate: **2.00-4.00ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG

**YLD3309**

Discharge Rate: **2.00-4.00ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅33/410	500 PCS	50x38x39CM	11.5 / 12.5 KG
∅38/400	500 PCS	50x38x39CM	12.0 / 13.0 KG






**YLD41**

Discharge Rate: **0.15-0.18ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø18/410	2500 PCS	57x32x38CM	11.0 / 12.0 KG
Ø18/415	2000 PCS	57x32x38CM	11.0 / 12.0 KG
Ø20/410	2000 PCS	57x32x38CM	11.0 / 12.0 KG
Ø24/410	1500 PCS	57x32x38CM	11.5 / 12.5 KG
Ø24/415	1250 PCS	57x32x38CM	11.0 / 12.0 KG
Ø28/410	1250 PCS	57x32x38CM	11.5 / 12.5 KG



**Cap Options**



**Closure Options**



**YOLANDA SPRAY  
FINE MIST SPRAYER**



**FINE MIST SPRAYER**



BE APPLIED TO HIGH VISCOSITY LIQUID  
适用于高粘度液体



YLD42

Discharge Rate: 0.15-0.20ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	2500 PCS	50x38x39CM	13.0 / 14.0 KG
∅24/410	2000 PCS	52x38x39CM	13.0 / 14.0 KG

SMOOTH AND RIBBED COLSURES  
in all standard sizes as well as with aluminum shells over the colosure



YLD43

Discharge Rate: 0.20-0.30ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅20/410	1000 PCS	50x38x39CM	13.0 / 14.0 KG
∅24/410	2000 PCS	52x38x39CM	13.0 / 14.0 KG

YLD4401

Discharge Rate: 0.04-0.06ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	400 PCS	53x38x44CM	11.0 / 12.0 KG
∅28/410	400 PCS	53x38x44CM	12.0 / 13.0 KG



YLD4402

Discharge Rate: 0.04-0.06ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	400 PCS	50x38x44CM	11.0 / 12.0 KG
∅28/410	400 PCS	50x38x44CM	12.0 / 13.0 KG



YLD4403

Discharge Rate: 0.04-0.06ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
∅24/410	500 PCS	53x38x44CM	11.0 / 12.0 KG
∅28/410	500 PCS	53x38x44CM	12.0 / 13.0 KG





**YOLANDA SPRAY  
FOAM PUMP**



**YLD5101**

Discharge Rate: **0.80ml/T, 1.20-1.50ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø30	500 PCS	45x35x29CM	9.1 / 8.3 KG



**YLD5102**

Discharge Rate: **0.80ml/T, 1.20-1.50ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø28	500 PCS	44x35x25.5CM	9.1 / 8.3 KG



**YLD5103**

Discharge Rate: **4.00ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø30/410	500 PCS	45x35x29CM	7.4 / 6.6 KG



**YLD5104**

Discharge Rate: **0.80ml/T, 1.20-1.50ml/T**

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø40/410	250 PCS	44x35x30CM	7.8 / 6.8 KG







YLD5105

Discharge Rate: 0.80ml/T, 1.20-1.50ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø40/410	250 PCS	44x35x30CM	7.4 / 6.3 KG



YLD5106

Discharge Rate: 0.80ml/T, 1.20-1.50ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø42/410	200 PCS	41x35x28CM	7.15 / 6.35 KG



YLD5107

Discharge Rate: 0.80ml/T, 1.20-1.50ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø40/410	250 PCS	47x35x32CM	8.1 / 7.4 KG



YLD5108

Discharge Rate: 0.80ml/T, 1.20-1.50ml/T

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø42	PCS	47x35x32CM	7.6 / 6.3 KG

YOLANDA SPRAY  
PLASTIC CAP



SERIES





YLD7101

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø18/410	6000 PCS	50x38x40CM	14.5 / 15.5 KG
Ø18/415	5000 PCS	50x38x40CM	13.0 / 14.0 KG
Ø20/410	5000 PCS	50x38x40CM	15.5 / 16.5 KG
Ø20/415	4000 PCS	50x38x40CM	15.5 / 16.5 KG
Ø24/410	3200 PCS	50x38x40CM	15.5 / 16.5 KG
Ø24/415	2500 PCS	50x38x40CM	13.5 / 14.5 KG
Ø28/410	2200 PCS	50x38x40CM	12.5 / 13.5 KG
Ø28/415	1600 PCS	50x38x40CM	11.0 / 12.0 KG



YLD7102

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	1900 PCS	50x38x40CM	11.5 / 12.5 KG
Ø28/410	1500 PCS	50x38x40CM	11.5 / 12.5 KG



YLD7201

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø15/415	10000 PCS	50x38x40CM	15.0 / 16.0 KG
Ø18/415	6000 PCS	50x38x40CM	13.0 / 14.0 KG
Ø20/415	5000 PCS	50x38x40CM	15.0 / 16.0 KG



YLD7202

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	3800 PCS	50x38x40CM	14.5 / 15.5 KG
Ø28/410	2800 PCS	50x38x40CM	13.2 / 14.2 KG

YLD7203

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	3800 PCS	50x38x40CM	14.5 / 15.5 KG
Ø28/410	2800 PCS	50x38x40CM	13.2 / 14.2 KG



YLD7204

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø20/410	5000 PCS	50x38x40CM	16.0 / 17.0 KG
Ø24/410	3000 PCS	50x38x40CM	13.5 / 14.5 KG
Ø28/410	2500 PCS	50x38x40CM	13.0 / 14.0 KG



YLD7205

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	3400 PCS	50x38x40CM	14.0 / 15.0 KG
Ø28/410	2600 PCS	50x38x40CM	14.0 / 15.0 KG
Ø33/410	1700 PCS	50x38x40CM	13.0 / 14.0 KG



YLD7206

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	3400 PCS	50x38x40CM	14.0 / 15.0 KG
Ø28/410	2600 PCS	50x38x40CM	14.0 / 15.0 KG
Ø33/410	1700 PCS	50x38x40CM	13.0 / 14.0 KG







YLD7207

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø20/410	5000 PCS	50x38x40CM	12.5 / 13.5 KG
Ø24/410	3800 PCS	50x38x40CM	13.0 / 14.0 KG
Ø28/410	3000 PCS	50x38x40CM	12.5 / 13.5 KG



YLD7208

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	3800 PCS	50x38x40CM	13.0 / 14.0 KG
Ø28/400	3600 PCS	50x38x40CM	12.0 / 13.0 KG
Ø28/410	2500 PCS	50x38x40CM	10.5 / 11.5 KG



YLD7209

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/415	2000 PCS	50x38x40CM	10.0 / 11.0 KG
Ø28/415	2000 PCS	50x38x40CM	12.5 / 13.5 KG



YLD7210

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø20/410	6700 PCS	50x38x40CM	13.5 / 14.5 KG
Ø24/410	4000 PCS	50x38x40CM	12.0 / 13.0 KG
Ø28/410	3000 PCS	50x38x40CM	12.5 / 13.5 KG

YLD7301

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø20/410	5000 PCS	48x34x44CM	
Ø24/410	4500 PCS	48x34x44CM	
Ø28/410	3500 PCS	48x34x44CM	



YLD7302

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	5000 PCS	48x34x44CM	
Ø28/410	4500 PCS	48x34x44CM	



YLD7303

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø18/410	5000 PCS	48x34x44CM	14.0 / 15.0 KG



YLD7304

SIZE	QYT/CNT	DIMENSION	N.W/G.W
Ø24/410	2000 PCS	50x38x40CM	
Ø28/410	1500 PCS	50x38x40CM	

