

M1

Electric Haley Scooter



Parameters



- Max speed: 45km/h
- Max mileage: 45-80km
- Max Loading: 200kg
- Max climb capability: 30 degree
- Max Power: 2000 watts
- Tire: 19inch
- Battery: 60V/20Ah Lithium Battery
- Lifetime of battery: 1-3years
- Charging time: 5 h-6 h
- Power: Brushless motor
- Braking System: Disc+EABS
- Voltage: 100 v-240 v
- Packing: 183cm*36cm*76cm
- N.W: 70kg
- G.W: 80kg
- Max Torque: 90N/M
- Color: Black, Red, Blue, Green, Yellow
- Certificate : EEC,CE,FCC,ROHS



H5

Electric Haley Scooter



Parameters



- Max speed: 45km/h
- Max mileage: 45-80km
- Max Loading: 200kg
- Max climb capability: 30 degree
- Max Power: 2000 watts
- Tire: 19inch
- Battery: 60V/20Ah Lithium Battery
- Lifetime of battery: 1-3years
- Charging time: 5 h-6 h
- Power: Brushless motor
- Braking System: Disc+EABS
- Voltage: 100 v-240 v
- Packing: 183cm*36cm*76cm
- N.W: 70kg
- G.W: 80kg
- Max Torque: 90N/M
- Color: Black, Red, Blue, Green, Yellow
- Certificate : EEC,CE,FCC,ROHS

D2

Electric Delivery Scooter



Parameters



- Max speed: 45km/h
- Max mileage: 60-80km
- Max Loading: 200kg
- Max climb capability: 30 degree
- Max Power: Dual 500w motor drive
- Tire: front 10inch rear 8inch
- Battery: 60V/20Ah Lithium Battery
- Lifetime of battery: 1-3years
- Charging time: 5 h-6 h
- Power: Brushless motor
- Braking System: Disc
- Voltage: 100 v-240 v
- Packing: 187cm*52cm*126cm
- N.W: 118kg
- G.W: 130kg
- Max Torque: 90N/M
- Color: Black, Red, Blue, Green, Yellow
- Certificate : EEC,CE,FCC,ROHS



V1

Electric motorcycle



Parameters



- Max speed: 45km/h
- Max mileage: 45-80km
- Max Loading: 200kg
- Max climb capability: 30 degree
- Max Power: 1200 watts
- Tire: 10inch
- Battery: 60V/20Ah Lithium Battery
- Lifetime of battery: 1-3years
- Charging time: 5 h-6 h
- Power: Brushless motor
- Braking System: Disc+EABS
- Voltage: 100 v-240 v
- Packing: 183cm*36cm*76cm
- N.W: 70kg
- G.W: 80kg
- Max Torque: 90N/M
- Color: Black, Red, Blue, Green, Yellow
- Certificate : EEC,CE,FCC,ROHS



X60

Electric Haley Scooter



Parameters

- Max speed: 45km/h
- Max mileage: 45-80km
- Max Loading: 200kg
- Max climb capability: 30 degree
- Max Power: 2000 watts
- Tire: 19inch
- Battery: 60V/20Ah Lithium Battery
- Lifetime of battery: 1-3years
- Charging time: 5 h-6 h
- Power: Brushless motor
- Braking System: Disc+EABS
- Voltage: 100 v-240 v
- Packing: 183cm*36cm*76cm
- N.W: 70kg
- G.W: 80kg
- Max Torque: 90N/M
- Color: Black, Red, Blue, Green, Yellow
- Certificate : CE,FCC,ROHS



CC2

Foldable Electric Bike

MINI COCOBEACH
- DRASISSENE ÉLECTRIQUE -



MINI COCOBEACH
Moteur 350W
Batterie 36V - 4.4Ah
Vitesse Max. 25 Km/h
Prix public : 499€ ttc

Parameters



- Max speed: 25km/h
- Max mileage: 40km
- Max Loading: 120kg
- Max climb capability: 20 degree
- Max Power: 350 watts
- Material: Aluminum alloy
- Battery: 7.8ah, 36V 18650 lithium battery
- Lifetime of battery: 1-3years
- Charging time: 3hours
- Power: blushless motor
- Size of Wheel: 12inch
- Voltage: 100 v-240 v
- Dashboard: Show the battery, speed, gear
- Brakes: EABS microelectronic control brake system
- N.W: 14kg
- G.W: 17kg
- unfold size : 1220*590*950mm
- folded size : 1220*250*600mm
- Packing: 110x230x670mm
- Color: Green, Black,Red



CC1

Foldable Electric Bike



Parameters

Max speed:	25km/h
Max mileage:	40km
Max Loading:	120kg
Climb capability:	20 degree
Max Power:	350 watts
Material:	Aluminum alloy
Battery:	6.0ah, 36V 18650 lithium battery
Lifetime of battery:	1-3years
Charging time:	3hours
Power:	brushless motor
Size of Wheel:	14inch
Voltage:	100 v-240 v
Dashboard:	Show the battery, speed, gear
Brakes:	EABS microelectronic control brake system
N.W:	14kg
G.W:	17kg
unfold size :	1050*590*1020mm
folded size :	690*360*610mm
Packing:	690*650*365mm
Color:	Black

G1

Self balance one wheel motor



Parameters

- Product color; black/white
- Cruising range; 20-30km
- Top speed; 20km
- Charging voltage; 110V-220V
- Charging time : 3-5hours
- Maximum load; 120kg
- Battery life: 1-2years
- Vehicle weight; 22kg
- Packing weight; 4kg
- Battery voltage; 60v
- Maximum slope; 28 degrees
- Wheel size; 16 inch vacuum tir
- Tire width; 21cm
- Motor power; 800w
- Packing size: 55*40*71 cm 28 kg



SN1

3 wheel folding electric mobility scooter

Parameters



- Motor Power: 350W
- Removable Battery: 48V 5.8Ah Lithium Ion
- Material: Aluminum Alloy+ABS
- Wheel Size: Front 8inch,back :10 inch
- Tire Type: anti-explosion tubeless tire
- Charging Input: AC100-240V 50/60HZ
- Max Speed: 15KM/H
- Driving Mileage: 30KM
- Climbing Ability: >15 Degree
- Maximum Load: 90KG
- Ufolding Size: 120*98*54CM
- Folding Size: 42*72*49CM
- pacaking size: 77*47*45cm,32KG/28KG
- Loading qty: 170PCS/20FCL;405PCS/40HQ
- Optional Color: Pink,White,gray,red



W1

electric scooter



Parameters

Color	Black
N.weight	35kg(Including Battery)
Max Loading	200kg
Max mileage	150km
Whole Size	1210mm*625mm*1250mm
Folded Size	1500mm*270mm*470mm
Tire size	11inch
Absorption	Front and rear shock absorption
Speed	0-75km/H
Maximum Climbing Angel	35 Degree
Drive mode	Electric rear-wheel drive
Brake mode	Front and rear hydraulic brakes + electronic brakes
Meter	Intelligent LCD screen
Motor Power	DC 60V, 2400W High-speed brushless motor
Battery	60V 26AH Lithium Battery
Charging time	10-14hrs



Mantis

electric scooter



Parameters

Color	Black
N.weight	25kg(Including Battery)
Max Loading	120kg
Max mileage	80km
Whole Size	1235*575*1267mm
Folded Size	474*210*335mm
Tire size	10inch
Absorption	Front and rear shock absorption
Speed	0-60km/H
Maximum Climbing Angel	35 Degree
Drive mode	Electric rear-wheel drive
Brake mode	Front and rear hydraulic brakes + electronic brakes
Meter	Intelligent LCD screen
Motor Power	DC 60V, 2000W High-speed brushless motor
Battery	60V 18.2AH LG Lithium Battery
Charging time	6-9hours



N7

Foldable Electric Scooter



Parameters

- Wheel Size: 10inch
- Weight: 21 KG
- Max speed: 26 Km/h
- Per charger: 30-40 Km
- Lithium battery: 36 V / 10.4 Ah
- Max load: 200kg
- Max climbing: 15°
- Water Proof: IP56
- Motor: 300 W/600 W(Max)
- Tire: 10"
- Brake: EBS Brake / Foot Brake
- Lcd Display: Speed, Gear, Power Display
- Charger Voltage: 100 - 250 V (In) / 42 V (Out) / 2A
- Charger Time: 3-4 Hour
- Package Size: 1255 x 310 x 470 mm
- Folding Size: 1180 x 550 x 435 mm
- Unfolding Size: 1180 x 550 x 1175 mm

T1

electric trike motorcycle



Parameters

Max Speed:	25km/hr
Range:	80-120km
Max Angle Scope:	20°
Net Weight:	96Kg
Gross Weight:	110Kg
Max Load:	200Kg
Motor Power:	2000W Brushless Motor
Battery Capacity:	double 60V 20ah batteries
Battery:	Lithium Battery/Removable
Charging Time:	4-5 hours
Tyre Size:	18 inch
Light fixture:	headlight,turn light,brake light
Other Features:	rearview mirror,footrest,dashboard ,alarm
motorcycle size :	160*125*100 cm
packing size :	185*39*105cm
Frame color:	black
Dirtboard color:	black/white/orange/purple/red/blue



URAL-1

electric trike motorcycle

Parameters



Max Speed:	25km/hr
Range (per charge):	80km
Max Angle Scope:	20°
Net Weight:	96Kg
Gross Weight:	110Kg
Max Load:	200Kg
Motor Power:	2000W Brushless Motor
Battery Capacity:	60V 20ah batteries
Battery:	Lithium Battery/Removable
Charging Time:	4-5 hours
Tyre Size:	18 inch
Light fixture:	headlight,turn light,brake light
Other Features:	rearview mirror,footrest,dashboard ,alarm
motorcycle size :	160*125*100 cm
packing size :	185*39*105cm
Frame color:	black
Dirtboard color:	black/white/orange/purple/red/blue



URAL-2

electric trike motorcycle



Parameters



- Max speed: 40km/h
- Max mileage: 45-80km
- Max Loading: 200kg
- Max climb capability: 30 degree
- Max Power: 1000 watts
- Tire: 10inch
- Battery: 60V/20Ah Lithium Battery
- Lifetime of battery: 1-3years
- Charging time: 5 h-6 h
- Power: Brushless motor
- Braking System: Disc+ Drum brake
- Voltage: 100 v-240 v
- Size: 170cm*130cm*110cm
- N.W: 80kg
- G.W: 100kg
- Max Torque: 90N/M
- Color: Black, Red, Blue, Green, Yellow
- Certificate : EEC,CE,FCC,ROHS



HL2.2

Electric Haley Scooter



Parameters



- Max speed: 65km/h
- Max mileage: 45-80km
- Max Loading: 200kg
- Max climb capability: 30 degree
- Max Power: 2000 watts
- Tire: 19inch
- Battery: 60V/20Ah Lithium Battery
- Lifetime of battery: 1-3years
- Charging time: 5 h-6 h
- Power: Brushless motor
- Braking System: Disc+EABS
- Voltage: 100 v-240 v
- Packing: 183cm*36cm*76cm
- N.W: 90kg
- G.W: 100kg
- Max Torque: 90N/M
- Color: Black, Red, Blue, Green, Yellow
- Certificate : EEC,CE,FCC,ROHS



HL3.3

Electric Haley Scooter



Parameters



- Max speed: 75km/h
- Max mileage: 45-80km
- Max Loading: 200kg
- Max climb capability: 30 degree
- Max Power: 3000 watts
- Tire: 19inch
- Battery: 60V/20Ah Lithium Battery
- Lifetime of battery: 1-3years
- Charging time: 5 h-6 h
- Power: Brushless motor
- Braking System: Disc+EABS
- Voltage: 100 v-240 v
- Packing: 183cm*36cm*76cm
- N.W: 90kg
- G.W: 100kg
- Max Torque: 90N/M
- Color: Black, Red, Blue, Green, Yellow
- Certificate : EEC,CE,FCC,ROHS



SA1

electric scooter



Parameters

Max speed:	25km/h
Max mileage:	40km
Max Loading:	125kg
Max climb capability:	20 degree
Max Power:	1500 watts
Battery:	60V/12ah Lithium
Lifetime of battery:	1-3years
Charging time:	5 h-6 h
Power:	Two imported DC Motor
Voltage:	100 v-240 v
Height of handle:	110cm adjustable
Wheel:	19inch
Size:	175*52*111cm
N.W:	60kg
G.W:	65kg
Packing:	180*60*45 cm
Color:	Black, yellow, white ,red



Company Profile

Our company is invested by Zhejiang Endeavor Group and Hangzhou Angel electric bike Ltd.,Co, locate in Shenzhen.the main product is electric scooters, electric motorcycles and electric bikes. Own electric bike factory, R & D center, mold factory, injection molding plant,price and quality is very advantageous.certifications of product is complete,overseas warehouse is builded in Europe. Earticipate exhibition at home and abroad each year, Alibaba, Amazon and other platforms have a very good foundation.

**Thank you for your inquiry,hope to begin business
with you!**

