



GRAPHIC

Printing Material Series

PVC Soft Film	35
Double-side Printable Flex Banner	35
PVC Flex Banner	35
Wide Format PET Film	36
PVC Tarpaulin	36
Grade AA Laminated Flex Banner	36

Eco-Solvent Media Series

Eco-Solvent PP Self-Adhesive Film	37
Eco-Solvent PP Paper	37
Eco-Solvent High-glossy Photo Paper	37
HUACAI One Way Vision	37
McKAL Self-adhesive Film	38
FUJISHAN Self-adhesive Film	39
Floor Film	39
Glory Transparent Self-adhesive Vinyl 3580	40
Solvent Fabric	40
Ecosolvent Fiber Canvas	40
Eco-Solvent Frontlit Film	40
Eco-Solvent Transparent PVC Self-Adhesive Film	41
Eco-Solvent PVC Film For X Banner	41

Inkjet Media Series

OKE Laminating Film Grade A	41
Anti-UV Laminating Film	41
Satic Film	42
Cotton Canvas	42
Waterbase PP Self-adhesive Film	42
JETINK PP Paper-150	42
McKAL PP Paper	43
OKE High-glossy Photo Paper	43
MCKAL High-glossy Photo Paper GAA	43
JETINK Backlit Film	43
PET Crystal Lamination Film	44
Water-base Transparent PVC Self-adhesive Film	44
McKAL PP Self-adhesive Film	44-45
Water-base PVC Film For X-banner	45
Super Clear Double-side Film	45
LIBAO Double-side Film	45
PET Transparent Film	46
Water-base fiber Fabric	46
Non Woven Fabric	46
Inkjet Fabric	46
Silvery Fabric	47
Water-base Fiber Canvas	47
Golden/Silver Film	47

Self-adhesive Flim Series

AVERY Signboard Film	47
OKE Color PVC Vinyl Film	48
OKE Transparent Transfer Paper	48
OKE Color PVC Vinyl Film (Metal Corrosion)	48
3M Signboard film(3630 Series/2208 Series)	49
McKAL Signboard film(1030 series)	49
Respect window film(K-3503 Series)	49
Dull Polishing Window Film	49
Two- tone Film	49
Color PVC Vinyl Film	50-52



PVC Soft Film

Application: soft material, high transmittance, good lighting top color, suitable for UV printing; widely use in flex banner picture in decoration field, ceiling etc.;
Thickness: 0.18mm/0.22mm/0.25mm

Item Name	Unit	Specification	Item No
Knife coated PVC ceiling fabric(matte)	roll	1.82/2.0/2.2/2.8/3.2*50m	1004048
PVC soft film 25s	roll	1.5/1.6/1.8/2.2/2.5/2.8/3.2/5.0*100m	1004058
PVC soft film 22s	roll	1.5/1.6/1.8/2.2/2.5/2.8/3.2/5.0*100m	1003841
PVC soft film 18s	roll	1.5/1.6/1.8/2.2/2.5/2.8/3.2/5.0*100m	1003774



Double-side Printable Flex Banner

Material: PET substrate, duplex PVC fabric, expressive, color fidelity, good flatness.
Applicable: Airport, high MTR station, bus station, subway, 4s stores, shopping malls, streets, etc to make double sided flag hanging, hanging scroll, X exhibition stand, roll up, pop up, etc.
For print version: solvents, weak solvent, UV, latex.

Item Name	Specification	Item No
Wide PET double-sides with black jet 480g/m2	1.83/2.2/2.5/2.7/3.2*50m	1003514
HEyTex knife coated double-sides (matte), 510g/m2	2.2/2.5/2.8/3.20*50m	1003489
Knife coated double-sides(matte), 460g/m2	1.82/2.0/2.2/2.5/2.8/3.20*50m	1003878

PVC Flex Banner


Material: PVC

Application: Solvent or eco-solvent printing and silk-screen printing, apply for billboard(frontlit), exhibition booth decoration, display (indoor and outdoor), building murals and in store displays.

Peeling Strength(N/5cm): >30

Temperature Scope(>C): -20~65 C

Description	Specification	Size	Unit
PVC Flex Banner	280g 200*300D/18*12 Frontlit	1.02~3.2m/5.0m*50m/80m	roll
PVC Flex Banner	300g 200*300D/18*12 Frontlit	1.02~3.2m/5.0m*50m/80m	roll
PVC Flex Banner	320g 200*300D/18*12 Frontlit	1.02~3.2m/5.0m*50m/80m	roll
PVC Flex Banner	380g 500*500D/18*12 Frontlit	1.02~3.2m/5.0m*50m/80m	roll
PVC Flex Banner	440g 200*500D/18*12 Frontlit/backlit	1.02~3.2m/5.0m*50m/80m	roll
PVC Flex Banner	440g 500*500D/9*9 Frontlit/backlit	1.02~3.2m/5.0m*50m/80m	roll
PVC Flex Banner	510g 200*500D/18*12 Frontlit	1.02~3.2m/5.0m*50m/80m	roll
PVC Flex Banner	510g 200*500D/18*12 Backlit	1.02~3.2m/5.0m*50m/80m	roll
Blockout PVC Flex Banner	320g 200*300D/18*12	1.02~3.2m/5.0m*50m	roll
Blockout PVC Flex Banner	340g 200*300D/18*12	1.02~3.2m/5.0m*50m	roll
Blockout PVC Flex Banner	440g 200*500D/18*12	1.02~3.2m/5.0m*50m	roll
Blockout PVC Flex Banner	510g 500*500D/9*9	1.02~3.2m/5.0m*50m	roll
Mesh	320g 1000*1000D/9*9	1.02~3.2m*50m	roll
Mesh	Mesh 360g 1000*1000D/12*12	1.02~3.2m*50m	roll
Knife Coated PVC Flex Banner	400g 1000*1000D/20*20 Backlit	1.02~3.2m/5m*50m	roll
Knife Coated PVC Flex Banner	510g 1000*1000D/20*20 Frontlit	1.02~3.2m/5m*50m	roll
Knife Coated PVC Flex Banner	580g 1000*1000D/20*20 Backlit	1.02~3.2m/5m*50m	roll




Wide Format PET Film

Features: PET substrate with high grade PVC surface, Picture performance is good, color saturation, color fidelity; Crisp degree good, high light transmittance, the width can be up to 3.2 meters.

Application: used for slim light box, large format light box, high-grade hanging scroll picture, etc. Apply to the airport, subway, shopping malls, stores, such as more than 1.8 meters large light box, can meet the cosmetics, jewelry, clothing, cars and other high-end customers requirements on the image.

Ink: solvents, eco-solvent, UV.

Item Name	Unit	Specification	Item No
Wide format PET film FDT-42S	Roll	1.6/1.83/2.0/2.2/2.5/2.8/3.2*50m	1004048



PVC Tarpaulin

Application: Used in automobile tarpaulin, train tarpaulin, freight yard tarpaulin, simple tarpaulin; Used in large span roof, station, gymnasium, exhibition hall roof, etc; Can be used for kanu, boat, drifting boat, pool, dryland pool, inflatable playground. Suitable for city square, public leisure space, park, playground, scenic spots, resorts, sports venues, lakes, sea area, etc.

Weight: 400g/ m²

Thickness: 35s

Item name	Specification	Item No
Dark green W type	1.5*100m	1004133
Dark green W type	2.00*75m	1004134
Dark green W type	3.00*50m	1004135
Green W type	1.5x100m	4004136
Green W type	2.00x75m	1004137
Green W type	3.00*50m	1004138



Grade AA Laminated Flex Banner


Features: Smooth surface and good weather resistance, oil resistance, good surface self-cleaning performance, Durability: 3-5 years.

Application: Laminating, printing and silk screen;

Ink: solvents, eco-solvent, UV.

Item Name	Unit	Specification	Item No.
FDB5518-650g	Roll	1.2/1.5/1.8/2.0/2.2/2.5/2.8/3.2*50m	1200400






Eco-Solvent PP Self-Adhesive Film

Application: mainly used for advertising brochures, various indoor billboard, banner, hanging picture, logo, engineering drawing, photos etc

It use of 150um PP as the substrate, a special production process, to make our products better stiffness, artistic sense. Can be widely used in outdoor posters, exhibition frame screen production and so on.

Weight: 120+5g/m²
Thickness: 180μm

Specification	Weight(kg)/Roll	Item No.
0.914*50m	3.5	1900081
1.07*50m	3.8	1900082
1.27*50m	4.5	1900083
1.52*50m	5.2	1900084



Eco-Solvent PP Paper

Special production process, better stiffness, artistic sense.
Thickness: 150±5μm

Specification	Weight(kg)/Roll	Item No.
0.914*50m	2.9	1900575
1.07*50m	3.7	1900576
1.27*50m	4.1	1900577
1.52*50m	4.9	1900578



Eco-Solvent High-glossy Photo Paper

Thickness: 220g/ m²
Ink: Solvent/Eco-Solvent


Specification	Weight(kg)/Roll	Item No.
0.635*50m	3.6	1200677
0.914*50m	5.2	1200305
1.07*50m	6.1	1200306
1.27*50m	7.0	1200307
1.52*30m	8.6	1200308

HUACAI One Way Vision

Application: for the post window, glass doors and Windows, glass curtain wall or transportation of glass surface, both the purpose of keep out sunshine, and the effect of advertising.

PVC film: 12S Release paper: 140g/ m²
Perforation size: 1.5mm Translucent: 50%

Specification	Unit	Item No.
0.98*50m	Roll	1001567
1.07*50m	Roll	1001563
1.27*50m	Roll	1001564
1.37*50m	Roll	1001565
1.52*50m	Roll	1001566



McKAL Self-adhesive Film


Application: Suitable for outdoor advertising print or screen printing, commonly used in automobile body advertising, shopping mall picture on the ground, the elevator door post advertising, subway, bus, taxi.

PVC film: 9s(120g release paper), 10s(140g release paper)

Ink: solvent, eco-solvent and silk-screen printing

Print temperature: 38~43 C

Item Name	Specification	Item No.
McKAL Self-adhesive Film (White Glue) 120g	0.914*50m	1001405
McKAL Self-adhesive Film (White Glue) 120g	1.07*50m	1301274
McKAL Self-adhesive Film (White Glue) 120g	1.27*50m	1001402
McKAL Self-adhesive Film (White Glue) 120g	1.37*50m	1001403
McKAL Self-adhesive Film (White Glue) 120g	1.52*50m	1001404
McKAL Self-adhesive Film (Black Glue) 120g	0.914*50m	1001410
McKAL Self-adhesive Film (Black Glue) 120g	1.07*50m	1301277
McKAL Self-adhesive Film (Black Glue) 120g	1.27*50m	1001407
McKAL Self-adhesive Film (Black Glue) 120g	1.37*50m	1001408
McKAL Self-adhesive Film (Black Glue) 120g	1.52*50m	1001409
McKAL Self-adhesive Film (White Glue) 140g	0.914*50m	1001395
McKAL Self-adhesive Film (White Glue) 140g	1.07*50m	1301275
McKAL Self-adhesive Film (White Glue) 140g	1.27*50m	1001392
McKAL Self-adhesive Film (White Glue) 140g	1.37*50m	1001393
McKAL Self-adhesive Film (White Glue) 140g	1.52*50m	1001394
McKAL Self-adhesive Film (Black Glue) 140g	0.914*50m	1001397
McKAL Self-adhesive Film (Black Glue) 140g	1.07*50m	1301276
McKAL Self-adhesive Film (Black Glue) 140g	1.27*50m	1001398
McKAL Self-adhesive Film (Black Glue) 140g	1.37*50m	1001399
McKAL Self-adhesive Film (Black Glue) 140g	1.52*50m	1001400
McKAL Self-adhesive Film (Grey Glue) 140g Removable	0.914*50m	1001415
McKAL Self-adhesive Film (Grey Glue) 140g Removable	1.07*50m	1001411
McKAL Self-adhesive Film (Grey Glue) 140g Removable	1.27*50m	1001412
McKAL Self-adhesive Film (Grey Glue) 140g Removable	1.37*50m	1001413
McKAL Self-adhesive Film (Grey Glue) 140g Removable	1.52*50m	1001414



FUJISHAN Self-adhesive Film

Material: 10s casting glossy single polymer pvc film, 140g wood pulp paper as release paper.
 Application: Suitable for outdoor advertising print or screen printing, commonly used in automobile body advertising, shopping mall picture on the ground, they advertised for the elevator, subway, bus, taxi, et
 Ink: solvent,eco-solvent and silk-screen printing
 t Print temperature:38~43 C

Description	Specification	Item No.
FUJISHAN self-adhesive film (removable white glue)	0.914*50m	1900525
FUJISHAN self-adhesive film (removable white glue)	1.07*50m	1900526
FUJISHAN self-adhesive film (removable white glue)	1.27*50m	1900527
FUJISHAN self-adhesive film (removable white glue)	1.52*50m	1900528
FUJISHAN self-adhesive film (removable back glue)	0.914*50m	1900540
FUJISHAN self-adhesive film (removable back glue)	1.07*50m	1900541
FUJISHAN self-adhesive film (removable back glue)	1.27*50m	1900542
FUJISHAN self-adhesive film (removable back glue)	1.52*50m	1900543
FUJISHAN self-adhesive film (removable grey Glue bubble free)	0.914*50m	1900601
FUJISHAN self-adhesive film (removable grey Glue bubble free)	1.07*50m	1900602
FUJISHAN self-adhesive film (removable grey Glue bubble free)	1.27*50m	1900603
FUJISHAN self-adhesive film (removable grey Glue bubble free)	1.52*50m	1900604
FUJISHAN self-adhesive film (removable transparent glue)	0.914*50m	1900597
FUJISHAN self-adhesive film (removable transparent glue)	1.07*50m	1900598
FUJISHAN self-adhesive film (removable transparent glue)	1.27*50m	1900599
FUJISHAN self-adhesive film (removable transparent glue)	1.52*50m	1900600



Floor Film


Features: PVC material, special surface skid, resistance processing, good transmittance, special gule reaches 665N/M
 Application: use for protection film of high-end picture and ground advertisement picture
 Thickness: PVC film 25s,120g release paper
 Surface treatment: Frosted/Twill



Specification	Weight(kg)/Roll	Item No.
0.914*50m	4.4	1201030
1.07*50m	6.3	1201031
1.27*50m	7.4	1201032
1.52*50m	8.8	1201504

Glory Transparent Self-adhesive Vinyl 3580


Application: Suitable for shops, windows and glass doors and other transparent place, transparent and frosted available.
 PVC film: 8s Release paper: 120g/ m²



Specification	Unit	Item No
0.914*50m	roll	1900665
1.07*50m	roll	1900666
1.27*50m	roll	1900667
1.52*50m	roll	1900668

Solvent Fabric

Synthetic fiber as the substrate, soft, suitable for hanging. Mainly used for indoor or outdoor banners, flags, backdrops, etc. screen. Usually called "Banner Fabric" "Waterproof Fabric"
 Weight:110g/ m²



Item Name	Weight(kg/roll)	Item No.
0.61*100m	6.4	1200537
0.76*100m	8.1	1200538
0.91*100m	9.5	1200539
1.27*100m	13.4	1200541
1.52*100m	19.2	1200543
1.82*100m	16.2	1200544

Ecosolvent Fiber Canvas


Fiber-type substrate, commonly used in painting of reproduction arts, etc.
 Weight:260g/ m²




Specification	Weiht(kg/roll)	Item No.
0.914*30m	4.3	1201061
1.07*30m	6.1	1201062
1.52*30m	7.2	1201063

Eco-Solvent Frontlit Film

Widely used in outdoor light box advertising, shop window, posters and other high flatness, crisp and uniform coating, made out of the picture is exquisite, high resolution
 Weight: 160g/ m²
 Thickness:140um




Item Name	Weight(kg/roll)	Item No.
0.914*30m	4.4	1200363
1.07*30m	5.2	1200364
1.27*30m	6.1	1200365
1.52*30m	7.3	1200366



Eco-Solvent Transparent PVC Self-adhesive Film

Applied to the high-transparent bus body, high-fitting with white acrylic, Produce Lightbox faster
Thickness: 110um

Item Name	Weight(kg/roll)	Item No.
0.914*30m	7.1	1201001
1.07*30m	8.4	1201003
1.27*30m	10.3	1201004
1.52*30m	11.8	1201005



Satic Film

Material: high transparent pvc film.
Application: Suitable for a variety of high-end showcase advertising and office decorate glass for indoor uses.
Thickness: 15s


Item Name	Unit	Specification	Item No
(transparent)BC-150WT	roll	1.27*50m	1900605
(milky white)BC-150WT	roll	1.27*50m	1900606



Eco-Solvent PVC Film For X Banner

Use of rigid PVC for substrate, coated water-based ink coatings, colorful, stiffness, non-crimp, Devoted to the production of X banner and roll up banner film
Weight: 253g/ m²
Thickness: 220um


Specification	Weight(kg/roll)	Item No.
0.914*30m	7.1	1200442
1.07*30m	8.2	1200443
1.27*30m	9.7	1200444
1.52*30m	11.6	1200445



Cotton Canvas

Application: Fiber-type substrate, commonly used for painting or reproduction arts etc;
Ink Type: water-base/dye ink/ pigment ink;
Gram: 320g/ m²;


Finish	Specification	Weight Kg/roll	Item No.
matte	0.914*18m	4.2	1200518
matte	1.27*18m	6.3	1200519
matte	1.52*18m	8.7	1200520



OKE Laminating Film Grade A

Applicable Temperature: 60 C Durability: 6 months;
Release Paper: 85g/ m²; Thickness: 6s (glossy/matte);


Finish	Specification	Weight Kg/roll	Item No.
glossy	0.635*50m	6.5	1201210
glossy	0.914*50m	9.5	1201211
glossy	1.07*50m	11.0	1201212
glossy	1.27*50m	13.0	1201213
glossy	1.37*50m	14.0	1201214
glossy	1.52*50m	15.5	1201215
matte	0.635*50m	6.5	1201216
matte	0.914*50m	9.5	1201217
matte	1.07*50m	11.0	1201218
matte	1.27*50m	13.0	1201219
matte	1.37*50m	14.0	1201220
matte	1.52*50m	15.5	1201221



Waterbase PP Self-adhesive Film

Ink Type: water-base/dye ink;
Weight: 120±5g/ m²;
Thickness: 10s

Finish	Specification	Weight Kg/roll	Item No.
transparent	0.914x30m	5.4	1200400
transparent	1.07x30m	5.3	1200401
transparent	1.27x30m	7.5	1200402
transparent	1.37x30m	8.2	1200403
high-glossy	0.914*30m	5.0	1200418
high-glossy	1.07*30m	5.8	1200419
high-glossy	1.27*30m	7.0	1200420
high-glossy	1.52*30m	8.3	1200421




Anti-UV Laminating Film

Application: Laminated printed graphics for all kinds of self adhesive vinyl, pp paper, pvc etc.
Long durability at outdoor.

Work Temperature: 60 C Durability: 12months;
Release Paper: 100±5g/ m² Thickness: 10s

Finish	Specification	Weight Kg/roll	Item No.
glossy	0.914*30m	6.1	1200091
glossy	1.27*30m	8.3	1200092



JETINK PP Paper-150

Ink Type: water-base/dye-ink Weight: 140±5g/ m²;

Specification	Weight Kg/roll	Item No.
0.635x50m	3.5	1201569
0.914x50m	3.8	1200207
1.07*50m	4.5	1200204
1.27*50m	5.2	1200205
1.52*50m	5.2	1200206

McKAL PP Paper



Ink Type: water-base/dye ink; Thickness: 120±5µm;

Specification	Weight Kg/roll	Item No.
0.82*50m	4.4	1200609
0.635*50m	5.4	1200208
0.914*50m	6.4	1200209
1.07*50m	7.3	1200210
1.27*50m	6.2	1200211
1.52*50m	7.3	1200212

OKE High-glossy Photo Paper




Product Standards: QB/(GZ)LCZG13-2007;

Ink Type: water-base/dye ink; Gram: 22s;

Specification	Weight Kg/roll	Item No.
0.82*35m	3.6	1201829
0.635*35m	5.2	1201510
0.914*35m	6.1	1201511
1.07*35m	7.0	1201512
1.27*35m	8.6	1201513
1.52*35m	8.6	1201514

McKAL High-glossy Photo Paper GAA




Ink Type: water-base/dye ink;

Gram: 22s;

Size	Weight Kg/roll	Item No.
0.635x30m	4.2	1201829
0.914x30m	6.0	1201510
1.07x30m	7.0	1201511
1.27x30m	8.4	1201512
1.52x30m	10.0	1201513

JETINK Backlit Film




Ink Type: water-base/dye ink;

Thickness: 10s

Size	Weight Kg/roll	Item No.
F100-0.635*30m	3.8	1200336
F100-0.914*30m	4.1	1200337
F100-1.07*30m	5.0	1200333
F100-1.27*30m	6.0	1200334
F100-1.52*30m	6.8	1200335

PET Crystal Lamination Film




Features: excellent PET material,transmittance reaches 90%;High PET clarity, good flatness, no shrinkage;No impurities, automatic adsorption;Has crystal-like effect.

Application: Use for laminating film of photographic studio, high-end picture and menu

PVC film:10S

Size	Weight Kg/roll	Item NO.
0.914*30m	4.4	1201395
1.07*30m	5.2	1201396
1.27*30m	6.1	1200367
1.52*30m	7.3	1200398

Water-base Transparent PVC Self-adhesive Film




Ink Type: water-base/dye ink

Thickness: 11s;

Specification	Weight Kg/roll	Item No.
YL-0.914*30m	6.9	1200400
YL-1.07*30m	8.2	1200401
YL-1.27*30m	9.7	1200402
YL-1.52*30m	11.5	1200403

McKAL PP Self-adhesive Film 110



Ink Type: water-base/dye ink; Thickness: 110µm;

Specification	Finish	Item No.
0.635x50m	glossy	1201142
0.914x50m	glossy	1200112
1.07x50m	glossy	1200113
1.27x50m	glossy	1200114
1.37x50m	glossy	1201143
1.52x50m	glossy	1200835
0.635x50m	matte	1200115
0.914x50m	matte	1200116
1.07x50m	matte	1200117
1.27x50m	matte	1200118
1.37x50m	matte	1200875
1.52x50m	matte	1200120

McKAL PP Self-adhesive Film 120




Ink Type: water-base/dye ink

Thickness: 12s;

Specification	Finish	Item No.
0.635x50m	matte	1200128
0.914x50m	matte	1200129
1.07x50m	matte	1200130
1.27x50m	matte	1200131
1.37x50m	matte	1200132
1.52x50m	matte	1200144


McKAL PP Self-adhesive Film130



Ink Type: water-base/dye ink
Thickness: 13s

Specification	Finish	Item No.
0.635x50m	matte	1201731
0.914x50m	matte	1201024
1.07x50m	matte	1201025
1.27x50m	matte	1201026
1.37x50m	matte	1201027
1.52x50m	matte	1201028


Water-base PVC Film For X-banner



Features:
Ink Type: water-base/dye ink;
Thickness: 22s

Specification	Weight Kg/roll	Item No.
YL-0.635*30m	5.1	1200434
YL-0.914*30m	7.3	1200435
YL-1.07*30m	8.6	1200436
YL-1.27*30m	10.5	1200437
YL-1.52*30m	11.9	1200438

Super Clear Double-side Film



Features:PVC substrate,silicon paper and PET release paper,double sides adhesive.
Application:widely used to laminate the graphic of light box, windows,showcase etc
Thickness: 9s;

Specification	Weight Kg/roll	Finish	Item No.
JETINK-0.914*50m	5.9	transparent	1200831
JETINK-1.07*50m	7.1	transparent	1200832
JETINK-1.27*50m	8.3	transparent	1200833
JETINK-1.52*50m	9.8	transparent	1200834
0.635*36m(PET)	6.5	super transparent	1200609
0.914*36m(PET)	8.5	super transparent	1200610
1.07*36m(PET)	11.5	super transparent	1200611
1.27*36m(PET)	12.5	super transparent	1200612
1.52*36m(PET)	15.0	super transparent	1200613


LIBAO Double-side Film



Features:PVC substrate,silicon paper and PET release paper,double sides adhesive.
Application:widely used to laminate the graphic of light box, windows,showcase etc.
Thickness: 12s

Size	Finish	Item No.
0.635x36m	transparent	1200592
0.914x36m	transparent	1200593
1.07x36m	transparent	1200594
1.27x36m	transparent	1200595
1.52x36m	transparent	1200596


PET Transparent Film



Ink Type: water-base/dye ink;
Thickness: 11s

Specification	Weight Kg/roll	Item No.
0.61*30m	3.8	1200383
0.914*30m	4.1	1200385
1.07*30m	5.0	1200386
1.27*30m	6.0	1200387
1.52*30m	6.9	1200388


Water-base Fiber Fabric



Application:Widely used in some studio background, high-grade special stage,etc.
Ink Type: water-base/dye ink;
Gram: 205g/ m²

Specification	Finish	Item No.
0.914x30m	glossy	1201034
1.07x30m	glossy	1201035
1.27x30m	glossy	1201036
1.52x30m	glossy	1201037
0.61*30m	matte	1201039
0.914*30m	matte	1201040
1.07*30m	matte	1201041
1.27*30m	matte	1201042
1.52*30m	matte	1201043

Non Woven fabric



Application:Widely used for decoration wall coverings, stage background, bags and so on.
Ink Type: water-base/dye ink/pigment ink;
weight: 145g/ m²


Size	Item No.
0.914x50m	1201020
1.07x50m	1201021
1.27x50m	1200795
1.52x50m	1200796

Inkjet Fabric



Application:Mainly used for indoor banners, banners, curtain, X-banner, roll up banner, commercial and residential interiors, exhibitions, art pictures, and stage background.
Gram: 110g/ m²

Specification	Finish	Item No.
0.914x30m	glossy	1201034
1.07x30m	glossy	1201035
1.27x30m	glossy	1201036
1.52x30m	glossy	1201037
0.61x30m	matte	1201039
0.914x30m	matte	1201040
1.07x30m	matte	1201041
1.27x30m	matte	1201042
1.52x30m	matte	1201043




Silvery Fabric

Ink Type: water-base/dye ink/pigment ink;
Thickness: 120±5µm; Gram: 110g/ m²

Specification	Weight Kg/roll	Item No.
0.914*30m	3.2	1200567
1.27*30m	4.4	1200568
1.52*30m	5.2	1200569

Water-base Fiber Canvas

Ink Type: water-base/dye ink/pigment ink;
Gram: 360g/ m²



Specification	Weight Kg/roll	Item No.
0.914*30m	7.2	1201034
1.07*30m	8.5	1201035
1.27*30m	10.1	1201036
1.52*30m	17.3	1201037
0.61*30m	4.9	1201039
0.914*30m	7.2	1201040
1.07*30m	8.5	1201041
1.27*30m	10.1	1201042
1.52*30m	17.3	1201043



Golden/Silver Film

Ink Type: water-base/dye ink/pigment ink;
Thickness: 100±5µm;


Finish	Specification	Weight Kg/roll	Item No.
glossy	0.61*30m	7.25	1200820
glossy	0.914*30m	10.8	1200446
glossy	1.27*30m	15	1200447
matte	0.61*30m	7.25	1200448
matte	0.914*30m	10.8	1200449
matte	1.27*30m	15	1200450
glossy	0.61*30m	7.25	1200721
glossy	0.914*30m	10.8	1200457
glossy	1.27*30m	15	1200458



AVERY Signboard Film

Description: 1. 8s PVC surface, 120g paper 2. brilliant colors, good covering power, 2 years outdoor durability

Color code	Glossy/matta	Size	Unit	G.W	Item No.
4511		1.23×50m	roll	18kg	1301066
(450-01M)		1.23×50m	roll	18kg	1300754
(450-02M)		1.23×50m	roll	18kg	1300755
(450-03M)		1.23×50m	roll	18kg	1300756
(450-04M)		1.23×50m	roll	18kg	1301278
(450-08M)		1.23×50m	roll	18kg	1300760
(450-09M)		1.23×50m	roll	18kg	1300761
(450-21M)		1.23×50m	roll	18kg	1300764
(450-22M)		1.23×50m	roll	18kg	1300765
(450-28M)		1.23×50m	roll	18kg	1300766
(450-37M)		1.23×50m	roll	18kg	1300767
(450-51M)		1.23×50m	roll	18kg	1300771
(450-52M)		1.23×50m	roll	18kg	1300772
(450-53M)		1.23×50m	roll	18kg	1300773



OKE Color PVC Vinyl film

Description	Color	Matta/glossy	Size	Item No
Color PVC Vinyl Film	532(White)	matta	0.45m*10m	1301811
Color PVC Vinyl Film	524(Jewelry blue)	matta	0.45m*10m	1301803
Color PVC Vinyl Film	521(Teal Green)	matta	0.45m*10m	1301822
Color PVC Vinyl Film	522(Sky Blue)	matta	0.45m*10m	1301823
Color PVC Vinyl Film	527(Violet)	matta	0.45m*10m	1301828
Color PVC Vinyl Film	512(Bright red)	matta	0.6m*7.5m	1301813
Color PVC Vinyl Film	513(Tomato red)	matta	0.6m*7.5m	1301814
Color PVC Vinyl Film	514(Flame red)	matta	0.6m*7.5m	1301815
Color PVC Vinyl Film	517(Yellow)	matta	0.6m*7.5m	1301818
Color PVC Vinyl Film	515(Cochineal)	matta	1.06m*35m	1301816
Color PVC Vinyl Film	530(Brown)	matta	1.06m*35m	1301831
Color PVC Vinyl Film	544(Frame red)	matta	1.06m*35m	1301837
Color PVC Vinyl Film	559(Dark gray)	matta	1.06m*35m	1301852



OKE Transparent Transfer Paper

Description: 8s PVC surface, 100g paper 12 months outdoor durability

Color: Transparent

Product Name	Item No
OKE transparent transfer paper 0.45*10m	1302748
OKE transparent transfer paper 0.6*7.5m	1302749



OKE Color PVC Vinyl Film (Metal Corrosion)

Description: 0.075mm PVC surface, 85g paper 12 months outdoor durability


Color: Dark blue

Product Name	Item No
OKE Color PVC Vinyl film 0.6*7.5m Dark blue	1302945
OKE Color PVC Vinyl film 0.45*10m Dark blue	1302944

3M Signboard Film(3630 Series/2208 Series)

Description: Brilliant colors, good covering power, 5 years outdoor durability

Specification: 1.22*45.7m



Description	Color	Item No
3M Signboard Film	(450-01M)	1300754
3M Signboard Film	(450-02M)	1300755
3M Signboard Film	(450-03M)	1300756
3M Signboard Film	(450-04M)	1300758
3M Signboard Film	(450-08M)	1300760
3M Signboard Film	(450-09M)	1300761

MckAL Signboard Film(1030 Series)

Description: Brilliant colors, good covering power, 3 years outdoor durability

Specification: 1.22*50m




Description	Color	Item No
Mckal Signboard film 1.22*50m	5017	1300712
Mckal Signboard film 1.22*50m	Orchid	1300711

Respect Window Film(K-3503 Series)

Description: PVC film, 9S. 3 years outdoor durability.

Specification: 1.22*50m/0.61*50m




Description	Thickness	Item No
Respect Window film 1.22*50m	9S and 140g release paper	1301932

Dull Polishing Window Film

Description: Eco-friendly PVC plastic film

Specification: 1.22*50m



Description	Thickness	Item No
1.22*50m-M000	10S and 120g release paper	1302196
0.92*25m-S002	10S and 120g release paper	1302260
0.92*25m-M008	10S and 120g release paper	1302275
0.92*25m-M010	10S and 120g release paper	1302276
0.92*25m-M105	10S and 120g release paper	1302277

Two-tone Film

Description: About 20% luminousness, 3 years outdoor durability

Specification: 1.22*50m



Description	Thickness	Item No
1.22*50m-white	10S and 160g release paper	1302471
0.92*25m-red	10S and 160g release paper	1302473
0.92*25m-yellow	10S and 160g release paper	1302474
0.92*25m-blue	10S and 160g release paper	1302475
0.92*25m-black	10S and 160g release paper	1302477


Color PVC Vinyl Film

Description: 1. 8s PVC surface, 115g paper

2. brilliant colors, good covering power, 6 month outdoor durability

Description	Brand	Color code	G l o s s y / m a t t a	Size	Unit	G.W	Item No
Color PVC Vinyl Film	OKE	512	matta	0.45m*10m	roll	11kg	1301791
Color PVC Vinyl Film	OKE	513	matta	0.45m*10m	roll	11kg	1301792
Color PVC Vinyl Film	OKE	514	matta	0.45m*10m	roll	11kg	1301793
Color PVC Vinyl Film	OKE	517	matta	0.45m*10m	roll	11kg	1301796
Color PVC Vinyl Film	OKE	518	matta	0.45m*10m	roll	11kg	1301797
Color PVC Vinyl Film	OKE	519	matta	0.45m*10m	roll	11kg	1301798
Color PVC Vinyl Film	OKE	520	matta	0.45m*10m	roll	11kg	1301799
Color PVC Vinyl Film	OKE	523	matta	0.45m*10m	roll	11kg	1301802
Color PVC Vinyl Film	OKE	524	matta	0.45m*10m	roll	11kg	1301803
Color PVC Vinyl Film	OKE	525	matta	0.45m*10m	roll	11kg	1301804
Color PVC Vinyl Film	OKE	526	matta	0.45m*10m	roll	11kg	1301805
Color PVC Vinyl Film	OKE	531	matta	0.45m*10m	roll	11kg	1301810
Color PVC Vinyl Film	OKE	532	matta	0.45m*10m	roll	11kg	1301811
Color PVC Vinyl Film	OKE	512	matta	0.6m*7.5m	roll	12kg	1301813
Color PVC Vinyl Film	OKE	513	matta	0.6m*7.5m	roll	12kg	1301814
Color PVC Vinyl Film	OKE	514	matta	0.6m*7.5m	roll	12kg	1301815
Color PVC Vinyl Film	OKE	517	matta	0.6m*7.5m	roll	12kg	1301818
Color PVC Vinyl Film	OKE	518	matta	0.6m*7.5m	roll	12kg	1301819
Color PVC Vinyl Film	OKE	519	matta	0.6m*7.5m	roll	12kg	1301820
Color PVC Vinyl Film	OKE	520	matta	0.6m*7.5m	roll	12kg	1301821
Color PVC Vinyl Film	OKE	524	matta	0.6m*7.5m	roll	12kg	1301825
Color PVC Vinyl Film	OKE	525	matta	0.6m*7.5m	roll	12kg	1301826
Color PVC Vinyl Film	OKE	526	matta	0.6m*7.5m	roll	12kg	1301827
Color PVC Vinyl Film	OKE	531	matta	0.6m*7.5m	roll	12kg	1301832
Color PVC Vinyl Film	OKE	532	matta	0.6m*7.5m	roll	12kg	1301833
Color PVC Vinyl Film	OKE	542	matta	1.06m*35m	roll	12kg	1301835
Color PVC Vinyl Film	OKE	543	matta	1.06m*35m	roll	12kg	1301836
Color PVC Vinyl Film	OKE	544	matta	1.06m*35m	roll	12kg	1301837
Color PVC Vinyl Film	OKE	548	matta	1.06m*35m	roll	12kg	1301841
Color PVC Vinyl Film	OKE	550	matta	1.06m*35m	roll	12kg	1301843
Color PVC Vinyl Film	OKE	554	matta	1.06m*35m	roll	12kg	1301847
Color PVC Vinyl Film	OKE	555	matta	1.06m*35m	roll	12kg	1301848
Color PVC Vinyl Film	OKE	556	matta	1.06m*35m	roll	12kg	1301849
Color PVC Vinyl Film	OKE	558	matta	1.06m*35m	roll	12kg	1301851
Color PVC Vinyl Film	OKE	559	matta	1.06m*35m	roll	12kg	1301852
Color PVC Vinyl Film	OKE	561	matta	1.06m*35m	roll	12kg	1301854
Color PVC Vinyl Film	OKE	562	matta	1.06m*35m	roll	12kg	1301855
Color PVC Vinyl Film	OKE	572	glossy	1.06m*35m	roll	12kg	1301857
Color PVC Vinyl Film	OKE	574	glossy	1.06m*35m	roll	12kg	1301859
Color PVC Vinyl Film	OKE	578	glossy	1.06m*35m	roll	12kg	1301863
Color PVC Vinyl Film	OKE	580	glossy	1.06m*35m	roll	12kg	1301865
Color PVC Vinyl Film	OKE	584	glossy	1.06m*35m	roll	12kg	1301869
Color PVC Vinyl Film	OKE	585	glossy	1.06m*35m	roll	12kg	1301870
Color PVC Vinyl Film	OKE	586	glossy	1.06m*35m	roll	12kg	1301871
Color PVC Vinyl Film	OKE	587	glossy	1.06m*35m	roll	12kg	1301872
Color PVC Vinyl Film	OKE	588	glossy	1.06m*35m	roll	12kg	1301873
Color PVC Vinyl Film	OKE	589	glossy	1.06m*35m	roll	12kg	1301874
Color PVC Vinyl Film	OKE	591	glossy	1.06m*35m	roll	12kg	1301876
Color PVC Vinyl Film	OKE	592	glossy	1.06m*35m	roll	12kg	1301877

Self-adhesive Flim Series



Self-adhesive Flim Series

Description:1. 8s PVC surface, 120g paper
2. brilliant colors, good covering power, 2 years outdoor durability

Description	Brand	Color code	G l o s s y / matta	Size	Unit	G.W	Item No
Color PVC Vinyl Film	RESPECT	3014	glossy	1.06×45.7m	roll	15kg	1300561
Color PVC Vinyl Film	RESPECT	3020	glossy	1.06×45.7m	roll	15kg	1300567
Color PVC Vinyl Film	RESPECT	3030	glossy	1.06×45.7m	roll	15kg	1300577
Color PVC Vinyl Film	RESPECT	3038	glossy	1.06×45.7m	roll	15kg	1300585
Color PVC Vinyl Film	RESPECT	3142	matta	1.06×45.7m	roll	15kg	1300608
Color PVC Vinyl Film	RESPECT	3150	matta	1.06×45.7m	roll	15kg	1300614
Color PVC Vinyl Film	RESPECT	3159	matta	1.06×45.7m	roll	15kg	1300622
Color PVC Vinyl Film	RESPECT	3167	matta	1.06×45.7m	roll	15kg	1300630
Color PVC Vinyl Film	RESPECT	3168	matta	1.06×45.7m	roll	15kg	1300631
Color PVC Vinyl Film	RESPECT	3181	matta	1.06×45.7m	roll	15kg	1300644
Color PVC Vinyl Film	RESPECT	3193	matta	1.06×45.7m	roll	15kg	1300648
Color PVC Vinyl Film	RESPECT	3366	matta	1.06×45.7m	roll	15kg	1300657
Color PVC Vinyl Film	RESPECT	201	glossy	0.5×30m	roll	15kg	1300798

