

Buffet Fridge & Bain Marie



4 Pan/5 Pan/ 6 Pan Buffet Fridge Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM46-4	1500x950x850+600	1550x760x930	125/150	1.1	320-350W/220V	1/1 pan
BM46-5	1900x950x850+600	1950x760x930	158/185	1.3	320-350W/220V	1/1 pan
BM46-6	2200x950x850+600	2250x760x930	180/220	1.6	320-350W/220V	1/1 pan



4 Pan/5 Pan/ 6 Pan Buffet Bain Marie Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM47-4	1500x950x850+600	1550x760x930	90/112	1.1	2.5Kw/220V	1/1 pan
BM47-5	1900x950x850+600	1950x760x930	114/143	1.3	2.5Kw/220V	1/1 pan
BM47-6	2200x950x850+600	2250x760x930	132/170	1.6	2.5Kw/220V	1/1 pan



Single Pan Buffet Bain Marie BM48

Dimensions(LxWxH mm): 800x950x850+650
 Packing Size (mm): 850x760x920
 NW/GW (kgs): 47/62
 Cube (M3): 0.6
 Remarks: 1-1/1 pan, 3-1/3 pan



8 Pan Buffet Fridge BM50-8

Dimensions(LxWxH mm): 1500x1400x1550
 Packing Size (mm): 1600x1500x1000
 NW/GW (kgs): 260/330
 Cube (M3): 2.4
 Power: 320-350W/220V
 Remarks: 1/1 pan



8 Pan Buffet Bain Marie BM51-8

Dimensions(LxWxH mm): 1500x1400x1550
 Packing Size (mm): 1600x1500x1000
 NW/GW (kgs): 180/210
 Cube (M3): 2.4
 Power: 2x2.5Kw/220V
 Remarks: 1/1 pan



Buffet Corner Cabinet SS49

Dimensions(LxWxH mm): 1450x(830x250)x850
 Packing Size (mm): 1500x890x920
 NW/GW (kgs): 48/62
 Cube (M3): 1.5



Condiment Bench

SS49C-6-600

Dimensions(LxWxH mm): 600x600x840
 Packing Size (mm): 620x620x420
 NW/GW (kgs): 13/14
 Cube (M3): 0.16

SS49C-6-900

Dimensions(LxWxH mm): 900x600x840
 Packing Size (mm): 920x620x420
 NW/GW (kgs): 19/21
 Cube (M3): 0.24



Buffet Trolley SS49B

Dimensions(LxWxH mm): 900x700x1520
 Packing Size (mm): 920x720x260
 NW/GW (kgs): 37/40
 Cube (M3): 0.17
 Remarks: 3/1 pan

Bain Marie



4 Pan/5 Pan/ 6 Pan Bain Marie Trolley With Glass Top Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM52-4	1500x700x850+600	1550x760x450	55/73	0.55	2.5Kw/220V	1/1 pan
BM52-5	1900x700x850+600	1950x760x450	60/88	0.7	2.5Kw/220V	1/1 pan
BM52-6	2200x700x850+600	2250x760x450	65/100	0.8	2.5Kw/220V	1/1 pan



3/4/5/6 Pan Bain Marie Trolley Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM53-3	(1100+60)x600x850	1170x620x300	30/34	0.22	2.5Kw/220V	1/1 pan
BM53-4	(1450+60)x600x850	1520x620x300	37/42	0.3	2.5Kw/220V	1/1 pan
BM53-5	(1850+60)x600x850	1920x620x300	44/50	0.37	2.5Kw/220V	1/1 pan
BM53-6	(2150+60)x600x850	2220x620x300	51/57	0.42	2.5Kw/220V	1/1 pan



3 Pan Bain Marie Trolley With Cabinet Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM54-3	1100x650x850	1200x700x900	42/70	0.76	2.5Kw/220V	1/1 pan
BM54-4	1500x650x850	1600x700x900	52/74	0.95	2.5Kw/220V	1/1 pan
BM54-5	1900x650x850	2000x700x900	62/89	1.26	2.5Kw/220V	1/1 pan
BM54-6	2200x650x850	2300x700x900	71/100	1.45	2.5Kw/220V	1/1 pan

American Style 3 Pan Bain Marie Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM55-3	1220x800x850 48"x32"x33"	1270x860x920	55/75	1	2.5Kw/220V	1/1 pan
BM55-4	1520x800x850 60"x32"x33"	1570x860x920	68/90	1.24	2.5Kw/220V	1/1 pan
BM55-5	1820x800x850 72"x32"x33"	1870x860x920	86/115	1.48	2.5Kw/220V	1/1 pan
BM55-6	2130x800x850 84"x32"x33"	2180x860x920	100/130	1.72	2.5Kw/220V	1/1 pan



Bain Marie



American Style 3/4/5/6 Pan Bain Marie With Cabinet Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM56-3	1220x960x900 48"x38"x35"	1240x980x600	64/69	0.73	2.5Kw/220V	1/1 pan
BM56-4	1520x960x900 60"x38"x35"	1540x980x600	79/85	0.9	2.5Kw/220V	1/1 pan
BM56-5	1820x960x900 72"x38"x35"	1840x980x600	94/102	1.08	2.5Kw/220V	1/1 pan
BM56-6	2130x960x900 84"x38"x35"	2150x980x600	110/120	1.26	2.5Kw/220V	1/1 pan



American Style 3/4/5/6 Pan Bain Marie With Top Lamp Warmer Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM57-3	1220x960x900+700 48"x38"x35"+28"	1270x1030x900	87/112	1.18	2.5Kw+825w 220V	1/1 pan
BM57-4	1520x960x900+700 60"x38"x35"+28"	1570x1030x900	109/137	1.46	2.5Kw+1100w 220V	1/1 pan
BM57-5	1820x960x900+700 72"x38"x35"+28"	1870x1030x900	130/162	1.73	2.5Kw+1375w 220V	1/1 pan
BM57-6	2130x960x900+700 84"x38"x35"+28"	2180x1030x900	152/187	2.02	2.5Kw+1650w 220V	1/1 pan



4 Pan Bain Marie With Cabinet (Electric) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM58-4	1500x700x850	1550x760x920	70/90	1.08	2.5Kw/220V	1/1 pan
BM58-5	1900x700x850	1950x760x920	88/118	1.36	2.5Kw/220V	1/1 pan
BM58-6	2200x700x850	2250x760x920	102/135	1.57	2.5Kw/220V	1/1 pan



3 Pan Bain Marie With Cabinet (Gas) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Remarks
BM59-3	1220x800x900 48"x32"x35"	1270x860x400	42/62	0.43	1/1 pan
BM59-4	1520x800x900 60"x32"x35"	1570x860x400	53/70	0.53	1/1 pan
BM59-5	1820x800x900 72"x32"x35"	1870x860x400	67/87	0.64	1/1 pan
BM59-6	2130x800x900 84"x32"x35"	2170x860x400	78/99	0.75	1/1 pan

Buffet Warmer



3/4/5/6 Lamp Buffet Bench Top Warmer (Self Serve) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power
BM60-3	1220x570x520 48"x23"x20"	1270x620x320	40/49	0.25	825W/220V
BM60-4	1520x570x520 60"x23"x20"	1570x620x320	48/61	0.31	1100W/220V
BM60-5	1820x570x520 72"x23"x20"	1870x620x320	57/73	0.37	1375W/220V
BM60-6	2130x570x520 84"x23"x20"	2180x620x320	66/86	0.43	1650W/220V



3/4/5/6 Lamp Buffet Bench Top Warmer (Display) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power
BM61-3	1220x300x700 48"x12"x17"	1280x360x420	42/47	0.19	825W/220V
BM61-4	1520x300x700 60"x12"x17"	1580x360x420	43/59	0.23	1100W/220V
BM61-5	1820x300x700 72"x12"x17"	1880x360x420	51/70	0.29	1375W/220V
BM61-6	2130x300x700 84"x12"x17"	2190x360x420	59/81	0.33	1650W/220V



4/6/8/10/12 Pan Hot Food Display (straight glass) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM62-4	730x650x780	780x710x850	43/56	0.47	2.5Kw/220V	1/2 pan
BM62-6	1055x650x780	1110x710x850	58/73	0.67	2.5Kw/220V	1/2 pan
BM62-8	1380x650x780	1430x710x850	75/93	0.86	2.5Kw/220V	1/2 pan
BM62-10	1705x650x780	1760x710x850	92/115	1.06	2.5Kw/220V	1/2 pan
BM62-12	2030x650x780	2080x710x850	110/142	1.26	2.5Kw/220V	1/2 pan



4/6/8/10/12 Pan Hot Food Display (curved glass) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM63-4	730x650x780	780x710x850	35/48	0.47	2.5Kw/220V	1/2 pan
BM63-6	1055x650x780	1110x710x850	50/65	0.67	2.5Kw/220V	1/2 pan
BM63-8	1380x650x780	1430x710x850	65/83	0.86	2.5Kw/220V	1/2 pan
BM63-10	1705x650x780	1760x710x850	80/103	1.06	2.5Kw/220V	1/2 pan
BM63-12	2030x650x780	2080x710x850	96/128	1.26	2.5Kw/220V	1/2 pan

Bain Marie



4x1/2 Pan Hot Food Display

BM64-4

Dimensions (LxWxH mm): 730x680x700
 Packing Size (mm): 790x720x760
 NW/GW (kgs): 34/47
 Cube (M³): 0.44
 Power: 1.8Kw/220V
 Remarks: 4x1/2x65 pan



6x1/2 Pan Hot Food Display

BM64-6

Dimensions (LxWxH mm): 1060x680x700
 Packing Size (mm): 1120x720x760
 NW/GW (kgs): 44/62
 Cube (M³): 0.61
 Power: 2.3Kw/220V
 Remarks: 4x1/2x65 pan, 1x1/1 pan



8x1/2 Pan Hot Food Display

BM64-8

Dimensions (LxWxH mm): 1400x680x700
 Packing Size (mm): 1460x720x760
 NW/GW (kgs): 59/73
 Cube (M³): 0.8
 Power: 2.8Kw/220V
 Remarks: 6x1/2x65 pan, 1x1/1x65 pan



10x1/2 Pan Hot Food Display

BM64-10

Dimensions (LxWxH mm): 1730x680x700
 Packing Size (mm): 1800x720x760
 NW/GW (kgs): 70/87
 Cube (M³): 0.98
 Power: 2.9Kw/220V
 Remarks: 8x1/2x65 pan, 1x1/1x65 pan



12x1/2 Pan Hot Food Display

BM64-12

Dimensions (LxWxH mm): 2070x680x700
 Packing Size (mm): 2130x720x760
 NW/GW (kgs): 75/99
 Cube (M³): 1.17
 Power: 2.9Kw/220V
 Remarks: 10x1/2x65 pan, 1x1/1x65 pan



4x1/2 Pan Hot Food Display

BM65-4

Dimensions (LxWxH mm): 1140x480x700
 Packing Size (mm): 1200x530x760
 NW/GW (kgs): 41/54
 Cube (M³): 0.48
 Power: 2.3Kw/220V
 Remarks: 4x1/2x65 pan



5x1/2 Pan Hot Food Display

BM65-5

Dimensions (LxWxH mm): 1420x480x700
 Packing Size (mm): 1470x530x760
 NW/GW (kgs): 49/63
 Cube (M³): 0.59
 Power: 2.8Kw/220V
 Remarks: 5x1/2x65 pan



6x1/2 Pan Hot Food Display

BM65-6

Dimensions (LxWxH mm): 1690x480x700
 Packing Size (mm): 1750x530x760
 NW/GW (kgs): 57/73
 Cube (M³): 0.7
 Power: 2.95Kw/220V
 Remarks: 6x1/2x65 pan

Bain Marie



3/4/5/6 Pan Hot Food Display Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM66-3	1060x630x700	1100x690x400	35/51	0.3	2.6Kw/220V	1x1x100 pan
BM66-4	1400x630x700	1450x690x400	45/62	0.4	2.6Kw/220V	1x1x100 pan
BM66-5	1750x630x700	1800x690x400	55/72	0.5	2.6Kw/220V	1x1x100 pan
BM66-6	2100x630x700	2150x690x400	65/82	0.58	2.6Kw/220V	1x1x100 pan



4/5/6 Pan Hot Food Display Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M ³)	Power	Remarks
BM67-4	1120x430x700	1170x490x400	29/43	0.22	2.6Kw/220V	1x1x100 pan
BM67-5	1390x430x700	1440x490x400	36/52	0.28	2.6Kw/220V	1x1x100 pan
BM67-6	1650x430x700	1700x490x400	43/61	0.33	2.6Kw/220V	1x1x100 pan



Single Pan Bench Top Bain Marie

BM68-1

Dimensions (LxWxH): 380x310x280mm
 Packing Size (mm): 400x330x300mm
 NW/GW : 7/8kgs
 Cube (M³): 0.04
 Power: 750W/220V
 Remarks: 1/2 pan



2 Pan Bench Top Bain Marie

BM68-2

Dimensions (LxWxH): 580x380x280mm
 Packing Size : 600x400x280mm
 NW/GW : 10/11kgs
 Cube (M³): 0.07
 Power: 750W/220V
 Remarks: 1/2 pan



4 Pan Bench Top Bain Marie

BM68-4

Dimensions (LxWxH): 700x580x280mm
 Packing Size : 720x600x300mm
 NW/GW : 17/18
 Cube (M³): 0.13
 Power: 1.5Kw/220V
 Remarks: 1/2 pan

Warming Showcase



Curved Glass Warming Showcase

FF-YFW2D1

Dimension(LxWxH): 900x480x590 mm
 Power: 1.84 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 50 Kgs

FF-YFW2D2

Dimension(LxWxH): 660x437x635 mm
 Power: 1.84 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 37 Kgs

FF-YFW2D3

Dimension(LxWxH): 1200x480x810 mm
 Power: 2.2 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 72 Kgs

Constant temperature, moisture preservation, attractive outline design with glass surrounded.



Luxury Warming Showcase

FF-ZWD2

Dimension(LxWxH): 730x557x677 mm
 Power: 1.2 Kw, 220-240 V
 Temperature Range: 50-100 °C
 Volume: 100L
 N/W: 27 Kgs



Food Warming Showcase

FF-YFWC

Dimension(LxWxH): 350x425x500 mm
 Power: 0.85 Kw, 220-240 V
 N/W: 16 Kgs

Even temperature and humidity



Display Warming Showcase

FF-YFW1

Dimension(LxWxH): 640x360x530 mm
 Power: 1 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 21 Kgs

FF-YFW2

Dimension(LxWxH): 865x360x620 mm
 Power: 1.5 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 35 Kgs

Even temperature and humidity, two sides equipped with heat resistance glass. The progress is clear at a glance.



Pizza Showcase

FF-YFW3

Dimension(LxWxH): 500x450x770 mm
 Power: 0.9 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 27 Kgs
 Even temperature and humidity



Shelves Warming Showcase

FF-YFW4

Dimension(LxWxH): 550x450x770 mm
 Power: 0.88 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 27 Kgs
 Even temperature and humidity.



Hot Drawer Counter

FF-YDW2

Dimension(LxWxH): 740x590x620 mm
 Power: 1.0 Kw, 120 V

FF-YDW3

Dimension(LxWxH): 740x590x885 mm
 Power: 1.5 Kw, 240 V

Warming Showcase



BV-861

Dimension(LxWxH): 380x490x560 mm
 Power: 1.2 Kw, 220-240 V

Durable stainless steel
 Bulb and heat tube insulation system
 Adjustable temperature



BV-862

Dimension(LxWxH): 650x490x580 mm
 Power: 1.2 Kw, 220-240 V

BV-863

Dimension(LxWxH): 900x490x580 mm
 Power: 1.6 Kw, 220-240 V

Durable stainless steel
 Bulb and heat tube insulation system
 Adjustable temperature



Hot Display Showcase (2 Layers)

FF-XFW7

Dimension(LxWxH): 1250x810x885 mm
 Power: 2.2 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 94 Kgs
 With humidity convection system.

FF-XFW8

Dimension(LxWxH): 1500x750x840 mm
 Power: 2 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 92 Kgs



Hot Display Showcase (2 Layers)

SCP-1100

Dimension(LxWxH): 1075x775x773 mm
 Power: 3 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 61 Kgs

Upper and lower layers can be equipped with orbit-rack or food-tray. Special design for display hamburgers and fried chickens.



Hot Display Showcase

FF-XFW9

Dimension(LxWxH): 700x640x730 mm
 Power: 0.7 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 33 Kgs

FF-XFW10

Dimension(LxWxH): 1100x640x730 mm
 Power: 1.6 Kw, 220-240 V
 Temperature Range: 30-85 °C
 N/W: 45 Kgs



Counter Top Chips Worker

FF-XTCW

Dimension(LxWxH): 800x710x650 mm
 Power: 0.72 Kw, 220-240 V
 N/W: 30 Kgs



Chips Worker

FF-XTCW1

Dimension(LxWxH): 600x700x1560 mm
 Power: 0.75 Kw, 220-240 V
 N/W: 55 Kgs

FF-XTCW2

Dimension(LxWxH): 800x700x1560 mm
 Power: 1 Kw, 220-240 V
 N/W: 65 Kgs



Chips Worker

FF-XTCW3

Dimension(LxWxH): 1000x770x1570 mm
 Power: 1 Kw, 220-240 V
 N/W: 85 Kgs

Food Warmer Cart & Plate Warmer Cart



Food Warmer Cart (1 Door)
HK-YFWC5-21

Dimension(LxWxH): 790x975x1350 mm
Capacity: 5 Layers
Bore Dimension: 540x940x680 mm
Height (per tray): 160 mm
Power: 2.62 Kw, 220-240 V
N/W: 136 Kgs

1. All stainless steel, good looking and easy cleaning.
2. Convection heating mode with even temperature



Food Warmer Cart (1 Door)
HK-YFWC11-21

Dimension(LxWxH): 796x975x1795 mm
Capacity: 11 Layers
Bore Dimension: 540x1380x680 mm
Height (per tray): 115 mm
Power: 2.62 Kw, 220-240 V
N/W: 182 Kgs

3. Keep humidity function and adjustable temperature control
4. Large capacity, low energy consumption



Food Warmer Cart (2 Doors)
HK-YFWC22-21

Dimension(LxWxH): 1540x940x1795 mm
Capacity: 22 Layers
Bore Dimension: 1350x1380x680 mm
Height (per tray): 115 mm
Power: 2.62 Kw, 220-240 V
N/W: 320 Kgs



Electric Plate Warmer Cart (1 Holders)
HK-YEPW-1

Dimension(LxWxH):
450x485x770 mm
Power: 0.4 Kw, 220-240 V
N/W: 31 Kgs

1. Capacity of each holder is about 78 plates
2. Suitable for 8-12 inch diameters plates



Electric Plate Warmer Cart (2 Holders)
HK-YEPW-2

Dimension(LxWxH):
450x910x770 mm
Power: 0.8 Kw, 220-240 V
N/W: 48 Kgs

1. Capacity of each holder is about 78 plates
2. Suitable for 8-12 inch diameters plates



Electric Plate Warmer
B-PW1

Dimension(LxWxH):
450x450x850 mm
Power: 1 Kw, 220-240 V
N/W: 27 Kgs
30-85 °C temperature control



Electric Plate Warmer
B-PW2

Dimension(LxWxH):
750x450x850 mm
Power: 1.2 Kw, 220-240 V
N/W: 39 Kgs
30-85 °C temperature control



Electric Plate Warmer Cart (1 Holders)
HK-YEPW

Dimension(LxWxH):
Φ405x725 mm
Power: 0.4 Kw, 220-240 V
N/W: 19 Kgs

1. Capacity of each holder is about 78 plates
2. Suitable for 8-12 inch diameters plates



Cup Warmer
FF-XCW

Dimension(LxWxH):
320x320x545 mm
Power: 0.14 Kw, 220-240 V
Temperature Range: 30-110 °C
N/W: 13.5 Kgs



Heavy Duty Food Display Steamer
FF-XDS1

Dimension(LxWxH):
380x400x745 mm
Power: 0.9 Kw, 220-240 V
Temperature Range: 30-85 °C
N/W: 27 Kgs

Full visual glass, stainless steel body, equipped with special device to prevent heating elements work without water. Reliable performance, fast heating, good warm-keeping effect.



Heavy Duty Food Display Steamer
FF-XDS2

Dimension(LxWxH):
457x518x825 mm
Power: 1.2 Kw, 220-240 V
Temperature Range: 30-85 °C
N/W: 39 Kgs



1. Option food tray with lid
2. Glass size: 530x325 mm

Electric Warming Tray
FF-XFWT1

Dimension(LxWxH):
540x380x85 mm
Power: 0.26 Kw, 220-240 V
Temperature Range: 30-85 °C
N/W: 5 Kgs



Electric Warming Tray
FF-XFWT2

Dimension(LxWxH):
730x580x550 mm
Power: 0.8 Kw, 220-240 V
Temperature Range: 30-85 °C
N/W: 14 Kgs



Hot Showcase
FF-XFW5

Dimension(LxWxH):
330x560x500 mm
Power: 1 Kw, 220-240 V
Temperature Range: 30-85 °C
N/W: 7 Kgs



Heating Lamp
PJ-LWRE1

Dia: 165mm
Height: 250mm

The other colors are available



Double Lamp Warming Station
BM69-2

Dimensions (LxWxH):
380x480x560
Packing Size: 400x500x250mm
NW/GW (kgs): 2.8/3.5
Cube (M³): 0.05
Power: 500W/220V



Double Lamp Warming Station
BM70-2

Dimensions (LxWxH mm):
730x500x700
Packing Size: 750x520x420mm
NW/GW (kgs): 12/14
Cube (M³): 0.16
Power: 2Kw+500W/220V



3 Lamp Warming Station
BM70-3

Dimensions (LxWxH):
1070x500x700
Packing Size: 1100x520x420mm
NW/GW (kgs): 16/19
Cube (M³): 0.24
Power: 2Kw+750W/220V



4 Lamp Warming Station
BM70-4

Dimensions (LxWxH):
1370x500x700
Packing Size: 1400x520x420mm
NW/GW (kgs): 21/24
Cube (M³): 0.3
Power: 2Kw+1Kw/220V



Electric Pizza Warming Plate
B-PZW1

Dimensions (LxWxH):
550x550x85mm
Power: 0.26Kw,220V/50Hz
Glass Size: 1x500x500mm
NW (kgs): 7

Suitable for pizza warming
Max diameter of pizza:50cm
To keep warming the prepared food



Electric Pizza Warming Plate
B-PZW2

Dimensions (LxWxH):
1030x550x85mm
Power: 0.52Kw,220V/50Hz
Glass Size: 2x500x500mm
NW(kgs): 13

Suitable for pizza warming
Max diameter of pizza:50cm
To keep warming the prepared food



Electric Pizza Warming Plate
B-PZW3

Dimensions (LxWxH):
1557x550x85mm
Power: 0.78Kw,220V/50Hz
Glass Size: 3x500x500mm
NW(kgs): 18.5

Suitable for pizza warming
Max diameter of pizza:50cm
To keep warming the prepared food

