




CHANGZHOU FUTURE AUTO PARTS CO.,LTD



PRODUCT
BROCHURE

2019

FUTURE
AUTO PARTS

FUTURE AUTO PARTS

COMPANY INTRODUCTION



Changzhou Futureauto Parts CO.,LTD is a high-tech enterprise dedicated to product research and development, production, sales, and service delivery. The company possesses the advanced SMT and MCM production line, automatic product quality inspection equipment, and the leading research a

Currently, this enterprise has established the profound relationship with clients from over 30 countries and regions, with products being sold to several developed states in Europe, America, and Southeast Asia. The products from the company earn the excellent reputation and popularity in the foreign market.

Resorted to the operation concept of "Based on Talents, Guided by the Market, Focusing on Quality, and Emphasizing the Sincerity", the company is dedicated to providing high-quality automobile electronic products and all-round aftersales service. The concerns of the customers remain center in our service. The company is working to return the maximal economic benefits to the customers at their lowest risk. All products have been awarded the EU CE certificate.

We expect to tie a long-term cooperative relationship with clients from the globe and make progresses together.

FUTURE AUTO PARTS

COMPANY EXHIBITION



Changzhou Futureauto Parts CO.,LTD is a high-tech enterprise dedicated to product research and development, production, sales, and service delivery. The company possesses the advanced SMT and MCM production line, automatic product quality inspection equipment, and the leading research a

Currently, this enterprise has established the profound relationship with clients from over 30 countries and regions, with products being sold to several developed states in Europe, America, and Southeast Asia. The products from the company earn the excellent reputation and popularity in the foreign market.

Resorted to the operation concept of "Based on Talents, Guided by the Market, Focusing on Quality, and Emphasizing the Sincerity", the company is dedicated to providing high-quality automobile electronic products and all-round aftersales service. The concerns of the customers remain center in our service. The company is working to return the maximal economic benefits to the customers at their lowest risk. All products have been awarded the EU CE certificate.

We expect to tie a long-term cooperative relationship with clients from the globe and make progresses together.



Directory

P1 LED DRL

P7 WORK LIGHT

P16 LLED HEADLIGHT

P17 LED STRIP BAR

P20 BUMPER






CERTIFICATE of Conformity

Reference No. : LCS180628035BE

Applicant : CHANGZHOU FUTURE AUTO PARTS CO.,LTD

Address : No. 1, Qimo 3rd Road, Menghe Town, Xinbei District, Changzhou City

Trademark : 

Product : Daytime Running Light

Model(s) : (see attached)

Parameters : DC12-20V, 0.13-0.23A

The submitted products have been tested by us with the listed standards and found in compliance with the following European Directives:

The EMC Directive 2014/30/EU

EN 55015: 2013+A1: 2015, EN 61547: 2009

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.

Other relevant Directives have to be observed.



Date of issue: July 17, 2018



Shenzhen Southern LCS Compliance Testing Laboratory Ltd.
B Area, 1-2/F., Building B, Zhongyu Green High-tech Industrial Park, Wenge Road, Heshuikou, Gongming Street, Guangming New District, Shenzhen, Guangdong, China
Tel: (86)755-29871520 Fax: (86)755-29871521
Http://www.lcs-cert.com Email: webmaster@lcs-cert.com






CERTIFICATE of Conformity

Reference No. : LCS180628034BE

Applicant : CHANGZHOU FUTURE AUTO PARTS CO.,LTD

Address : No. 1, Qimo 3rd Road, Menghe Town, Xinbei District, Changzhou City

Trademark : 

Product : LED Work Light

Model(s) : (see attached)

Parameters : DC12-30V, 0.36-0.92A

The submitted products have been tested by us with the listed standards and found in compliance with the following European Directives:

The EMC Directive 2014/30/EU

EN 55015: 2013+A1: 2015, EN 61547: 2009

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.

Other relevant Directives have to be observed.



Date of issue: September 05, 2018



Shenzhen Southern LCS Compliance Testing Laboratory Ltd.
B Area, 1-2/F., Building B, Zhongyu Green High-tech Industrial Park, Wenge Road, Heshuikou, Gongming Street, Guangming New District, Shenzhen, Guangdong, China
Tel: (86)755-29871520 Fax: (86)755-29871521
Http://www.lcs-cert.com Email: webmaster@lcs-cert.com



Product No.: QC-DRL001

Product Size: L180mm*W23mm*H38mm
 Light Source: COB- chips
 Power: 12W
 Voltage: 9-30V
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours



Product NO.: QC-DRL002

Product Size: L180mm*W23mm*H38mm
 Light Source: COB- chips
 Power: 12W
 Voltage: 9-30V
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours



Product NO.: QC-DRL003

Product Size: L160mm*W20mm*H12.5mm
 Light Source: 5050*chips
 Power: 3.2W
 Voltage: 12V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 7000-8000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours



Product NO.: QC-DRL004

Product Size: L160mm*W20mm*H12.5mm
 Light Source: Piranha LED,6PCS of LEDs
 Power: 2.4W
 Voltage: 12V DC
 Waterproof rate: IP67
 Optional Color: black/silver of the lacquer that bake
 Color Temperature: 7000-8000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours



Product NO.: QC-DRL005

Product Size: L160mm*W20mm*H12.5mm
 Light Source: COB LED,40PCS of LEDs
 Power: 6W
 Voltage: 12V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours



Product No.: QC-DRL006

Product Size: L165mm*W28mm*H45mm
 Light Source: 3030 LED,2PCS of LEDs(light guide)
 Power: 6W
 Voltage: 9-30V
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours



Product No.: QC-DRL007

Product Size: L160mm*W28mm*H45mm
 Light Source: 5050 LED,4PCS of LEDs
 Power: 1.6W
 Voltage: 12V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours



Product No.: QC-DRL008

Product Size: L212mm*W27mm*H11mm or L
 180mm*W27mm*H11mm
 Light Source: COB LED,60PCS of LEDs
 Power: 8W
 Voltage: 9-30V
 Waterproof rate: IP67
 Optional Color: black/silver
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket:
 Life time: 10000 hours



Product No.: QC-DRL009

Product Size: L212mm*W27mm*H11mm or
 L180mm*W27mm*H11mm
 Light Source: COB LED,60PCS of LEDs
 Power: 8W
 Voltage: 9-30V
 Waterproof rate: IP67
 Optional Color: Red/Blue
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket:
 Life time: 10000 hours



Product No.: QC-DRL010

Product Size: L212mm*W27mm*H11mm or
 L180mm*W27mm*H11mm
 Light Source: COB LED,60PCS of LEDs
 Power: 8W
 Voltage: 9-30V
 Waterproof rate: IP67
 Optional Color: Yellow
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket:
 Life time: 10000 hours



Product No.: QC-DRL011



Product Size: L200mm*W27mm*H41mm
Light Source: COB LED,76PCS of LEDs
Power: 9W
Voltage: 9-30V
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product NO.: QC-DRL012



Product Size: L160mm*W22mm*H37mm
Light Source: COB LED,18PCS of LEDs
Power: 8W
Voltage: 12V DC
Waterproof rate: IP67
Optional Color: black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product NO.: QC-DRL013



Product Size: L180mm*W22mm*H45mm
Light Source: COB LED, 18PCS of LEDs
Power: 8W
Voltage: 9-30V DC
Waterproof rate: IP67
Optional Color: black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product NO.: QC-DRL014A



Product Size: L200mm*W27mm*H41mm
Light Source: 3528 LED,30PCS of LEDs
Power: 6W
Voltage: 12V DC
Waterproof rate: IP67
Optional Color:Black/Yellow
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life: 10000 hours

Product NO.: QC-DRL014B



Product Size: L200mm*W27mm*H41mm
Light Source: 3528 LED,20PCS of LEDs
Power: 6W
Voltage: 12V DC
Waterproof rate: IP67
Optional Color:Black/Yellow
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life: 10000 hours

Product NO.: QC-DRL015



Product NO.: L180mm*W23mm*H38mm
Light Source: COB LED,76PCS of LEDs
Power: 8W
Voltage: 9-30V
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product No.: QC-DRL016



Product Size: L180mm*W23mm*H33mm
Light Source: 1W each EPISTAR LED,6PCS of LEDs
Power: 12W
Voltage: 9-30V
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product No.: QC-DRL017



Product Size: L180mm*W23mm*H33mm
Light Source: 1W each EPISTAR LED,6PCS of LEDs
Power: 12W
Voltage: 9-30V
Waterproof rate: IP67
Optional Color: black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product No.: QC-DRL018



Product Size: L180mm*W23mm*H35mm
Light Source: 1W each EPISTAR LED,6PCS of LEDs
Power: 12W
Voltage: 9-30V
Waterproof rate: IP67
Optional Color: black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product No.: QC-DRL019



Product NO.: L180mm*W23mm*H36mm
Light Source: 1W each EPISTAR LED,6PCS of LEDs
Power: 12W
Voltage: 9-30V
Waterproof rate: IP67
Optional Color: black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product No.: QC-DRL022



Product Size: R=70mm H=43mm
 Light Source: 1W each EPISTAR LED, 4PCS of LEDs
 Power: 8W
 Voltage: 12V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product No.: QC-DRL023



Product Size: R=70mm H=43mm
 Light Source: COB LED, 21PCS of LEDs
 Power: 8W
 Voltage: 12V
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: die-cast aluminum housing/ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product NO.: QC-DRL024



Product Size: R=95mm H=45mm
 Light Source: COB LED, 39PCS of LEDs
 Power: 10W
 Voltage: 9-30V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: die-cast aluminum housing
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product NO.: QC-DRL025



Product Size: 3.5"
 Power: 30W
 Voltage: DC12-15V
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: die-cast aluminum housing
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product NO.: QC-DRL026



Product Size: 4"
 Power: 15W
 Voltage: DC12-15V
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: die-cast aluminum housing
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product NO.: QC-DRL027



Product Size: L158mm*W18mm*H41mm
 Light Source: 5050 LED, 8PCS of LEDs
 Power: 3.5W
 Voltage: 12V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 7000-8000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product No.: QC-DRL028



Product Size: L200mm*W27mm*H41mm
 Light Source: COB LED, 76PCS of LEDs
 Power: 5W
 Voltage: 9-30V
 Waterproof rate: IP67
 Optional Color: Red/Blue
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product No.: QC-DRL029A



Product Size: 190*30*40
 Light Source: 1W each 5050 LED, 5PCS of LEDs
 Power: 10W
 Voltage: 9-30V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: die-cast aluminum housing
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product No.: QC-DRL029B



Product Size: 150*30*40
 Light Source: 1W each 5050 LED, 5PCS of LEDs
 Power: 10W
 Voltage: 9-30V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: die-cast aluminum housing
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product No.: QC-DRL029C



Product Size: 165*30*40
 Light Source: 1W each 5050 LED, 5PCS of LEDs
 Power: 10W
 Voltage: 9-30V DC
 Waterproof rate: IP67
 Optional Color: black
 Color Temperature: 6500-7000K
 Material: die-cast aluminum housing
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours



Product No.: QC-DRL030



Product Size: 160*30*45
Light Source: 1W each 5050 LED,5PCS of LEDs
Power: 10W
Voltage: 9-30V DC
Waterproof rate: IP67
Optional Color: black
Color Temperature: 6500-7000K
Material: die-cast aluminum housing
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product No.: QC-DRL031



Product Size: 150*30*40
Light Source: COB LED,56PCS of LEDs
Power: 8W
Voltage: 9-30V DC
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: die-cast aluminum housing
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product No.: QC-DRL032



Product Size: 250mm*43mm*21mm
Light Source: 1W each 5050 LED,5PCS of LEDs
Power: 10W
Voltage: 9-30VDC
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: die-cast aluminum housing
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product No.: QC-DRL033



Product Size: 191mm*25mm*26mm
Light Source: 5050 LED,8PCS of LEDs
Power: 3.2W
Voltage: 12V DC
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product NO.: QC-DRL034



Product NO.: QC-DRL034
Product Size: L160mm*W22mm*H37mm
Light Source: 5050 LED,8PCS of LEDs
Power: 3.2W
Voltage: 12V DC
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product NO.: QC-DRL035



Product Size: L160mm*W22mm*H37mm
Light Source: 3528 LED,8PCS of LEDs
Power: 3.2W
Voltage: 12V DC
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product NO.: QC-DRL036



Product Size: R=70mm H=43mm
Light Source: 1W each EPISTAR LED,4PCS of LEDs
Power: 3.6W
Voltage: 12V DC
Waterproof rate: IP67
Optional Color: Black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless Steel
Life time: 10000 hours

Product NO.: QC-DRL037



Product Size: L85mm*W30mm*H35mm
Light Source: Epistar1W*3PCS
Output power: 6W
Input volt: 12V DC
Waterproof level: IP67
Color: black
Color temperature: 6500-7000K
Material: ABS
Lampshade: PC
Lamp bracket: Stainless steel
Working time: 10000hours

Product No.: QC-DRL038(Turn light)



Product Size: L180mm*W23mm*H38mm
Light Source: 2835Yellow light*18PCS+2835white light18PCS
Output power: 14W
Input volt: 9-20V DC
Waterproof level: IP67
Color: white
Color temperature: 6500-7000K
Material: ABS
Lampshade: PC
Lamp bracket: Stainless steel
Working time: 10000hours

Product No.: QC-DRL039(Turn light)



Product Size: L180mm*W23mm*H38mm
Light Source: 2835 white light/yellow light*18PCS
Output power: 14W
Input volt: 9-20V DC
Waterproof level: IP67
Color: white
Color temperature: 6500-7000K
Material: ABS
Lampshade: PC
Lamp bracket: Stainless steel
Working time: 10000hours

Product No.: QC-DRL040(Turn light)



Product Size: L180mm*W23mm*H38mm
 Light Source: white light1W*10PCS /yellow light 5050*5PCS
 Output power: 20W
 Input volt: 9-20V DC
 Waterproof level: IP67
 Color: black
 Color temperature: 6500-7000K
 Material: ABS
 Lampshade: PC
 Lamp bracket: Stainless steel
 Working time: 10000hours

Product No.: QC-DRL041



Product Size: L200mm*W27mm*H41mm
 Light Source: 5050 *20PCS
 Output power: 4W
 Input volt: 9-20V DC
 Waterproof level: IP67
 Color: black
 Color temperature: 6500-7000K
 Material: ABS
 Lampshade: PC
 Lamp bracket: Stainless steel
 Working time: 10000hours

Product NO.: QC-DRL45 General fog lamps



Light Source: COB
 Power: 10W
 Voltage: 12V-15V
 Color: Red/Blue/Green/Black
 OD: 3.5"/3"/2.5"
 Color Temperature:6000-7000K
 Material: die-cast aluminum housing
 Lens material: PC
 Life time: 30000 hours

Product NO.: QC-DRL044 Edge light



Light Source: Piranha LED
 Power: 0.3W/only
 Voltage: 12V/24V
 Color Temperature: 3500-7000K
 Material: ABS
 Lens material: PC

Product No.: QC-DRL043 License plate light



Light Source: 28/35 LED,6PCS of LEDs
 Power: 1.2W
 Voltage: 12V
 Color Temperature:6000-7000K
 Material: ABS
 Lens material: PC

Product No.: QC-DRL048(Turn light)



Specification: L180mm*W22mm*H45mm
 Light source type: 2835yellow light*18PCS+2835white light18PCS
 Output power: 14W
 Input volt: 9-20V DC
 Waterproof level: IP67
 Color: black
 Color temperature: 6500-7000K
 Material: ABS
 Lampshade: PC
 Lamp bracket: Stainless steel
 Working time: 10000hours

Product No.: QC-DRL042A



Product Size: L63mm*W28mm*H12mm
 Light Source: 5050 RGB*24PCS
 Output power: 20W
 Input volt: 9-20V DC
 Waterproof level: IP67
 Color: seven kinds of colors
 Color temperature: 6500-7000K
 Material: ABS
 Lampshade: PC
 Working time: 10000hours

Product No.: QC-DRL042B



Product Size: L63mm*W28mm*H12mm
 Light Source: 5050 RGB*24PCS
 Output power: 20W
 Input volt: 9-20V DC
 Waterproof level: IP67
 Color: seven kinds of colors
 Color temperature: 6500-7000K
 Material: ABS
 Lampshade: PC
 Working time: 10000hours

Product NO.: QC-DRL046 High power LED light bar atmosphere (light)



Product Size: R=70mm H=43mm
 Light Source: 1W each EPISTAR LED,4PCS of LEDs
 Power: 1.5W
 Voltage: 12V DC
 Waterproof rate: IP67
 Optional Color: Black
 Color Temperature: 6500-7000K
 Material: ABS
 Lens material: PC
 Mounting Bracket: Stainless Steel
 Life time: 10000 hours

Product No.: QC-BMW (A)angle eye



Output power: 9W
 Input volt: 9-20V DC
 Waterproof level: IP67
 Color: black
 Color temperature: 6500-7000K
 Material: Aluminum alloy
 Lamp bracket: Stainless steel
 Working time: 10000hours



Product No.: QC-BMW(B) angle eye



Output power: 27W
Input volt: 9-20V DC
Waterproof level: IP67
Color: white
Color temperature: 6500-7000K
Material: Aluminum alloy
Lamp bracket: Stainless steel
Working time: 10000hours

Product No.: QC-BMW (C)angle eye



Output power: 20W
Input volt: 9-20V DC
Waterproof level: IP67
Color: white
Color temperature: 6500-7000K
Material: Aluminum alloy
Lamp bracket: Stainless steel
Working time: 10000hours

Product No.: moto turning light-1LED



LED: 2835SMD *1PCS
Power: 1W/PCS
Voltage : 12V-15V
Color temperature: 2700K
Lampshade: PC

Product No.: moto turning light-3LED



LED: 2835 *3PCS
Power : 1.5W/PCS
Voltage: 12V-15V
Color temperature : 2700K
Lampshade: PC

Product No.: Haley turning light



LED: 2835SMD *6PCS
Power: 1.5W/PCS
Voltage : 12V-15V
Color temperature : 2700K
Lampshade: PC

Product No.: Haley turning light



LED: 2835 *3PCS
Power: 1.5W/PCS
Voltage : 12V-15V
Color temperature: 2700K
Lampshade: PC

Product No.: moto DRL turning light



LED: 2835SMD *36PCS
Power: 6W/PCS
Voltage: 12V-15V
Color temperature: 2700K
Lampshade: PC
function: Turning light+DRL



Product No.: QCWL01-18W

Product Size: 115*128*42
 Power: 18W
 Operating Voltage: 10-30V
 Beam: Sport/Flood Beam
 LED chips: 3W*6pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1250 lumen
 Operating Life: > 30000h



Product No.: QCWL02-15W

Product Size: 110*126*38
 Power: 15W
 Operating Voltage: 10-30V
 Beam: Sport/Flood Beam
 LED chips: 3W*5pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1150 lumen
 Operating Life: > 30000h



Product No.: QCWL03-24W

Product Size: 110*128*45
 Power: 24W
 Operating Voltage: 10-30V
 Beam: Sport/Flood Beam
 LED chips: 3W*8pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2400 lumen
 Operating Life: > 30000h



Product No.: QCWL04-24W

Product Size: 110*126*50
 Power: 24W
 Operating Voltage: 10-30V
 Beam: Sport /Flood Beam
 LED chips: 3W*8pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2400 lumen
 Operating Life: > 30000h



Product No.: QCWL05-27W

Product Size: 115*128*55
 Power: 27W
 Operating Voltage: 9-32V
 Beam: Sport /Flood Beam
 LED chips: 3W*9pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2700 lumen
 Operating Life: > 30000h



Product No.: QCWL06-27W

Product Size: 110*126*50
 Power: 27W
 Operating Voltage: 19-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*9pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2700 lumen
 Operating Life: > 30000h



Product No.: QCWL07-18W

Product Size: 159.8*98.9*45.8
 Power: 18W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*6pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1150 lumen
 Operating Life: > 30000h



Product NO.: QCWL08-50W

Product Size: 155*109*73
 Power: 50W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*5pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 3800 lumen
 Operating Life: > 30000h



Product NO.: QCWL09-09W

Product Size: 110*78*55
 Power: 9W
 Operating Voltage: 9-32V
 Beam: Flood Beam
 LED chips: 3W*3pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 900 lumen
 Operating Life: > 30000h



Product NO.: QCWL09-18W

Product Size: 110*78*55
 Power: 18W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*6pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1250 lumen
 Operating Life: > 30000h



Product No.: QCWL09-20W



Product Size: 110*78*55
 Power: 20W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*2pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2000 lumen
 Operating Life: > 30000h

Product No.: QCWL10-15W



Product Size: 145*45*78
 Power: 18W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*5pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1500 lumen
 Operating Life: > 30000h

Product No.: QCWL11-51W



Product Size: 160*202*86
 Power: 51W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*17pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 3700 lumen
 Operating Life: > 30000h

Product No.: QCWL12-10W



Product Size: 66*120*65
 Power: 10W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*1pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 750 lumen
 Operating Life: > 30000h

Product No.: QCWL13-10W



Product Size: 66*80*66
 Power: 10W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*4pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 950 lumen
 Operating Life: > 30000h

Product No.: QCWL14-12W



Product Size: 82*88*80
 Power: 12W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*4pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 950 lumen
 Operating Life: > 30000h

Product NO.: QCWL14B-12W



Product Size: 121*91*80
 Power: 12W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*4pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 950 lumen
 Operating Life: > 30000h

Product NO.: QCWL15-18W



Product Size: 82*88*80
 Power: 18W
 Operating Voltage: 10-30V
 Beam: Sport/Flood Beam
 LED chips: 3W*6pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1620 lumen
 Operating Life: > 30000h

Product NO.: QCWL15B-18W



Product Size: 121*91*80
 Power: 18W
 Operating Voltage: 10-30V
 Beam: Sport/Flood Beam
 LED chips: 3W*6pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1620 lumen
 Operating Life: > 30000h

Product NO.: QCWL16-27W



Product Size: 147*150*73
 Power: 27W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*9pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2400 lumen
 Operating Life: > 30000h



Product No.: QCWL17-36W

Product Size: 175*157*77
 Power: 36W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*12pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 3400 lumen
 Operating Life: > 30000h



Product No.: QCWL18-45W

Product Size: 140*169*92
 Power: 45W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 5W*9pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 3800 lumen
 Operating Life: > 30000h



Product No.: QCWL19-60W

Product Size: 180*212*97
 Power: 60W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 5W*12pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 5100 lumen
 Operating Life: > 30000h



Product No.: QCWL20-60W

Product Size: 180*212*97
 Power: 60W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*6pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 5100 lumen
 Operating Life: > 30000h



Product No.: QCWL21-90W

Product Size: 110*78*55
 Power: 90W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*9pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 10800 lumen
 Operating Life: > 30000h



Product No.: QCWL22-48W

Product Size: 125*165*88
 Power: 48W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*16pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 4000 lumen
 Operating Life: > 30000h



Product No.: QCWL23-40W

Product Size: 125*165*88
 Power: 40W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*4pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 3200 lumen
 Operating Life: > 30000h



Product NO.: QCWL24-10W

Product Size: 57*75*65
 Power: 10W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*1pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 950 lumen
 Operating Life: > 30000h



Product NO.: QCWL25-10W

Product Size: 51*51*61
 Power: 10W
 Operating Voltage: 10-30V
 Beam: Sport/Flood Beam
 LED chips: 10W*1pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 750 lumen
 Operating Life: > 30000h



Product NO.: QCWL26-12W

Product Size: 52*112*70
 Power: 12W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*4pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2000 lumen
 Operating Life: > 30000h



WORK LIGHT



Product No.: QCWL27-42W

Product Size: 138*165*76
Power: 42W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W*14pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 3780 lumen
Operating Life: > 30000h



Product No.: QCWL28-42W

Product Size: 138*165*76
Power: 42W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W*14pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 3780 lumen
Operating Life: > 30000h



Product No.: QCWL29-48W

Product Size: 110*164*72
Power: 48W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W*16pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 2800 lumen
Operating Life: > 30000h



Product No.: QCWL30-40W

Product Size: 110*164*72
Power: 40W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 10W*4pcs Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 3200 lumen
Operating Life: > 30000h



Product No.: QCWL31-70W

Product Size: 150*170*92
Power: 70W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 10W*7pcs Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 6300 lumen
Operating Life: > 30000h



Product No.: QCWL32-27W

Product Size: 115*128*65
Power: 27W
Operating Voltage: 9-32V
Beam: Sport Beam
LED chips: 3W*9pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 2700 lumen
Operating Life: > 30000h



Product NO.: QCWL33-33W

Product Size: 155*109*73
Power: 33W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W*11pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 3100 lumen
Operating Life: > 30000h



Product NO.: QCWL34-45W

Product Size: 155*109*73
Power: 45W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W*15pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 3900 lumen
Operating Life: > 30000h



Product NO.: QCWL35-45W

Product Size: 166*106*83
Power: 45W
Operating Voltage: 9-32V
Beam: Far and near light
LED chips: 3W*15pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 4050 lumen
Operating Life: > 30000h



Product NO.: QCWL36-80W

Product Size: 80*80
Power: 80W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 10W*8pcs Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 6720 lumen
Operating Life: > 30000h



Product No.: QCWL37-9W

Product Size: 89*40*89
 Power: 9W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*3pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 10800 lumen
 Operating Life: > 30000h



Product No.: QCWL38-24W

Product Size: 142*142*62
 Power: 24W
 Operating Voltage: 10-30V
 Beam: Flood Beam
 LED chips: 3W*8pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2000 lumen
 Operating Life: > 30000h



Product No.: QCWL39-18W

Product Size: 114*64*53
 Power: 18W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*6pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1250 lumen
 Operating Life: > 30000h



Product No.: QCWL40-36W

Product Size: 145*145*89.2
 Power: 36W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*8pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 3240 lumen
 Operating Life: > 30000h



Product No.: QCWL41-45W

Product Size: 108*158*78
 Power: 45W
 Operating Voltage: 9-32V
 Beam: Far and near light
 LED chips: 3W*15pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 4500 lumen
 Operating Life: > 30000h



Product No.: QCWL42-36W

Product Size: 145*145*89.2
 Power: 36W
 Operating Voltage: 9-32V
 Beam: Sport Beam
 LED chips: 3W*12pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 3240 lumen
 Operating Life: > 30000h



Product No.: QCWL44-24W

Product Size: 151.5*114*70
 Power: 24W
 Operating Voltage: 9-32V
 Beam: Sport Beam
 LED chips: 3W*8pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2000 lumen
 Operating Life: > 30000h



Product NO.: QCWL45-9W

Product Size: 82*87*51
 Power: 9W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 3W*3pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 810 lumen
 Operating Life: > 30000h



Product NO.: QCWL46-80W

Product Size: 140*190*92
 Power: 80W
 Operating Voltage: 10-30V
 Beam: Spot/Flood Beam
 LED chips: 10W*8pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 7200 lumen
 Operating Life: > 30000h



Product NO.: QCWL47-60W

Product Size: 140*190*92
 Power: 60W
 Operating Voltage: 9-32V
 Beam: Sport/Flood Beam
 LED chips: 10W*6pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 5100 lumen
 Operating Life: > 30000h



WORK LIGHT

Product No.: QCWL48-24W



Product Size: 110*150*55
Power: 24W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W*8pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 2000 lumen
Operating Life: > 30000h

Product No.: QCWL49-36W



Product Size: 110*150*55
Power: 36W
Operating Voltage: 9-32V
Beam: Far and near light
LED chips: 3W*12pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 3240 lumen
Operating Life: > 30000h

Product No.: QCWL50-15W/20W/25W



Product Size: 106*106*70
Power: 15W/20W/25W
Operating Voltage: 10-30V
Beam: Flood Beam
LED chips: 1W/pcs Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h

Product No.: QCWL51-96W/160W



Product Size: 221*111.4*232.5
Power: 96W/160W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W x 32pcs/ Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 7680/13600 lumen
Operating Life: > 30000h

Product NO.: QCWL52-20W



Product Size: 98*80*70
Power: 20W
Operating Voltage: 9-32V
Beam: Sport Beam
LED chips: 10W x 2pcs/ Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 1800 lumen
Operating Life: > 30000h

Product NO.: QCWL53-21W



Product Size: 110.7*68*127.8
Power: 21W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W x 7pcs/ Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 2000 lumen
Operating Life: > 30000h

Product NO.: QCWL54-12W



Product Size: 102*85*55
Power: 12W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W x 4pcs/ Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 2700 lumen
Operating Life: > 30000h

Product NO.: QCWL55-40W



Product Size: 110*110*72
Power: 45W
Operating Voltage: 10-30V
Beam: Sport Beam
LED chips: 10W x 4pcs/ Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 3600 lumen
Operating Life: > 30000h

Product No.: QCWL56-60W



Product Size: 180*88*135
Power: 60W
Operating Voltage: 9-32V
Beam: Sport Beam
LED chips: 10W x 6pcs/ Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 5100 lumen
Operating Life: > 30000h

Product No.: QCWL57-25W



Product Size: 120*112*151
Power: 25W
Operating Voltage: 9-32V
Beam: Sport Beam
LED chips: 25W x 1pcs/ Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 2500 lumen
Operating Life: > 30000h



Product No.: QCWL60-21W

Product Size: 110.7*68*127.8
 Power: 21W
 Operating Voltage: 9-32V
 Beam: Sport Beam
 LED chips: 3W x 7pcs/ Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2000 lumen
 Operating Life: > 30000h



Product No.: QCWL61-50W

Product Size: 110*95*150
 Power: 50W
 Operating Voltage: 9-32V
 Beam: Sport /Flood Beam
 LED chips: 10W x 5pcs/ Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 4500 lumen
 Operating Life: > 30000h



Product No.: QCWL62-63W

Product Size: 160*86*202
 Power: 63W
 Operating Voltage: 9-32V
 Beam: Sport /Flood Beam
 LED chips: 3W x 21pcs/ Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 5670 lumen
 Operating Life: > 30000h



Product No.: QCWL63-40W

Product Size: 140*92*169
 Power: 40W
 Operating Voltage: 10-30V
 Beam: Sport /Flood Beam
 LED chips: 10W x 4pcs/ Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 3600 lumen
 Operating Life: > 30000h



Product No.: QCWL64-60W

Product Size: 180*97*212
 Power: 60W
 Operating Voltage: 9-32V
 Beam: Sport /Flood Beam
 LED chips: 10W x 6pcs/ Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 5400 lumen
 Operating Life: > 30000h



Product NO.: QCWL65-111W/185W

Product Size: 221*111.4*215
 Power: 111W/185W
 Operating Voltage: 10-30V
 Beam: Sport /Flood Beam
 LED chips: 3W x 37pcs/5W x 37pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 8160/ 15000 lumen
 Operating Life: > 30000h



Product NO.: QCWL66-24W

Product Size: 151.5*70*114
 Power: 24W
 Operating Voltage: 9-32V
 Beam: Sport Beam
 LED chips: 3W x 8pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 2000 lumen
 Operating Life: > 30000h



Product NO.: QCWL67-18W

Product Size: 114*151.5*70
 Power: 18W
 Operating Voltage: 9-32V
 Beam: Sport Beam
 LED chips: 3W x 6pcs Epistar LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1250 lumen
 Operating Life: > 30000h



Product No.: QCWL68-20W

Product Size: 140*87*115
 Power: 20W
 Operating Voltage: 9-32V
 Beam: Sport Beam
 LED chips: 10W x 2pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 1800 lumen
 Operating Life: > 30000h



Product No.: QCWL69-70W

Product Size: 150*92*170
 Power: 70W
 Operating Voltage: 9-32V
 Beam: Sport /Flood Beam
 LED chips: 10W x 7pcs Cree LEDs
 Waterproof: IP67
 Color Temperatur: 6000K
 Light output: about 6300 lumen
 Operating Life: > 30000h



WORK LIGHT

Product No.: QCWL70-18W



Product Size: 112*78*62
Power: 18W
Operating Voltage: 9-32V
Beam: Sport Beam
LED chips: 3W x 6pcs Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 1250 lumen
Operating Life: >30000h

Product No.: QCWL71-36W



Product Size: 168*108*78
Power: 36W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 3W*12pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 2800 lumen
Operating Life: >30000h

Product No.: QCWL72-18W



Product Size: 110*150*55
Power: 18W
Operating Voltage: 9-32V
Beam: Sport Beam
LED chips: 3W*6pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 2800 lumen
Operating Life: >30000h

Product No.: QCWL73-90W



Product Size: 202*160*86
Power: 27W
Operating Voltage: 10-30V
Beam: Sport/Flood Beam
LED chips: 5W*18pcs Cree LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 8100 lumen
Operating Life: >30000h

Product NO.: QCWL74-90W



Product Size: 202*160*86
Power: 90W
Operating Voltage: 9-32V
Beam: Sport/Flood Beam
LED chips: 10W*9pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 10800 lumen
Operating Life: >30000h

Product NO.: QCWL75-45W



Product Size: 198*140*71
Power: 45W
Operating Voltage: 9-32V
Beam: Far and near light
LED chips: 3W*15pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 4500 lumen
Operating Life: >30000h

Product NO.: QCWL76-9W



Product Size: 83*76*109
Power: 9W
Operating Voltage: 9-32V
Beam: Sport Beam
LED chips: 3W*3pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 810 lumen
Operating Life: >30000h

Product NO.: QCWL77-12W



Product Size: 83*76*109
Power: 12W
Operating Voltage: 9-32V
Beam: Sport Beam
LED chips: 3W*4pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Light output: about 6000 lumen
Operating Life: >30000h

Product No.: QCWL4D-12W



Product Size: 80*80*45
Power: 12W
Operating Voltage: 9-30V
Beam: Sport Beam
LED chips: 3W*4pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: >30000h

Product No.: QCWL4D-27W



Product Size: 105*105*60
Power: 27W
Operating Voltage: 10-20V
Beam: Sport Beam
LED chips: 3W*9pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: >30000h



Product NO.: QCWLQC 4" x6" 45W

Product Size: 168*108*78
 Power: 45W
 Operating Voltage: 12-24V
 LED chips: 3W*15pcs Epistar LEDs
 Beam: Far and near light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product NO.: QCWLQC 7" x6" 45W

Product Size: 198*140*71mm
 Power: 45W
 Operating Voltage: 10-30V
 LED chips: 3W*15pcs Epistar LEDs
 Beam: Far and near light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product No.: QCWLQC 7" x6" 45W

Product Size: 199*141*81mm
 Power: 45W
 Operating Voltage: 9-30V
 LED chips: 5W*9pcs CREE LEDs
 Beam: Far and near light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product No.: QCWLQC7" x6"

Product Size: 198*140*71mm
 Power: 45W
 Operating Voltage: 9-30V
 LED chips: 3W*9pcs Epistar LEDs
 Beam: Far and near light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product No.: QCWL80- 3.5 "27W4D

Product Size: 115*145*63 (mm)
 Power: 27W
 Operating Voltage: 9-30V
 LED chips: 3W*9pcs CREE LEDs
 Beam: sport light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product No.: QCWL81-3.5"27W 4D(2)

Product Size: 115*145*63 (mm)
 Input Power: 27W
 Operating Voltage: 9-30V
 LED chips: 3W*9pcs CREE LEDs
 Beam: sport light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product No.: QCWL83- car dome light

Product Size: 160*220*130 (mm)
 Input Power: 36W
 Operating Voltage: 9-30V
 LED chips: 3W*12pcs Epistar LEDs
 Beam: Far and near light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product No.: QCWL84- 5寸 with lens

Product Size: 160*70*100mm
 Input Power: 45W
 Operating Voltage: 9-30V
 LED chips: 3W*15pcs CREE LEDs
 Beam: Far and near light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product NO.: QCWL85 - kongming hat 6D lens

Product Size: 95*70*57mm
 Input Power: 20W
 Operating Voltage: 9-30V
 LED chips: 10W*2pcs CREE LEDs
 Beam: sport light
 Waterproof: IP67
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product NO.: QCWLBlasting flash

Product Size: 160*50*30mm
 Input Power: 20W
 Operating Voltage: 9-30V
 IP Rate: IP67
 Light Source Model: Flood light
 Color Temperatur: 6000K
 Operating Life: > 50000h
 Operating Temperature: -40°C~+80°C



Product No.: QCWL 95-20W



Product Size: 127mm*90mm*95mm
Power: 20W
Operating Voltage: 9-30V
Beam: spot
LED chips: CREE
Waterproof: IP67
Light Output: 1800LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h

Product No.: QCWL 94-18



Product Size: 98mm*73mm*107mm
Power: 18W
Operating Voltage: 12-24V
Beam: Spot & Flood
LED chips: 3W*6pcs CSP
Waterproof: IP67
Light Output: 1500LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h

Product No.: QCWL 93-18W



Product Size: 195mm*60mm*42mm
Power: 18W
Operating Voltage: 9-30V
Beam: Spot & Flood
LED chips: 3W*6pcs Epistar LEDs
Waterproof: IP67
Light Output: 1150LM
Color Temperatur: 6000K
Operating Life: > 30000h

Product No.: QCWL 109-45W



Product Size: 100*93*82
Power: 45W
Operating Voltage: 9-30V
Beam: Spot & Flood
LED chips: 5W*9pcs CREE LEDs
Waterproof: IP67
Light Output: 2800LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h

**Product No.: QC-8X-H1/H3/H4/H7/H8/
H11/9005/9006/H13/880/
881/9004/9007**



Product Size: 200mm*140mm*75mm
Power: 39w
Operating Voltage: 9-30V
Beam: Spot & Flood
LED chips: EP
Waterproof: IP67
Light Output: 2800LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h

WORK LIGHT



Product No.: QCWL 86-75W

Product Size: 175mm*90mm
 Power: 75W
 Operating Voltage: 12V
 Beam: Spot&Flood
 LED chips: CREE
 Waterproof: IP67
 Light Output: 3600LM
 Color Temperatur: 6500K-7000K
 Operating Life: > 30000h



Product No.: QCWL 102-27W

Product Size: 140mm*142mm*70mm
 Power: 27W
 Operating Voltage: 9-30V
 Beam: Spot
 LED chips: CREE
 Waterproof: IP67
 Light Output: 2700LM
 Color Temperatur: 6500K-7000k
 Operating Life: > 30000h



Product No.: QCWL 103-48W

Product Size: 140mm*140mm*70mm
 Power: 45W
 Operating Voltage: 9-32V
 Beam: Spot
 LED chips: CREE
 Light Output: 3000LM
 Waterproof: IP67
 Color Temperatur: 6500K-7000k
 Operating Life: > 30000h



Product No.: QCWL 104-27W

Product Size: 110mm*130mm*50mm
 Power: 27W
 Operating Voltage: 9-30V
 Beam: Spot/Flood
 LED chips: 3W*9pcs Epistar LEDs
 Waterproof: IP67
 Light Output: 2700LM
 Color Temperatur: 6500K-7000k
 Operating Life: > 30000h



Product No.: QCWL 105-27W

Product Size: 115mm*125mm*40mm
 Power: 27W
 Operating Voltage: 9-30V
 Beam: Spot/Flood
 LED chips: 3W*9pcs Epistar LEDs
 Waterproof: IP67
 Light Output: 2700LM
 Color Temperatur: 6500K-7000k
 Operating Life: > 30000h



Product No.: QCWL 106-30W

Product Size: 112mm*122mm*72mm
 Power: 30W
 Operating Voltage: 9-80V
 Beam: Spot
 LED chips: CREE
 Waterproof: IP67
 Light Output: 3000LM
 Color Temperatur: 6500K-7000k
 Operating Life: > 30000h



Product No.: QCWL 107-30W

Product Size: 120mm*83mm*75mm
 Power: 30W
 Operating Voltage: 9-80V
 Beam: Spot
 LED chips: CREE
 Waterproof: IP67
 Light Output: 3000LM
 Color Temperatur: 6500K-7000k
 Operating Life: > 30000h



Product No.: QCWL 108-30w

Product Size: 116mm*136mm*65mm
 Power: 30W
 Operating Voltage: 9-80V
 Beam: Spot
 LED chips: CREE
 Waterproof: IP67
 Light Output: 3000LM
 Color Temperatur: 6500K-7000k
 Operating Life: > 30000h



Product No.: QCWL96-72W

Product Size: 135mm*85mm*60mm
 Power: 72W
 Operating Voltage: 9-30V
 Beam: Flood
 LED chips: 3W*24pcs 3030
 Waterproof: IP67
 Light Output: 6500K-7000K
 Color Temperatur: 6000K
 Operating Life: > 30000h



Product No.: QCWL 92-72W

Product Size: 135mm*85mm*60mm
 Power: 72W
 Operating Voltage: 9-30V
 Beam: Spot & Flood
 LED chips: 3W*24pcs 3030
 Waterproof: IP67
 Light Output: 7200LM
 Color Temperatur: 6500K-7000K
 Operating Life: > 30000h




WORK LIGHT



Product No.: QCWL 91-40W

Product Size: 125mm*130mm*90mm
Power: 40W
Operating Voltage: 9-30V
Beam: Flood
LED chips: 10W*4pcs
Waterproof: IP67
Light Output: 2800LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h



Product No.: QCWL 84- 5"

Product Size: 170mm*110mm*65mm
Power: 55W
Operating Voltage: 9-30V
Beam: 45°
LED chips: 3W*30pcs CREE LEDs
Waterproof: IP67
Light Output: 3000LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h



Product No.: QCWL 88-45W

Product Size: 170mm*110mm*78mm
Power: 45W
Operating Voltage: 10-30V
Beam: 45°
LED chips: 5W*9pcs CREE
Waterproof: IP67
Light Output: 4000LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h



Product No.: QCWL 84- 75W

Product Size: 200mm*140mm*81mm
Power: 65W
Operating Voltage: 9-30V
Beam: 45°
LED chips: 3W*36pcs CREE LEDs
Waterproof: IP67
Light Output: 3600LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h



Product No.: QCWL 87-39W

Product Size: 200mm*140mm*75mm
Power: 39w
Operating Voltage: 9-30V
Beam: 45°
LED chips: EP
Waterproof: IP67
Light Output: 2800LM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h



Product No.: QCHL99 5.75-40w

Product Size: 145mm*90mm - 5.75"
Power: 40w
Operating Voltage: 9-30V
Beam: 45°
LED chips: OSRAM
Waterproof: IP67
Light Output: H=3000LM L=1800LM
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL 89-30W

Product Size: 176mm*120mm
Power: 30W
Operating Voltage: 9-30V
Beam: 45°
LED chips: CREE
Waterproof: IP67
Light Output: 2100LLM
Color Temperatur: 6500K-7000K
Operating Life: > 30000h



Product No.: QCHL 98-80B

Product Size: 180mm*90mm -7"
Power: 80W
Operating Voltage: 9-30V
Beam: 45°
LED chips: OSRAM
Waterproof: IP67
Light Output: H=4800LM L=2100LM
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCHL100-45W

Product Size: 176mm*97mm -7"
Power: 45W
Operating Voltage: 9-30V
Beam: 45°
LED chips: CREE
Waterproof: IP67
Light Output: H=3600LM L=1800LM
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL101-54W

Product Size: 180mm*95mm - 7"
Power: 54W
Operating Voltage: 9-32V
Beam: 45°
LED chips: OSRAM
Waterproof: IP67
Light Output: H=3600LM L=1800LM
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



WORK LIGHT



Product No.: QC-DRL043A

Product Size: 125mm*130mm*90mm
Product Size: 60*45*30mm
Power: 0.5W
Operating Voltage: 10-30V
LED chips:3pcs 2835
Waterproof: IP67
Color Temperatur: 6000K
COperating Life: > 30000h



Product No.: QCWL 115-27W

Product Size: 128*115*28mm
Power: 27W
Operating Voltage: 9-80V
Beam:Spot/Flood
LED chips:3W*8pcs 3030 LEDs
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product NO: QC-DRL049 (turn light)

Product Size: L133mm*W21mm*H26mm
Light Source: 2835golden light *14PCS+2835white light 14PCS
Power: 10W/set
Voltage: 9-20V DC
Waterproof rate: IP67
Optional Color: black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless steel
Life time: 10000 hours



Product No.: QCWL 116-27W

Product Size: 128*115*28mm
Power: 27W
Operating Voltage: 9-30V
Beam:Spot/Flood
LED chips:3W*9pcs 3030 LEDs
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product NO: QC-DRL050

Product Size: 83*25mm
Light Source: 4led
Voltage: 12-24V
Waterproof rate: IP67
Optional Color: black
Color Temperature: 6500-7000K
Material: ABS
Lens material: PC
Mounting Bracket: Stainless steel
Life time: 10000 hours



Product No.: QCWL117-27W

Product Size: 128*115*28mm
Power: 27W
Operating Voltage: 9-30V
Beam:Spot/Flood
LED chips:3W*9pcs 3030 LEDs
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QC-DRL051

Product Size: 110*25mm
Operating Voltage: 12-24V
LED chips: 6led
Waterproof: IP67
LED chips: CREE
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL118-24W

Product Size: 135*102*32mm
Power: 24W
Operating Voltage: 10-30V
Beam:Spot
LED chips:3W*15pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QC-DRL052

Operating Voltage: 12-15V
LED chips: 144pcs 2835
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL119-45W

Product Size: 160*120*32mm
Power: 45W
Operating Voltage: 10-30V
Beam:Spot Beam
LED chips:3W*15pcs Epistar LEDs
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h





WORK LIGHT



Product No.: QCWL120-48W

Product Size: 127*110*28mm
Power: 48W
Operating Voltage: 9-30V
LED chips:3W*16pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL125-36W

Product Size: 98*80*76mm
Power: 36W
Operating Voltage: 10-30V
LED chips: 3W*12pcs CREE
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL121-36W

Product Size: 130*125*50mm
Power: 36W
Operating Voltage: 9-30V
Beam:Spot
LED chips:3W*12pcs 3535cree LEDs
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL126-18W

Product Size: 98*75*58mm
Power:18W
Operating Voltage: 12-80V
Lumens: 1200lm
Beam:Spot/Flood
LED chips:3W*6pcs 2525
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QCWL122-48W

Product Size: 160*130*62mm
Power: 48W
Operating Voltage: 10-30V
Beam:Spot Beam
LED chips:3W*16pcs 3535cree
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL127-36W

Product Size: 95*75*60mm
Power: 36W
Operating Voltage: 9-32VDC
Beam:Spot
LED chips:3W*12pcs 3030
Light Output:
Color Temperatur: 6500K
Operating Life: > 30000h



Product No.: QCWL123-45W

Product Size: 170*105*65mm
Power: 45W
Operating Voltage: 9-30V
Beam:H/L
Waterproof: IP67
Light Output: 3000LM
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL128-36W

Product Size: 155*40*38mm
Power: 36W
Operating Voltage: 9-30V
Beam:Spot
LED chips: 3W*12pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL124-60W

Product Size: 205*68*26mm
Power: 60W
Operating Voltage: 10-30V
LED chips:3W*10pcs 3030
Waterproof: IP67
Light Output: 3000LM
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL129-10W

Product Size: 75*50*53mm
Power: 10W
Operating Voltage: 10-30V
LED chips:2pcs 3535CREE
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h





WORK LIGHT

Product No.: QCWL130-15W



Product Size: 75*50*53mm
Power: 15W
Operating Voltage: 10-30V
LED chips:3pcs 3535CREE
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL 135-24W



Product Size: 96*80*65mm
Power: 24W
Operating Voltage: 12-80V
Lumens: 1800lm
Beam:Spot
LED chips:1W*24pcs 2835
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QCWL131-18W



Product Size: 110*32*30mm
Power: 18W
Operating Voltage: 10-30V
LED chips:3W*6pcs 3030
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL136-72W



Product Size: 170*73*60mm
Power: 72W
Operating Voltage: 9-32V
Beam:Spot
LED chips: 3W*24pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL 132-36W



Product Size: 205*75*90mm
Power: 36W
Operating Voltage: 9-30V
Beam:Spot
LED chips:3W*12pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL 137-144W



Product Size: 236*75*60mm
Power: 144W
Operating Voltage: 9-30V
Beam:Flood
LED chips:3W*48pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL133-84W



Product Size: 130*75*60mm
Power: 84W
Operating Voltage: 9-32VDC
LED chips: 3W*28pcs philip spot
LED chips:3W*9pcs 3030 LEDs
Waterproof: IP67
Color Temperatur: 6500K
Operating Life: > 30000h



Product No.: QCWL 138-180W



Product Size: 305*75*60mm
Power: 180W
Operating Voltage: 9-30V
Beam:combo
LED chips: 3W*60pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL 134-12W



Product Size: 96*80*65mm
Power: 12W
Operating Voltage: 12-80V
Lumens: 900lm
Beam:Spot
LED chips:1W*12pcs 2835
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QCWL 139-60W



Power: 60W
Operating Voltage: 9-30V
Beam:Spot
LED chips:3W*20pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h





WORK LIGHT

Product No.: QCWL140-120W

Product Size: 168*77*62mm
Power: 120W
Operating Voltage: 9-30V
Beam:Spot
LED chips:3W*40pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL 145-300W

Product Size: 365*77*63
Power: 300W
Operating Voltage: 9-30V
Beam:Spot
LED chips:3W*100pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL 141-300W

Product Size: 365*77*63
Power: 300W
Operating Voltage: 9-30V
Beam:Spot
LED chips:3W*100pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QC-9005HB3

Power: 30W
Operating Voltage: 10-35VDC
LED chips:ZES
Waterproof: IP67
Light Output: 3800lm
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QCWL 142-32W

Product Size: 96*80*65mm
Power: 32W
Operating Voltage: 12-80V
Beam:Spot
Lumens: 2500lm
LED chips:1W*32pcs 2835
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-9006HB4

Power: 30W
Operating Voltage: 10-35VDC
LED chips:ZES
Waterproof: IP67
Light Output: 3800lm
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QCWL 143-240W

Power: 240W
Operating Voltage: 9-30V
Beam:Spot
LED chips:3W*20pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QC-H1

Power: 30W
Operating Voltage: 10-35VDC
LED chips:ZES
Waterproof: IP67
Light Output: 3800lm
Color Temperatur: 6000K-7000k
Color Temperatur: 6500K
Operating Life: > 30000h



Product No.: QCWL144-120W

Product Size: 168*77*62mm
Power: 120W
Operating Voltage: 9-30V
Beam:Spot
LED chips:3W*40pcs 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QC-H3

Power: 30W
Operating Voltage: 10-35VDC
LED chips:ZES
Waterproof: IP67
Light Output: 3800lm
Color Temperatur: 6000K-7000k
Operating Life: > 30000h





WORK LIGHT

Product No.: QC-H4



Power: H -30W L -40W
Operating Voltage: 10-30V
LED chips:ZES
Waterproof: IP67
Light Output: H-3800lm L-2800lm
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-H1-COB



Power: 30W
Operating Voltage: 10-35VDC
LED chips:ETI
Light Output: 2800lm
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-H7



Power: 30W
Operating Voltage: 10-35VDC
LED chips:ZES
Waterproof: IP67
Light Output: 3800lm
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-H3-COB



Power: 30W
Operating Voltage: 10-35VDC
LED chips:ETI
Light Output: 2800lm
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-H11



Power: 30W
Operating Voltage: 10-35VDC
LED chips:ZES
Waterproof: IP67
Light Output: 3800lm
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-H7-COB



Power: 30W
Operating Voltage: 10-35VDC
LED chips:ETI
Light Output: 2800lm
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-9005HB3-COB



Power: 30W
Operating Voltage: 10-35VDC
LED chips:ETI
Light Output: 2800lm
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-H11-COB



Power: 30W
Operating Voltage: 10-35VDC
LED chips:ETI
Light Output: 2800lm
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-9006HB4-COB



Power: 30W
Operating Voltage: 10-35VDC
LED chips:ETI
Light Output: 2800lm
Waterproof: IP67
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-H4-COB



Power: H -30W L -40W
Operating Voltage: 10-30V
LED chips:ETI
Light Output: H-2800lm L-2800lm
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h





WORK LIGHT

Product No.: QCWL143-30W



Product Size: 115*145*63mm
Power: 30W
Operating Voltage: 10-30V
LED chips:CREE
Waterproof: IP67
Color Temperatur: 6000K
COperating Life: > 30000h



Product No.: QCWL 148-18W



Product Size: 155*40*45mm
Power: 18W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product NO: QCWL144-24W



Product Size: 165*35*55mm
Power: 24W
Operating Voltage: 10-30V
LED chips: EP
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL149



Product Size: 75*55mm
Power: 12W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h




Product NO: QCWL145-54W



Product Size: 155*40*45mm
Power: 18W
Operating Voltage: 10-30V
Beam:Spot Beam
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL150



Product Size: 80*70mm
Power: 9W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h




Product NO: QCWL146



Product Size: 155*40*45mm
Power: 18W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL152



Product Size: 120*90*60mm
Power: 12W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product NO: QCWL147



Product Size: 155*40*45mm
Power: 18W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL153



Product Size: 125*130*55mm
Power: 48W
Operating Voltage: 9-30V
LED chips:CREE
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h





WORK LIGHT

Product No.: QCWL154



Product Size: 130*110*35mm
Power: 42W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL 159



Product Size: 130*115*35mm
Power: 12W
Operating Voltage: 9-30V
LED chips: EP
Waterproof: IP67
Color Temperatur: 6500K-7000k
COperating Life: > 30000h



Product NO: QCWL155-48W



Product Size: 130*110*35mm
Power: 48W
Operating Voltage: 9-30V
LED chips: 3030/EP
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL160



Product Size: 95*75*60mm
Power: 36W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
COperating Life: > 30000h



Product NO: QCWL156-27W



Product Size: 130*110*35mm
Power: 27W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL161



Product Size: 110*95*50mm
Power: 72W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
COperating Life: > 30000h



Product NO: QCWL157



Product Size: 155*80*50,mm
Power: 56W
Operating Voltage: 9-30V
LED chips: EP
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL163



Product Size: 165*75*60mm
Power: 144W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
COperating Life: > 30000h



Product NO: QCWL158



Product Size: 130*115*35mm
Power: 27W
Operating Voltage: 9-30V
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K-7000k
Operating Life: > 30000h



Product No.: QCWL164



Product Size: 165*75*60mm
Power: 45W
Operating Voltage: 9-30V
LED chips: CREE 3535
Waterproof: IP67
Color Temperatur: 6500K-7000k
COperating Life: > 30000h






Product No.: QCWL165



Product Size: 110*95*60mm
Power: 24W
Operating Voltage: 9-32V
Beam: Spot/Flood Beam
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL 171



Product Size: 165*110*55mm
Power: 45W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 1w
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



Product NO: QCWL166



Product Size: 155*110*60mm
Power: 36W
Operating Voltage: 9-32V
Beam: Spot/Flood Beam
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL172



Product Size: 155*40*35mm
Power: 18W
Operating Voltage: 9-32V
Beam:Spot Beam
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



Product NO: QCWL167



Product Size: 175*125*60mm
Power: 45W
Operating Voltage: 9-32V
Beam:Spot/Flood Beam
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL173



Product Size: 155*40*35mm
Power: 18W
Operating Voltage: 9-32V
Beam:Spot Beam
LED chips: 3030
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



Product NO: QCWL168



Power: 45W
Operating Voltage: 9-32V
Beam: Spot/Flood Beam
LED chips:
Waterproof: IP67
Color Temperatur: 6000K
Operating Life: > 30000h



Product No.: QCWL174



Product Size: 120*135*40mm
Power: 60W
Operating Voltage: 9-32V
Beam:Spot Beam
LED chips: 10W
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



Product NO: QCWL170



Product Size: 150*105*55mm
Power: 45W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 1w
Waterproof: IP67
Color Temperatur: 6500K
Operating Life: > 30000h



Product No.: QCWL175



Product Size: 120*135*40mm
Power: 60W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 10W
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



WORK LIGHT



WORK LIGHT



Product No.: QCWL176

Product Size: 厚度35mm 80*95*35mm
Power: 27W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 1W
Waterproof: IP67
Color Temperatur: 6500K
Operating Life: > 30000h



Product No.: QCWL 181

Power: 10W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 10w
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



Product NO: QCWL177

Product Size: 110*125*50mm
Power: 40W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 10W
Waterproof: IP67
Color Temperatur: 6500K
Operating Life: > 30000h



Product No.: QCWL182

Power: 10W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 10W
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



Product NO: QCWL178

Product Size: 110*125*50mm
Power: 40W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 10W
Waterproof: IP67
Color Temperatur: 6500K
Operating Life: > 30000h



Product No.: QCWL183

Power: 10W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 10W
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



Product NO: QCWL179

Power: 20W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 10W
Waterproof: IP67
Color Temperatur: 6500K
Operating Life: > 30000h



Product No.: QCWL184

Power: 12W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 1W
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h



Product NO: QCWL180

Power: 20W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 10w
Waterproof: IP67
Color Temperatur: 6500K
Operating Life: > 30000h




Product No.: QCWL185

Power: 1W
Operating Voltage: 9-32V
Beam: Spot Beam
LED chips: 1W
Waterproof: IP67
Color Temperatur: 6500K
COperating Life: > 30000h





Product No.: QCWL186



Product Size: 135*75*65mm
 Power: 24W
 Operating Voltage: 9-32V
 Beam: Spot Beam
 LED chips: 1W
 Waterproof: IP67
 Color Temperatur: 6500K
 Operating Life: > 30000h



Product No.: QCWL191



Product Size: 105*140*53mm
 Power: 24W
 Operating Voltage: 9-32V
 Beam: Spot Beam
 LED chips: 1W
 Waterproof: IP67
 Color Temperatur: 6500K
 COperating Life: > 30000h



Product NO: QCWL187



Product Size: 95*80*65mm
 Power: 18W
 Operating Voltage: 9-32V
 Beam: Spot Beam
 LED chips: 3030
 Waterproof: IP67
 Color Temperatur: 6500K
 Operating Life: > 30000h



Product No.: QC-H1-COB



Power: 30W
 Operating Voltage: 10-35VDC
 LED chips: COB
 Waterproof: IP67
 Light Output: 1000LM
 Color Temperatur: 6000K
 COperating Life: > 30000h



Product NO: QCWL188



Product Size: 95*75*60mm
 Power: 12W
 Operating Voltage: 9-32V
 Beam: Spot Beam
 LED chips: 1W
 Waterproof: IP67
 Color Temperatur: 6500K
 Operating Life: > 30000h



Product No.: QC-H4-CSP



Power: 30W
 Operating Voltage: 10-35VDC
 LED chips: CSP
 Waterproof: IP67
 Light Output: 1000LM
 Color Temperatur: 6000K
 COperating Life: > 30000h



Product NO: QCWL189



Product Size: 115*40*40mm
 Power: 12W
 Operating Voltage: 9-32V
 Beam: Spot Beam
 LED chips: 1W
 Waterproof: IP67
 Color Temperatur: 6500K
 Operating Life: > 30000h



Product No.: QC-H4-CSP



Power: 30W
 Operating Voltage: 10-35VDC
 LED chips: CSP
 Waterproof: IP67
 Light Output: 1000LM
 Color Temperatur: 6000K
 COperating Life: > 30000h



Product NO: QCWL190



Product Size: 150*40*35mm
 Power: 18W
 Operating Voltage: 9-32V
 Beam: Spot Beam
 LED chips: 1W
 Waterproof: IP67
 Color Temperatur: 6500K
 Operating Life: > 30000h



Product No.: QC-H7-CSP



Power: 30W
 Operating Voltage: 10-35VDC
 LED chips: CSP
 Waterproof: IP67
 Light Output: 1000LM
 Color Temperatur: 6000K
 COperating Life: > 30000h



WORK LIGHT



Product No.: QC-3HL-H1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 20W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 2PCS CREE
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C



Product No.: QC-5HL-H1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 40W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 4PCS CREE
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C



Product No.: QC-2HLH1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 24W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 2PCS COB
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C



Product No.: QC-6HLH1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 24W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 2PCS COB
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C



Product No.: QC-S2-H1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 24W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 2PCS/3PCS COB
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C



Product No.: QC-7P-H1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 36W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 3PCS COB
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C



Product No.: QC-7S-H1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 20W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 2PCS CREE
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C



Product NO.: QC-S1-H1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 18W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 6PCS /12PCS CSP
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C



Product NO.: QC-X3-H1/H3/H4/H7/
H8/H11/9005/9006/H13/
880/881/9004/9007

Input Power: 25W/PCS
Operating Voltage: 12-24V
Luminous Flux: 6000K
IP Rate: IP65
Light Source Model: 6PCS/12PCS CSP
Color Temperatur: 6500K
Operating Life: ≥50000h
Operating Temperature: -40°C~+80°C

LED HEADLIGHT



WORK LIGHT



Product No.: QC-V1-1-P13W-3

Power: 30W
Operating Voltage: 10-35VDC
LED chips:csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V2-2-H3-1

Power: 20W
Operating Voltage: 10-35VDC
LED chips:3030
Waterproof: IP67
Light Output: 700LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V2-2-1156/1157

Power: 20W
Operating Voltage: 10-35VDC
LED chips:3030
Waterproof: IP67
Light Output: 700LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V2-2-H4-3

Power: 20W
Operating Voltage: 10-35VDC
LED chips:3030
Waterproof: IP67
Light Output: 700LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V2-2-7440-1

Power: 20W
Operating Voltage: 10-35VDC
LED chips:3030
Waterproof: IP67
Light Output: 700LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V2-2-H7-1

Power: 20W
Operating Voltage: 10-35VDC
LED chips:3030
Waterproof: IP67
Light Output: 700LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V2-2-9006-6

Power: 20W
Operating Voltage: 10-35VDC
LED chips:3030
Waterproof: IP67
Light Output: 700LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V2-2-H11-3

Power: 20W
Operating Voltage: 10-35VDC
LED chips:3030
Waterproof: IP67
Light Output: 700LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V2-2-H1-1

Power: 20W
Operating Voltage: 10-35VDC
LED chips:3030
Waterproof: IP67
Light Output: 700LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h





Product No.: QC-V1-1-1156-2

Power: 30W
Operating Voltage: 10-30VDC
LED chips:csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product No.: QC-V1-1-H3-1

Power: 30W
Operating Voltage: 10-35VDC
LED chips:csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product NO: QC-V1-1-3156-2

Power: 30W
Operating Voltage: 10-35VDC
LED chips: csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-V1-1-H4-4

Power: 30W
Operating Voltage: 10-35VDC
LED chips:csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product NO: QC-V1-1-7443-2

Power: 30W
Operating Voltage: 10-35VDC
LED chips: csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-V1-1-H7-3

Power: 30W
Operating Voltage: 10-35VDC
LED chips:csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product NO: QC-V1-1-9005-4

Power: 30W
Operating Voltage: 10-35VDC
LED chips: csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-V1-1-H11-7

Power: 30W
Operating Voltage: 10-35VDC
LED chips:csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h



Product NO: QC-V1-1-H1-2

Power: 30W
Operating Voltage: 10-35VDC
LED chips: csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
Operating Life: > 30000h



Product No.: QC-V1-1-H16-3

Power: 30W
Operating Voltage: 10-35VDC
LED chips:csp
Waterproof: IP67
Light Output: 1000LM
Color Temperatur: 6000K-7000k
COperating Life: > 30000h




WORK LIGHT



Product No.: Strip Light A1 Double row 3W/Light

Operating Volt: 10-30V
 LEDC hipd: 3W/PCS Epistar LEDs
 Color Temperature: 6000K
 Beam: Sport/Flood Beam
 Waterproof: Ip67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
A1-36W	7.5"	185x80x88	3240LM
A1-72W	13.5"	345x80x88	6480LM
A1-120W	22.0"	555x80x88	10800LM
A1-180W	33.0"	840x80x88	16200LM
A1-240W	42.0"	1050x80x88	21600LM
A1-300W	50.0"	1315x80x88	27000LM



Product No.: Strip Light A2 Double row 3W/Light

Operating Volt: 10-30V
 LEDC hipd: 3W/PCS Epistar LEDs
 Color Temperature: 6000K
 Beam: Sport/Flood Beam
 Waterproof: Ip67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
A2-36W	7.5"	185x80x88	3240LM
A2-72W	13.5"	345x80x88	6480LM
A2-120W	22.0"	555x80x88	10800LM
A2-180W	33.0"	840x80x88	16200LM
A2-240W	42.0"	1050x80x88	21600LM
A2-300W	50.0"	1315x80x88	27000LM



Product No.: Strip Light A2 Double row 3W/Light

Operating Volt: 10-30V
 LEDC hipd: 10W/PCS Epistar LEDs
 Color Temperature: 6000K
 Beam: Sport/Flood Beam
 Waterproof: IP67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
A3-100W	22.0"	568x80x88	9000LM
A3-140W	33.0"	660x80x88	12600LM
A3-200W	42.0"	1140x80x88	18000LM
A3-240W	50.0"	1278x80x88	21600LM

LED STRIP BAR



Product No.: Strip Light A2 Double row 3W/Light

Operating Volt: 10-30V
 LEDC hipd: 3W/PCS Epistar LEDs
 Color Temperature: 6000K
 Beam: Sport/Flood Beam
 Waterproof: IP67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above 30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
A4-120W	22.0"	555x80x88	10800LM
A4-180W	33.0"	840x80x88	16200LM
A4-240W	42.0"	1050x80x88	21600LM
A4-300W	50.0"	1315x80x88	27000LM



Product No.: Strip Light A2 Double row 3W/Light

Operating Volt: 10-30V
 LEDC hipd: 10W/PCS Epistar LEDs
 Color Temperature: 6000K
 Beam: Sport/Flood Beam
 Waterproof: IP67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
B-20W	5.0"	127x64x92	1800LM
B-40W	8.0"	203x64x92	3600LM
B-60W	11.0"	279x64x92	5400LM
B-80W	17.0"	431x64x92	7200LM
B-100W	20.0"	508x64x92	9000LM
B-120W	30.0"	762x64x92	10800LM
B-180W	42.0"	1240x64x92	16200LM
B-240W	50.0"	1350x64x92	21600LM



Product No.: Strip Light C Single row 5W/Light

Operating Volt: 10-30V
 LEDC hipd: 5W/PCS Epistar LEDs
 Color Temperature: 6000K
 Beam: Sport/Flood Beam
 Waterproof: IP67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
C-30W	10.5"	276x685x565	2700LM
C-60W	20.0"	516x685x565	5400LM
C-90W	29.5"	756x685x565	8100LM
C-120W	39.0"	996x685x565	10800LM



Product No.: Strip Light D Double row 3W/Light

Operating Volt: 10-30V
 LEDC hipd: 3W/PCS Epistar LEDs
 Color Temperature: 6000K Beam: Sport/Flood Beam
 Waterproof: IP67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
D-18W	4.0"	99x107x73	720LM
D-36W	7.0"	176x107x73	1440LM
D-54W	10.0"	235x107x73	4860LM
D-72W	12.0"	305x107x73	6480LM
D-108W	17.5"	438x107x73	9720LM
D-126W	20.0"	505x107x73	11340LM
D-144W	23.0"	573x107x73	12960LM
D-180W	28.0"	710x107x73	16200LM
D-234W	36.0"	914x107x73	21060LM



Product No.: Strip Light D Double row 3W/Light

Operating Volt: 10-30V
 LEDC hipd: 3W/PCS Epistar LEDs
 Color Temperature: 6000K
 Beam: Sport/Flood Beam
 Waterproof: IP67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above 30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
E-20W	5.5"	93x73x95	1800LM
E-40W	9.5"	183x73x95	3600LM
E-80W	17.5"	363x73x95	7200LM
E-120W	32.5"	723x73x95	10800LM
E-180W	41.5"	903.5x73x95	26200LM
E-260W	53.5"	1173x73x95	23400LM

LED STRIP BAR



Product No.: Strip Light B8 Double row 3W/Light

Operating Volt: 10-30V
 LED Chipd: 3W/PCS Epistar LEDs
 Color Temperature: 6000K
 Beam: Sport/Flood Beam
 Waterproof: IP67 LENS: PMMA lens
 Mounting Bracket: Stainless Steel
 Housing Material: Die-cast aluminum alloy
 Life Span: above 30000hours

MODEL	LENGTHINCH	LENGTH(MM)	LUMENS
F-36W	4.5"	99x93x168	3240LM
F-72W	7.0"	167x93x168	6480LM
F-108W	10.0"	235x93x168	9720LM
F-144W	12.0"	303x93x168	12960LM



Product number: Mazda CX-5 Tail bumper

Material: ABS
Mounting Bracket: Stainless Steel
Stainless Steel baking varnish
Function description: DRL



Product number: Mazda CX-5 Tail bumper

Material: ABS
Mounting Bracket: Stainless Steel
Stainless Steel baking varnish




Product number: Mazda CX-5 Rear bumper

Material: ABS
Mounting Bracket: Stainless Steel
Stainless Steel Baking varnish

BUMPER



SINGLE ROW LED LIGHT BAR



MIX ROW LED LIGHT BAR



LED FOG LIGHT

1 网络联系 Internet contact

[Http://www.chinaqccp.cn](http://www.chinaqccp.cn)

您可以通过网站全面认识我们公司
You can completely understand us via its website.

✉ E-mail: qwj5599@hotmail.com

您可以通过E-mail的方式和我们建立联系

You can contact with us by E-mail.

MSN: qwj5599@hotmail.com QQ: 2821488588

2 欢迎来访 Welcome

江苏省常州市新北区孟河镇汽摩三路1号

No.1 qimo three Rd., menghe, xinbei district, changzhou, china

3 电话咨询 Telephone consulting

通过电话直接联系我们的咨询师

Contact directly with our consultant by call.

Tel: 0086-519-85288360

Fax: 0086-519-83510126

Mob: +8613912317722