

**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Mobile:+86-13840736626

Address:Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**Price USD \$710.00 Manual Lock**

**Price is FOB (Dalian port)**

Standard features	SDJ-4000
Capacity	4000Kg
Maximum lifting height	1900mm
Minimum height	100mm
Overall width	3450mm
Overall height	2800mm
Lifting time	60s
Lowering time	60s
Motor	2.2kw,220-415V50/60Hz
Gross weight	650Kg
Oil pressure	20Mpa
Oil tank	10L
Distance between posts	2800mm
Noise	<70dB
Arm	Asymmetrical (2 step arms)
Packing	2900*540*700mm 820*340*360mm
FCL	30pcs/20''48pcs/40''



**Price USD \$750.00 (One Side release Lock)**

Standard features	SDJ-3000 Manual lock
Capacity	4000Kg
Maximum lifting height	1900mm
Minimum height	105mm
Overall width	3450mm
Overall height	2800mm-2937mm
Up time	45s
Motor	2.2Kw,220/380V50/60Hz
Gross weight	650Kg
Oil pressure	20Mpa
Oil tank	10L
Distance between posts	2930mm
Arm	Asymmetrical
Packing	2900*540*710mm 820*340*360mm
FCL	30pcs/20'' 48pcs/40''



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**Price USD\$890.Electric Automatic Lock**

Standard features	SDJ-4000E
Capacity	4000Kg/4200kg
Maximum lifting height	1900mm
Minimum height	105mm
Overall width	3450mm
Overall height	2826mm
Lifting time	60s
Lowering time	60s
Motor	220V/380V 24v control box
Net weight	600Kg
Gross weight	650Kg
Oil pressure	20Mpa
Oil tank	10L
Distance between posts	2820mm
Noise	<70dB
Arm	Asymmetrical
Packing	2900*540*700mm 820*340*360mm



**Price USD\$1,150.00 5.0Ton Single Side Release Lock**

Standard features	SDJ-5000
Capacity	5000Kg
Maximum lifting height	1900mm
Minimum height	110mm
Overall width	3950mm
Overall height	2920mm
Lifting time	45s
Lowering time	45s
Motor	2.2KW 220V/380V
Net weight	800Kg
Gross weight	825Kg
Oil pressure	20Mpa
Oil tank	10L
Distance between posts	3400mm
Noise	<70dB
Arm	<b>4*3steps arms</b>
Packing	2900*520*750mm 820*340*360mm



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**Price USD\$855.00 Manual Lock**

Standard features	SDL-4000
Capacity	4000Kg/5000kg
Maximum lifting height	1900mm
Minimum height	110mm
Overall width	3480mm
Overall height	3880mm
Lowering time	60s
Motor	2.2kw, 220V/380V
Net weight	800Kg
Gross weight	850Kg
Oil pressure	20Mpa
Oil tank	10L
Distance between posts	2780mm
Noise	<70dB
Arm	Asymmetrical
Packing	4000*580*710mm 920*340*360mm
FCL	12pcs/20" 36pcs/40"



**Price USD\$995.00 Electric automatic lock.**

Standard features	SDL-4000
Capacity	4000Kg
Maximum lifting height	1900mm
Minimum height	110mm
Overall width	3480mm
Overall height	3700mm-3900mm
Lifting time	60s
Lowering time	60s
Motor	2.2kw, 220v/380V
Gross weight	850Kg
Oil pressure	20Mpa
Oil tank	12L
Distance between posts	2910mm
Noise	<70dB
Arm	Asymmetrical
Packing	4000*580*710mm 920*340*360mm
FCL	21pcs/20" 32pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou,Liaoning,China.115000 [www.yksdq.com](http://www.yksdq.com)

**Price USD\$1,185.00** Electric automatic lock.

Standard features	SDL-4000
Capacity	5000Kg
Maximum lifting height	1900mm
Minimum height	110mm
Overall width	3480mm
Overall height	3700mm-3900mm
Lifting time	60s
Lowering time	60s
Motor	2.2kw, 220v/380V
Gross weight	850Kg
Oil pressure	20Mpa
Oil tank	12L
Distance between posts	2910mm
Noise	<70dB
Arm	Asymmetrical
Packing	4000*580*710mm 920*340*360mm
FCL	21pcs/20" 32pcs/40"



**Price USD \$1,430.00** Automatic Lock.- Direct drive

Standard features	SDL-40K
Capacity	4000kg
Maximum lifting height	1900mm+150mm
Drive	Hydraulic cylinder drive.
Control	Control Box/ Tele controller
Pillar Thickness	6mm
Minimum height	100mm
Arms	3+2steps arms.
Overall width	3445mm
Overall height	3750mm
Lifting time	45s
Motor	2.2Kw220-415V50/60Hz,
Net weight	850Kg
Oil pressure	20Mpa
Packing	4580*540*720mm 890*560*300mm*2
FCL	20pcs/20"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**Price USD\$2,350.00 (optional 24v control box, Air /electric lock)**

Standard features	OJ-755 Manual Lock or Automatic Lock
Capacity	5000kg
Maximum lifting height	1800mm
Minimum height	220mm
Platform	4800mm
Distance of post	2910mm
Overall width	3376mm
Overall height	2240mm
Lifting time	45s
Motor	220-415V50/60Hz
Gross weight	1450Kg
Oil pressure	20Mpa
The second capacity	2000kg
The second lifting height	450mm
The platform width	508mm
Packing	5400*620*800mm 1150*630*400mm*2pcs



**Price USD\$1,580.00 (Manual Lock)**

Standard features	OJ-735 Manual Lock
Capacity	4000kg
Maximum lifting height	1750mm/1800mm
Minimum height	220mm
Platform	4200mm /4600mm
Distance of post	2910mm
Overall width	3376mm
Overall height	2240mm
Lifting time	45s
Motor	220-415V50/60Hz
Gross weight	1150Kg
The second capacity	2000kg
The second lifting height	450mm
The platform width	508mm
Packing	4500*620*800mm



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

## MOVABLE LIFT SCISSOR LIFT

**Price USD\$725.00**

Standard features	OJ-2800
Lifting Capacity	2800Kg
Maximum lifting height	1200mm
Platform height	120mm
Motor	2.2Kw
Lifting time	30s adjustable
Total width	1500mm
Air pressure	5-10Bar
Oil tank	7L
Net weight	360Kg
Gross weight	400kg
Oil pressure	16Mpa
Packing	2040*400*1280mm
FCL	41pcs/20" 66pcs/40"



ock.

**Price USD\$755.00 heavy model**

Standard features	OJ-2800 New
Lifting Capacity	2800Kg
Maximum lifting height	1200mm
Platform height	120mm
Motor	2.2Kw
Lifting time	30s adjustable
Total width	1520mm
Air pressure	5-10Bar
Oil tank	7L
Net weight	360Kg
Gross weight	400kg
Oil pressure	16Mpa
Packing	2040*400*1280mm
FCL	41pcs/20" 66pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**Mid-Rise Scissor Lift Price USD\$850.00**

Model Air Release Lock	OJ-3500 3.0T
Lifting capacity	3000KG
Lifting Height	1000MM
Platform Height	110MM
Platform length	1400-1940MM
Signle platform Width	530MM
Space between platforms	700MM
Overall Width	1760MM
Lifting time	45s
Oil tank	14L
Net weight	600kg
Motor	2.2Kw220-415V50
Package size	1850*1500*220mm 500*600*1100mm
FCL	34pcs/20" 45pcs/40"



**3.5T USD \$925. Electric Lock /Air Lock**

Model Air Release Lock	OJ-3500 3.5T
Lifting capacity	3500KG
Lifting Height	1000MM
Platform Height	110MM
Platform length	1400-1960MM
Signle platform Width	500MM
Space between platforms	850MM
Overall Width	1850MM
Lifting time	60s
Oil tank	14L
Net weight	625kg
Motor	2.2Kw220-415V50
Packing	1860*1460*220mm 540*360*1140mm
FCL	35pcs/20" 45pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou,Liaoning,China.115000 [www.yksdq.com](http://www.yksdq.com)

**US\$1,385.00**

Model	OJ-635
Lifting capacity	3500KG
Lifting Height	2030MM
Platform Height	330MM
Platform length	1540MM-1740mm
Signle platform Width	550MM
Space between platforms	800MM
Total width	1900MM
Up or down time	50second, adjustable
Oil tank	12L
Gross Weight	890kg
Motor	2.2Kw.220V/380V
Packing	1600*550*350mm*2pc 540*400*1100mm
FCL	36pcs/20''



**Price USD\$1,700.00**

Model	OJ-630
Lifting capacity	3000KG
Lifting Height	1900MM
Platform Height	110MM
Platform length	1435MM-1980mm
Single platform Width	600MM
Space between platforms	800MM
Total width	2000MM
Up or down time	50second, adjustable
Hydraulic cylinders	4pcs
Gross Weight	890kg
Motor	2.2Kw.220V/380V
Packing	1600*550*350mm*2pc 540*400*1100mm
FCL	28pcs/20''





**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**OJ-540-Price USD\$3,480.00 with 1 jack, USD3680 with2 jacks**

Standard features	<b>OJ-540B /540 (Super Thin Scissor Lift)</b>
Capacity	4000kg
Maximum lifting height	1800mm
Jack lifting height	450mm
Min height	200mm
Net weight	1860Kg
Power supply	220V/380V 50/60Hz
Hydraulic cylinders	6units
Oil pressure	16Mpa
Air pressure	8Mpa
Oil tank	16L
Platform width	600mm
Platform length	<b>OJ540B=4200mm, OJ540=4500mm</b>
Packing	4300*600*460mm 1000*600*500mm*2pcs



v

**OJ-535 Price\$3,100.00**

Standard features	<b>OJ535</b>
Capacity	4000kg
First max lifting height	1700mm+450mm
Jack lifting height	450mm
Minimum height	300mm
Platform	4200mm
Overall width	2100mm
Platform length	<b>4500mm</b>
Up /Lowering time	50s
Motor	220v/ 380/ 50Hz/60Hz,
Net weight	1800Kg
Gross weight	1900Kg
Oil pressure	20Mpa
Packing	4500*650*700mm 400*600*1000mm
FCL	11pcs/20" container



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**OJ-535 Price\$3,600.00 5000mm length**

Standard features	OJ-535 5000mm length
Capacity	4000kg
First max lifting height	1700mm
Jack lifting height	450mm
Minimum height	300mm
<b>Platform length</b>	<b>5000mm</b>
Overall width	2100mm
Total length	<b>5000mm</b>
Up /Lowering time	50s
Motor	220v/ 380/ 50Hz/60Hz,
Net weight	1800Kg
Gross weight	1900Kg
Oil pressure	20Mpa
Packing	4800*650*750, 400*600*1000mm
FCL	9pcs/20" container



**OJ-550 Price\$4,500.00 Super thin scissor lift 5000mm length**

Standard features	OJ-550
Capacity	5000kg
First max lifting height	1800mm
Jack lifting height	450mm
Minimum height	200mm
Platform length	<b>5000mm</b>
Overall width	2200mm
Platform width	<b>700mm</b>
Distance of platform	800mm
Motor	220v/ 380/ 50Hz/60Hz,
Net weight	2200Kg
Gross weight	2300Kg
Oil pressure	20Mpa
Packing	4800*650*750, 400*600*1000mm
FCL	9pcs/20" container



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 [www.yksdq.com](http://www.yksdq.com)

**SDJ-3500K Price \$1,380.00 movable parking lift**

Model	SDJ-3500K
Lifting capacity	3500KG
Lifting Height	1800MM
Platform length	4200MM (optional 4500mm)
Single platform Width	480mm
Column Total Height	2180mm
Total width	2615mm
Width between posts	2380mm
Gross Weight	850kg
Motor	2.2Kw.220V/380V
Packing	4200*500*850mm
FCL	12pcs/20" container



**Price \$900.00**

Model	SDS-4500
Lifting capacity	4500KG
Lifting Height	580MM
Platform Height	80MM
Platform length	1400MM
Single platform Width	580MM
Up or down time	50second,
Hydraulic cylinders	2pcs
Gross Weight	620kg
Motor	2.2Kw.220V/380V
Packing	1500*600*300mm* 540*400*1100mm



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-417-2259909](tel:+86-417-2259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 [www.yksdq.com](http://www.yksdq.com)

**Manual Lock price USD\$1,800.00**

**Electric Lock(With control box) price USD\$1,950.00**

Standard Features	SDK-2700
Lifting Capacity	2700kg
Maximum Lifting Height	1800mm
Platform Length	3820mm
Platform Width	1070-1990mm
Column Height	2880mm
Rated Voltage	220V/380V
Net Weight	1100Kg
Gross Weight	1150Kg
Packing Size	3950*520*450mm
	2900*400*400mm
	1200*400*100mm

