



UR
UR LIGHTING

ZHONGSHAN UR LIGHTING CO.,LTD.

Add: NO5/3.Kanglong 3rd Road, Xinmao Industrial Area,
Henglan Town Zhongshan City Guangdong Province.China

Website: <http://www.urlighting86.com>

Tel: +86 760 88752722 ex 603

Fax: +86 760 88752733

E-mail: sales@urlighting86.com afterservice@urlighting86.com

Facebook: [urlighting](https://www.facebook.com/urlighting)

UR
UR LIGHTING

Light for your home

Since 2019

Directory :

Night falls, the beginning of the lights,
the city lights, bright.

Each lamp is like adim moonlight, quiet and gentle,
a few clean windows, aesthetic harmony.

In life,

in fact, everyone's heart, there is a lamp.

No matter what setbacks and darkness we encounter,
it is important that our beliefs can not be erased.

Turn around, change your mind,
it's dark again, people back again,
there is a lamp in front of you.

Give yourself a light, a strong light.

No one's life is smooth sailing, flat, no danger.

Life has too many setbacks and storms,
in the rugged road,
we need is strong.

The light!

You are so bright,

so full of the charm of temptation.

You can make those who have dreams,

with the momentum of life,

you are like our compass,

when we get lost, help us find the right direction

You are like our commander, forward,

you give us the command,

let us cut through the thorns and climb forever!

Then let's light the lamp
that we have been waiting for

for a long time.





Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT519 WT 8W



RT519 WT 18W



RT519 WT 24W



RT519 WT 36W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT519 WT 8W	White	Die-cast aluminium+PC	170-240	SMD2835	8W	92*28mm
RT519 WT 18W	White	Die-cast aluminium+PC	170-240	SMD2835	18W	122*28mm
RT519 WT 24W	White	Die-cast aluminium+PC	170-240	SMD2835	24W	174*28mm
RT519 WT 36W	White	Die-cast aluminium+PC	170-240	SMD2835	36W	228*28mm



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT524 WT 10W	White	Die-cast aluminium+PC	170-240	SMD2835	10W	92*92*28mmm
RT524 WT 18W	White	Die-cast aluminium+PC	170-240	SMD2835	18W	123*123*28mm
RT524 WT 24W	White	Die-cast aluminium+PC	170-240	SMD2835	24W	175*175*28mm
RT524 WT 36W	White	Die-cast aluminium+PC	170-240	SMD2835	36W	230*230*28mm

Surface Downlight





RT0050 SGD+SBK 5W



RT0050 SBK+SGD 5W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT0050 SGD+SBK	Sand with gold +Sand with black	Aluminum	170-240	SMD5730	5W	ø68*75mm
RT0050 SBK+SGD	Sand with black +Sand with gold	Aluminum	170-240	SMD5730	5W	ø68*75mm



RT478 WT



RT478 BK

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT478 WT	White	Aluminum+Acrylic	170-240	SMD5730	9+3W	ø79*200mm
RT478 BK	Black	Aluminum+Acrylic	170-240	SMD5730	9+3W	ø79*200mm



**RT0050 BK
5W**



**RT0050 BK
5W**



**RT0050 SSV
5W**



**RT0050 SSV
10W**



**RT0050 WT
5W**



**RT0050 WT
10W**

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT0050 BK 5W	Black	Aluminum	170-240	SMD5730	5W	ø68*75mm
RT0050 SSV 5W	Sand with silver	Aluminum	170-240	SMD5730	5W	ø68*75mm
RT0050 WT 5W	White	Aluminum	170-240	SMD5730	5W	ø68*75mm
RT0050 BK 5W	Black	Aluminum	170-240	SMD5730	5W	ø68*75mm
RT0050 SSV 10W	Sand with silver	Aluminum	170-240	SMD5730	10W	ø88*75mm
RT0050 WT 10W	White	Aluminum	170-240	SMD5730	10W	ø88*75mm



Item No.	Color	Material	LED Type	Light body
CN1332 WT 133MM	White	Aluminium	GU10	64*133mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20




Turn off the light



Turn on the light

Item No.	Color	Material	LED Type	Light body
CN1406 WT	White	Aluminium	GU10	ø98*125mm



Turn on the light

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



Turn off the light

Item No.	Color	Material	LED Type	Light body
CN1407 BK	Black	Aluminium	GU10	100*100*125mm



Turn on the light

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



Turn off the light

Item No.	Color	Material	LED Type	Light body
CN1410 BK	Black	Aluminium	GU10	180*39*110mm



CN1411 WT



CN1411 BK

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	LED Type	Light body
CN1411 WT	White	Iron	GU10	ø70*131mm
CN1411 BK	Black	Iron	GU10	ø70*131mm



Turn off the light



Turn on the light

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	LED Type	Light body
CN1412 WT	White	Aluminium	GU10	60*60*100mm



RT477 WT



RT477 BK

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT477 WT	White	Aluminum+Acrylic	170-240	SMD5730	5+3W	ø68*150mm
RT477 BK	Black	Aluminum+Acrylic	170-240	SMD5730	5+3W	ø68*150mm



RT558 BK 5W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT558 WT 5W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT558 BK 5W	Black	Aluminium+Acrylic	170-240	SMD5730	5W	ø79*79mm
RT558 WT 5W	White	Aluminium+Acrylic	170-240	SMD5730	5W	ø79*79mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

RT590 WT

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT590 WT	White	Aluminum	170-240	COB	5W	193*70*121mm



Turn off the light



Turn on the light

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT620 OW+WT	Original wood +White	Aluminum	170-240	SMD5730	7W	ø98*68mm



RT428 WT



RT428 BK



RT428 LS

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT428 WT	White	Aluminium	170-240	COB	7W	58*58*100mm
RT428 BK	Black	Aluminium	170-240	COB	7W	58*58*100mm
RT428 LS	Light gray	Aluminium	170-240	COB	7W	58*58*100mm



RT428 LPK



RT428 LYL

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT428 LBL

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT428 LPK	Light pink	Aluminium	170-240	COB	7W	58*58*100mm
RT428 LYL	Light yellow	Aluminium	170-240	COB	7W	58*58*100mm
RT428 LBL	Light blue	Aluminium	170-240	COB	7W	58*58*100mm

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



**RT206 CF+SBK 5W
(CN1417)**

**RT206 PLB+PLB 5W
(CN1417)**

**RT206 SBK+SBK 5W
(CN1417)**

**RT206 SSV+SSV 5W
(CN1417)**



**RT206 (CN1417)
DIY配件**

**RT206 (CN1417)
DIY配件**

**RT206 (CN1417)
DIY配件**

**RT206 (CN1417)
DIY配件**

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT206 CF+SBK 5W (CN1417)	CF+SBK	Aluminum	170-240	COB	5W	ø55*100mm
RT206 PLB+PLB 5W(CN1417)	PLB+PLB	Aluminum	170-240	COB	5W	ø55*100mm
RT206 SBK+SBK 5W(CN1417)	SBK+SBK	Aluminum	170-240	COB	5W	ø55*100mm
RT206 SSV+SSV 5W(CN1417)	SSV+SSV	Aluminum	170-240	COB	5W	ø55*100mm



**RT189 DGY+DGY
10W**

**RT206 CF+SBK
10W**

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



**RT206 SSV+SWT 5W
(CN1417)**



**RT206 SWT+SWT 5W
(CN1417)**



**RT206 SWT+SSV 5W
(CN1417)**

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body	Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT206 CF+SBK 10W	CF+SBK	Aluminum	170-240	COB	10W	ø55*200mm	RT206 SSV+SWT 5W (CN1417)	SSV+SWT	Aluminum	170-240	COB	5W	ø55*100mm
RT189 DGY+DGY 10W	DGY+DGY	Aluminum	170-240	COB	10W	ø80*265mm	RT206 SWT+SWT 5W (CN1417)	SWT+SWT	Aluminum	170-240	COB	5W	ø55*100mm
							RT206 SWT+SSV 5W(CN1417)	SWT+SSV	Aluminum	170-240	COB	5W	ø55*100mm




RT448 BK+GD



RT448 WT+GD

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT448 BK+GD	Black+Gold	Aluminium	170-240	COB	10W	ø120*61mm
RT448 WT+GD	White+Gold	Aluminium	170-240	COB	10W	ø120*61mm



RT472 WT

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT472 BK

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT472 WT	White	Aluminium	170-240	COB	10W	ø120*70mm
RT472 BK	Black	Aluminium	170-240	COB	10W	ø120*70mm



RT294 WT

Color temperature:3000-6500K
Electric current:300MA ± 5%
P.F.:0.5
CRI>80
IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT294 WT	White	Aluminum	170-240	SMD5730	5W	ø68*145mm



RT553 WT+SSV 5W



RT553 BK+SSV 5W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT553 WT+SSV	White+Sand with silver	Aluminium	170-240	COB	5W	ø50*126mm
RT553 BK+SSV	Black+Sand with silver	Aluminium	170-240	COB	5W	ø50*126mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

RT554 BK+GD 5W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT554 BK+GD	Black+gold	Aluminium	170-240	COB	5W	ø50*126mm



Color temperature:3000-6500K
Electric current:300MA. ± 5%
P.F.:0.5
CRI>80
IP20

RT403 BK

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT403 BK	Black	Aluminum	170-240	COB	10W	ø50*168mm

Pendant Light





RT539 WT

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT539 BK

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT539 WT	White	Iron+Glass+Aluminum	170-240	SMD 5730	5W/7W	ø86*265mm
RT539 BK	Black	Iron+Glass+Aluminum	170-240	SMD 5730	5W/7W	ø86*265mm



Color temperature:3000-6500K
 Electric current:300MA ±5%
 P.F.:0.5
 CRI>80
 IP20

CN2025 BK+GD

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
CN2025 BK+GD	Black+Gold	Aluminium+Iron	170-240	GU10+SMD2835	6W	ø150*348mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

CN2026 WT+GD

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
CN2026 WT+GD	White+Gold	Aluminium+glass	170-240	GU10+SMD2835	6W	ø150*350mm



RT561 WT+GD 16W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT561 WT+GD	White+Gold	Aluminium+glass	170-240	COB+SMD2835	15W	ø150*365mm



RT538 BK+GD 16W



RT538 WT+GD 16W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT562 BK+GD 15W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT538 BK+GD	Black+Gold	Aluminium	170-240	COB+SMD2835	16W	ø150*360mm
RT538 WT+GD	White+Gold	Aluminium	170-240	COB+SMD2835	16W	ø150*360mm

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT562 BK+GD	Black+Gold	Aluminium+Iron	170-240	SMD5730+SMD2835	15W	ø150*365mm



RT536 BK+GD 16W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT536 WT+GD 16W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT536 BK+GD 16W	Black+Gold	Aluminium	170-240	COB+SMD2835	16W	ø60*360mm
RT536 WT+GD 16W	White+Gold	Aluminium	170-240	COB+SMD2835	16W	ø60*360mm



RT537 WT+GD 15W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT537 BK+GD 15W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT537 WT+GD 15W	White+Gold	Aluminium	170-240	SMD5730+SMD2835	15W	ø60*360mm
RT537 BK+GD 15W	Black+Gold	Aluminium	170-240	SMD5730+SMD2835	15W	ø60*360mm



RT549 WT+GD 15W

RT549 BK+GD 15W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT549 WT+GD	White+Gold	Aluminium+glass	170-240	SMD5730+SMD2835	15W	ø70*255mm
RT549 BK+GD	Black+Gold	Aluminium+glass	170-240	SMD5730+SMD2835	15W	ø70*255mm



CN2024 BK+GD 6W+GU10

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



CN2024 WT+GD 6W+GU10


Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
CN2024 BK+GD 6W+GU10	Black+Gold	Aluminium	170-240	GU10+SMD2835	6W	ø60*346mm
CN2024 WT+GD 6W+GU10	White+Gold	Aluminium	170-240	GU10+SMD2835	6W	ø60*346mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

RT452WT

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT452WT	White	Aluminium+Acrylic+Iron	170-240	SMD 108 2835	8+4W	ø100*160mm



RT509 WT (7+5W)

RT510 BK (9+5W)

RT510 WT (9+5W)

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT509 WT	White	Aluminium	170-240	SMD 5730	12W	ø50*300mm
RT510 BK	Black	Aluminium	170-240	SMD 5730	14W	ø68*300mm
RT510 WT	White	Aluminium	170-240	SMD 5730	14W	ø68*300mm



Turn on the light

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



Turn off the light

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT515 WT+SSV	White+Sand with silver	Aluminium	170-240	COB	10W	ø55*300mm



RT520 WT



RT563 WT 8+4W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT520 WT	White	Aluminium+Iron+Acrylic	170-240	SMD2835	(8+4W) *3	570*80*740mm
RT563 WT 8+4W	White	Aluminium+Iron+Acrylic	170-240	SMD2835	8+4W	ø100*91mm



RT523 BK

RT523 WT

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT523 BK	Black	Aluminum	170-240	COB	7W	ø70*300mm
RT523 WT	White	Aluminum	170-240	COB	7W	ø70*300mm



RT440 WT+CPG
6+3W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT440 WT+CPG	White+Champaign gold	Aluminum+Acrylic +Iron	170-240	SMD 40 2835	6+3W	164*80*240mm




RT440 WT+CR

RT440 SSV+WT


Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT440 WT+CR	White+Chrome	Aluminum+Acrylic +Iron	170-240	SMD 40 2835	6+3W	164*80*240mm
RT440 SSV+WT	White+Sand with silver	Aluminum+Acrylic +Iron	170-240	SMD 40 2835	6+3W	164*80*240mm




Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT442-1	Gold With Bronze	Aluminum+Acrylic +Iron	170-240	COB+SMD2835	8W	ø30*450mm
RT442-3	Gold With Bronze	Aluminum+Acrylic +Iron	170-240	COB+SMD2835	24W	ø30*450mm
RT442-4	Gold With Bronze	Aluminum+Acrylic +Iron	170-240	COB+SMD2835	40W	ø30*450mm

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT400 WT	White	Aluminium	170-240	COB	5W	ø64*341mm
RT401 WT	White	Aluminium+Acrylic	170-240	COB	10W	ø79*348mm



Color temperature:3000-6500K
 Electric current:300MA ±5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT441 WT	White	Aluminium	170-240	COB+SMD5730	10W	ø50*300mm



RT436

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT436	Bronze gold	Aluminium+Iron	170-240	SMD5730	9W	ø250*127mm



RT543 BK 6W



RT543 WT 6W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT543 BK 6W	Black	Iron+Acrylic	170-240	SMD2835	6W	ø112*184mm
RT543 WT 6W	White	Iron+Acrylic	170-240	SMD2835	6W	ø112*184mm



RT544 WT 6W



RT544 BK 6W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT544 WT 6W	White	Iron+Acrylic	170-240	SMD2835	6W	ø110*184mm
RT544 BK 6W	Black	Iron+Acrylic	170-240	SMD2835	6W	ø110*184mm



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT545 BK	Black	Aluminum+Acrylic+ Iron+Glass	170-240	COB	10W	ø150*223mm
RT545 WT	White	Aluminum+Acrylic+ Iron+Glass	170-240	COB	10W	ø150*223mm



nÖRDICÖ
Interior Design



RT546 WT 7W



RT546 BK 7W

Color temperature:3000-6500K
Electric current:300MA ± 5%
P.F.:0.5
CRI>80
IP20


Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT546 WT	White	Aluminum+Acrylic+Iron	170-240	COB	7W	180*165*128mm
RT546 BK	Black	Aluminum+Acrylic+Iron	170-240	COB	7W	180*165*128mm



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT547 WT	White	Aluminum+Iron	170-240	COB+SMD2835	11W	ø50*258mm



RT548 WT-1 6W



RT548 WT-2 12W



RT548 WT-5 30W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT548 WT-1	White	Aluminium+Iron+Acrylic	170-240	SMD2835	6W	ø70*700mm
RT548 WT-2	White	Aluminium+Iron+Acrylic	170-240	SMD2835	12W	230*66*750mm
RT548 WT-5	White	Aluminium+Iron+Acrylic	170-240	SMD2835	30W	620*66*750mm



RT556 BK+TEA 7W



RT556 WT+TEA 7W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT556 BK+TEA	Black+tea	Aluminium +Iron+glass	170-240	SMD 5730	7W	ø150*261mm
RT556 WT+TEA	White+tea	Aluminium +Iron+glass	170-240	SMD 5730	7W	ø150*261mm



RT557 BK 7W



RT557 WT 7W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT557 BK 7W	Black	Aluminium +Iron+glass	170-240	SMD 5730	7W	ø79*252mm
RT557 WT 7W	White	Aluminium +Iron+glass	170-240	SMD 5730	7W	ø79*252mm



RT557 BK 7W



RT557 WT 7W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT559 WT 7W	White	Aluminium +Iron+glass	170-240	SMD 5730	7W	ø70*255mm
RT559 BK 7W	Black	Aluminium +Iron+glass	170-240	SMD 5730	7W	ø70*255mm

Series Lamps





RN219 WT

RN203 WT+GD

RT415 WT+GD

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT416 WT+GD

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT416 WT+GD	White+Gold	Aluminum+Acrylic+Iron	170-240	COB+SMD2835	7+3W	ø100*90mm
RT415 WT+GD	White+Gold	Aluminum+Acrylic+Iron	170-240	COB+SMD2835	3+3W	ø64*120mm
RN219 WT	White	Aluminum+Acrylic+Iron	170-240	COB+SMD2835	3+3W	ø64*120mm
RN203 WT+GD	White+Gold	Aluminum+Acrylic+Iron	170-240	COB+SMD2835	15+4W	ø100*300mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT540 BK+GD	Black+Gold	Aluminum+Iron	170-240	SMD 5730	7W	ø58*195mm
RT541 BK+GD	Black+Gold	Aluminum+Iron	170-240	SMD 5730	7W	ø58*195mm
RT542 BK+GD	Black+Gold	Aluminum+Iron	170-240	SMD 5730	7W	195*68*375mm
RN224 BK+GD	Black+Gold	Aluminum+Iron	170-240	SMD 5730	7W	195*58*395mm



**RT 133 BK
100mm**



RT133 SSV



RT133 WT




**RT 133(C) WT
300mm**



**RT 133 (C) BK
300 mm**

Color temperature:3000-6500K
Electric current:300MA ± 5%
P.F.:0.5
CRI>80
IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT 133 BK 100mm	Black	Aluminum+Acrylic	170-240	SMD5730	9W	ø79*100mm
RT133 SSV 100mm	Sand with silver	Aluminum+Acrylic	170-240	SMD5730	9W	ø79*100mm
RT133 WT 100mm	White	Aluminum+Acrylic	170-240	SMD5730	9W	ø79*100mm
RT 133 (C) BK 300 mm	Black	Aluminum+Acrylic	170-240	SMD5730	12W	ø79*300mm
RT 133(C) WT 300mm	White	Aluminum+Acrylic	170-240	SMD5730	12W	ø79*300mm



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT464	White	Aluminium+Acrylic+ Iron	170-240	SMD 5730	9W	ø150*91mm
RT459	White	Aluminium+Acrylic+ Iron	170-240	SMD 5730	9W	ø150*91mm



RT463



RT460



RT461



RT461

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body	Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT463	White	Aluminium+Acrylic+Iron	170-240	SMD 5730	9W	ø150*91mm	RT461	White	Aluminium+Acrylic+Iron	170-240	SMD 5730	9W	ø150*91mm
RT460	White	Aluminium+Acrylic+Iron	170-240	SMD 5730	9W	ø150*91mm	RT461	White	Aluminium+Acrylic+Iron	170-240	SMD 5730	9W	ø150*91mm



RT462

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT462



RT466

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT458

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body	Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT462	White	Aluminium+Acrylic+Iron	170-240	SMD 5730	9W	ø150*91mm	RT466	White	Aluminium+Acrylic+Iron	170-240	SMD 5730	9W	ø150*91mm
RT462	White	Aluminium+Acrylic+Iron	170-240	SMD 5730	9W	ø150*91mm	RT458	White	Aluminium+Acrylic+Iron	170-240	SMD 5730	9W	ø150*91mm



RT531 WT+GD 300 9W



RT535 WT+GD 7W



RN228 WT+GD 7W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT531 WT+GD 300 9W	White+Gold	Aluminum	170-240	SMD 5730	9W	ø68*298mm
RT535 WT+GD 7W	White+Gold	Aluminum	170-240	SMD 5730	7W	ø68*160mm
RN228 WT+GD 7W	White+Gold	Aluminum+Iron	170-240	SMD 5730	7W	237*68*300mm



RT530 WT+GD 100mm 7W




**RT530 WT+GD 200mm 7W/
RT530 WT+GD 300mm 9W**



RT531 WT+GD 200 7W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT530 WT+GD 100mm 7W	White+Gold	Aluminum	170-240	SMD 5730	7W	ø68*98mm
RT530 WT+GD 200mm/300mm 7W/9W	White+Gold	Aluminum	170-240	SMD 5730	7W/9W	ø68*198mm/ ø68*298mm
RT531 WT+GD 200 7W	White+Gold	Aluminum	170-240	SMD 5730	7W	ø68*198mm





RT535 BK+GD 7W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RN223 BK+GD 7W



RN228 BK+GD 7W



RT530 BK+GD 100mm 7W



RT531 BK+GD 200 7W


Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT530 BK+GD 200mm 7W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN223 BK+GD 7W	Black+Gold	Aluminum	170-240	SMD 5730	7W	80*68*182mm
RT535 BK+GD 7W	Black+Gold	Aluminum	170-240	SMD 5730	7W	ø68*160mm
RN228 BK+GD 7W	Black+Gold	Aluminum+Iron	170-240	SMD 5730	7W	237*68*300mm

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT530 BK+GD 100mm 7W	Black+Gold	Aluminum	170-240	SMD 5730	7W	ø68*98mm
RT531 BK+GD 200 7W	Black+Gold	Aluminum	170-240	SMD 5730	7W	ø68*198mm
RT530 BK+GD 200mm 7W	Black+Gold	Aluminum	170-240	SMD 5730	7W	ø68*198mm



RT534 BK 10W



RN222 BK 10W



RT532 BK 100mm 10W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN222 BK 10W	Black	Aluminum	170-240	COB	10W	80*75*185mm
RT534 BK 10W	Black	Aluminum	170-240	COB	10W	ø75*167mm
RT532 BK 100mm 10W	Black	Aluminum	170-240	COB	10W	ø75*100mm



RT532 WT 200mm 10W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT532 WT 100mm 10W



RT533 WT 10W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT532 WT 200mm 10W	White	Aluminum	170-240	COB	10W	ø75*200mm
RT532 WT 100mm 10W	White	Aluminum	170-240	COB	10W	ø75*100mm
RT533 WT 10W	White	Aluminum	170-240	COB	10W	ø75*200mm



RN222 WT 10W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

RT534 WT 10W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN222 WT 10W	White	Aluminum	170-240	COB	10W	80*75*185mm
RT534 WT 10W	White	Aluminum	170-240	COB	10W	75*167mm



Spotlight



Turn off the light

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



Turn on the light

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT481 BK	Black	Aluminium	170-240	COB	7W	ø80*48mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Turn off the light



Turn on the light

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT485 WT	White	Aluminium	170-240	COB	7W	95*95*48mm

Color temperature:3000-6500K
 Electric current:300MA ±5%
 P.F.:0.5
 CRI>80
 IP20



RT314 PLB 7+3W



RT314 PLSV 7+3W




RT314 PLB 7+3W




RT314 PLSV 7+3W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT314 PLB 7+3W	Subgloss Black	Aluminum	170-240	COB+SMD	7W+3W	ø100*55mm
RT314 PLSV 7+3W	Subgloss White	Aluminum	170-240	COB+SMD	7W+3W	ø100*55mm



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT407 BK+GD	Black+Gold	Aluminum	170-240	COB+SMD	7W+3W	ø100*55mm
RT407 WT+GD	White+Gold	Aluminum	170-240	COB+SMD	7W+3W	ø100*55mm
RT407 WT	White	Aluminum	170-240	COB+SMD	7W+3W	ø100*55mm



RT473 BK+WT



RT474 BK

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT475 BK+WT

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT473 BK+WT	Black+White	Aluminum	170-240	SMD 2835	5W	ø105*24mm
RT474 BK	Black	Aluminum	170-240	SMD 2835	5W	ø105*24mm
RT475 BK+WT	Black+White	Aluminum	170-240	SMD 2835	5W	ø105*24mm




RT450 WT

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT450 BK

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT450 WT	White	Aluminium+Acrylic	170-240	COB	7W	ø95*64mm
RT450 BK	Black	Aluminium+Acrylic	170-240	COB	7W	ø95*64mm



RT449 WT 7W



RT449 BK



RT449-2 WT

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT449 WT	White	Aluminium+Acrylic	170-240	COB	7W	95*95*63mm
RT449 BK	Black	Aluminium+Acrylic	170-240	COB	7W	95*95*63mm
RT449-2 WT	White	Aluminium+Acrylic	170-240	COB	14W	188*95*64mm



RD819 WT

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RD819-2WT

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RD819 WT	White	Aluminium+Acrylic +Iron	170-240	SMD5730+SMD2835	8W(*)	110*110*75mm
RD819-2WT	White	Aluminium+Acrylic +Iron	170-240	SMD5730+SMD2835	13W(*)	157*157*75mm

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RD814-1



RD814-2




RD814-4



RD814-6

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RD814-1	White	Aluminium+Iron+Acrylic	170-240	SMD5730+SMD2835	8W	ø109*87mm
RD814-2	White	Aluminium+Iron+Acrylic	170-240	SMD5730+SMD2835	13W	ø157*87mm
RD814-4	White	Aluminium+Iron+Acrylic	170-240	SMD5730+SMD2835	24W	ø210*87mm
RD814-6	White	Aluminium+Iron+Acrylic	170-240	SMD5730+SMD2835	36W	ø261*87mm



RD813-2



RD813-4



RD813-6

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RD813-2	White	Aluminium+Iron+Acrylic	170-240	SMD5730+SMD2835	13W	ø157*75mm
RD813-4	White	Aluminium+Iron+Acrylic	170-240	SMD5730+SMD2835	24W	ø210*75mm
RD813-6	White	Aluminium+Iron+Acrylic	170-240	SMD5730+SMD2835	36W	ø261*75mm





RT551-2 BK 13W



RT551 BK 8W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT551-2 BK 13W	Black	Aluminium+Iron+Acrylic	170-240	COB+SMD2835	13W	ø155*75mm
RT551BK 8W	Black	Aluminium+Iron+Acrylic	170-240	COB+SMD2835	8W	ø155*75mm



RT551-2 WT 13W



RT551WT 8W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT551-2 WT 13W	White	Aluminium+Iron+Acrylic	170-240	COB+SMD2835	13W	ø155*75mm
RT551WT 8W	White	Aluminium+Iron+Acrylic	170-240	COB+SMD2835	8W	ø155*75mm



RT552 BK 13W



RT552 WT 13W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT552 BK 13W	Black	Aluminium+Iron+Acrylic	170-240	COB+SMD2835	13W	ø155*320mm
RT552 WT 13W	White	Aluminium+Iron+Acrylic	170-240	COB+SMD2835	13W	ø155*320mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

RT555 DG 5W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT555 DG 5W	Darkgray	Aluminium	170-240	COB	5W	ø68*155mm



RD816-1

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RD816-1	White	Acrylic+Iron	170-240	SMD5730	10W	155*75*155mm



RD818-1

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RD818-2

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RD818-1	White	Aluminum+Acrylic+Iron	170-240	SMD2835	6W	115*75*205mm
RD818-2	White	Aluminum+Acrylic+Iron	170-240	SMD2835	12W	305*80*205mm



RN118 CF+BK 5W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RN118 CF+BK 10W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN118 CF+BK	Coffee+Black	Aluminum	170-240	COB	5W	ø70*182mm
RN118 CF+BK	Coffee+Black	Aluminum	170-240	COB	10W	80*55*286mm



RT207 CF+BK 5W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RT207 CF+BK 10W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT207 CF+BK	Coffee+Black	Aluminum+Iron	170-240	COB	5W	ø55*100mm
RT207 CF+BK	Coffee+Black	Aluminum+Iron	170-240	COB	10W	ø55*200mm



RN200 BK+GD



RD801 BK+GD

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN200 BK+GD	Black+Gold	Aluminum+Acrylic +Iron	170-240	COB+SMD2835	3+3W	ø80*205mm
RD801 BK+GD	Black+Gold	Aluminum+Acrylic +Iron	170-240	COB+SMD2835	3+3W	ø70*206mm



RN201 BK+GD



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN201 BK+GD	Black+Gold	Aluminum+Acrylic +Iron	170-240	COB+SMD2835	7+3W	ø100*180mm



RN211 BK



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN211 BK	Black	Aluminum	170-240	SMD5730	9w	ø80*185mm



RN210 WT



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN210 WT	White	Aluminum	170-240	SMD5730	5W	80*68*164mm



RN215 WT



RN209 WT

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RN212 WT

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN212 WT	White	Aluminum	170-240	SMD5730	5W	ø70*174mm
RN209 WT	White	Aluminum	170-240	SMD5730	5W	80*49*175mm
RN215 WT	White	Aluminum	170-240	SMD5730	5W	ø68*160mm




RT451 WT



RN213 BK

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT451 WT	White	Aluminum+Acrylic +Iron	170-240	SMD 108 2835	8+4W	ø100*204mm
RN213 BK	Black	Aluminum	170-240	SMD5730	9W	ø80*183mm



RN220 BK 12W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RN220 BK 18W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN220 BK 12W	Black	Aluminum	170-240	SMD5730	12W	150*58*137mm
RN220 BK 18W	Black	Aluminum	170-240	SMD5730	18W	182*68*180mm

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN225 BK 7W	Black	Aluminum+Acrylic +Iron	170-240	COB	7W	205*64*296mm
RN225 WT 7W	White	Aluminum+Acrylic +Iron	170-240	COB	7W	205*64*296mm
RT550 WT	White	Aluminum+Acrylic +Iron	170-240	COB	7W	205*64*280mm



Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN226 WT 10W	White	Aluminum+Iron	170-240	COB	10W	207*55*294mm
RN226 BK+GD 10W	Black+Gold	Aluminum+Iron	170-240	COB	10W	207*55*294mm



Turn on the light



Turn off the light

Color temperature:3000-6500K

Electric current:300MA ± 5%

P.F.:0.5

CRI>80

IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN227 BK 10W	Black	Aluminum+Iron	170-240	COB	10W	200*55*400mm



**RT189 GY+GY
10W**

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



**RT189 DGY+DGY
10W**



RT189 GY 10W

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT189GY	Gray	Aluminum	170-240	COB	10W	ø80*265mm
RT189 DGY+DGY	Gray	Aluminum	170-240	COB	10W	ø80*265mm
RT207 DGY+DGY	Darkgray +Darkgray	Aluminum	170-240	COB	10W	ø68*253mm



RT301 WT



RT302 (I) WT



RT302 WT

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RT301	White	Aluminium	170-240	SMD5730	5W	ø70*143mm
RT302 (I) WT	White	Aluminium+Iron	170-240	SMD5730	5W	ø70*155mm
RT302 WT	White	Aluminium	170-240	SMD5730	5W	ø70*143mm




RT593 BK



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	LED Type	Wattage	Light body
RT593 BK	Black	Aluminium	SMD2835	12W	ø100*60mm



RD817-1

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RD817-2

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RD817-1	Black	Aluminum+Acrylic +Iron	170-240	SMD2835	6W	115*80*140mm
RD817-2	Black	Aluminum+Acrylic +Iron	170-240	SMD2835	12W	300*80*150mm




RD817-3 BK

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RD817-4 BK

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RD817-3 BK	Black	Aluminum+Acrylic +Iron	170-240	SMD2835	18W	410*80*150mm
RD817-4 BK	Black	Aluminum+Acrylic +Iron	170-240	SMD2835	24W	552*80*150mm



Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20



RN231 WT 20W



RN232 BK 10W



RN231 BK 20W



RN232 WT 10W

Color temperature:3000-6500K
 Electric current:300MA ± 5%
 P.F.:0.5
 CRI>80
 IP20

Item No.	Color	Material	Voltage	LED Type	Wattage	Light body	Item No.	Color	Material	Voltage	LED Type	Wattage	Light body
RN231 WT 20W	White	Aluminum+Acrylic	170-240	COB	20W	ø79*168mm	RN232 WT 10W	White	Aluminum+Acrylic	170-240	COB	10W	ø50*150mm
RN231 BK 20W	Black	Aluminum+Acrylic	170-240	COB	20W	ø79*168mm	RN232 BK 10W	Black	Aluminum+Acrylic	170-240	COB	10W	ø50*150mm