





骏玛特



Junmat Electronic Trading

徐州骏玛特电机有限公司

XUZHOU JUNMAT ELECTRONIC TRADING CO., LTD

2019

## B 企业简介 Brief introduction

Xuzhou Junmat Electronic Trading Co., Ltd. and Jiangsu Jiuxiang Automotive Electrical Group Co., Ltd, cooperation, established in 2006, is a professional manufacturer engaged in the research, development, production, sale and service of rectifier bridge, injection, car alternator voltage regulator, die-casting. We are located in No. 6 Qianjin Road, Suining Economic Development Zone, Xuzhou City, Jiangsu Province with convenient transportation access. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss your requirements and ensure full customer satisfaction. In recent years, our company has introduced a series of advanced equipment including computer-controlled X-ray fluorescence spectrometer, Salt spray tester, Projector. In addition, we have obtained certificates. IATF16949:2016. Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as Europe, America, Southeast Asia, and other regions. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

徐州骏玛特电子贸易有限公司与江苏久祥汽车电器集团有限公司合作，成立于2006年，是一家专业从事整流桥，注塑，汽车交流发电机电压研究，开发，生产，销售和服务的厂家。稳压器，压铸铝制造。我们位于江苏省徐州市睢宁县经济开发区前进路6号，交通便利。我们经验丰富的员工致力于严格的质量控制和周到的客户服务，随时可以讨论您的要求并确保客户满意度。近年来，我公司引进了一系列先进的设备，包括计算机控制的X射线荧光光谱仪，盐雾测试仪，投影仪。此外，我们还获得了证书. IATF16949: 2016。产品畅销全国各省市，远销欧洲，美洲，东南亚等国家和地区。我们也欢迎OEM和ODM订单。无论是从我们的目录中选择当前产品还是根据您的需求提供定制服务，您都可以与我们的客户服务中心联系，了解您的采购要求，提供定制服务。



Model: JFZ1927H Lester: 11029新  
 OEM: A3TG2491  
 Spec: 12V, 110A  
 Pulley type: 6S  
 Vehicle Applications:  
 Mitsubishi Galant (三菱戈兰)  
 A=Φ12 B=Φ10.5 C=74 D=Φ10.5




Model: JFZ1927K Lester: 11317  
 OEM: A3TG4491; 1800A141; A3TG4491ZC  
 Spec: 12V, 120A  
 Pulley type: 6S  
 Vehicle Applications: Outlander  
 (三菱欧蓝德, 翼神3.0L(07-09))  
 A=Φ10.8 B=11, 10.2 C=84 D=Φ10.2



Model: JFZ1927N  
 OEM: A2TX1081A; 1800A271  
 Spec: 12V, 130A Pulley type: 6S(OAP)  
 Vehicle Applications:  
 Mitsubishi Lancer ASX 1.8  
 (三菱蓝瑟 ASX 1.8)  
 A=Φ12 B=Φ10.5 C=49.5



Model: JFZ1927P Lester: 13226  
 OEM: A2TX0881A; 1800A288  
 Spec: 12V, 130A  
 Pulley type: 6S(OAP)  
 Vehicle Applications: Outlander 4D 2.4L  
 三菱欧蓝德 4D 2.4L(07-)  
 A=Φ10.5 B=Φ10.5 C=54.5




Model: JFZ1927P-1  
 Lester: 14884  
 OEM: A2TX0891A; 1800A323  
 Spec: 12V, 130A Pulley type: 6S  
 Vehicle Applications: Outlander, Lancer  
 三菱欧蓝德, 蓝瑟(2012-13)  
 A=Φ10.5 B=Φ10.5 C=54.5



Model: JFZ1927H-1  
 OEM: A3TG3091; MN180394  
 Spec: 12V, 110A  
 Pulley type: 6S  
 Vehicle Applications:  
 三菱 380 (05-08) 澳洲专用  
 A=Φ12 B=Φ10.5 C=74 D=Φ10.5




Model: JFZ1921G-5  
 Lester: 13523  
 OEM: A2T33991;OK201-18-300B;AB170036  
 Spec: 12V, 70A  
 Pulley type: 4S  
 Vehicle Applications: KIA 起亚  
 A=M8 B=M10,  $\Phi$ 10.5 C=67.7



Model: JFZ1924Z Lester: 11387  
 OEM: 37300-3C210;104210-5810  
 Spec: 12V, 150A Pulley type: 6S  
 Vehicle Applications:  
 KIA Carnival 3.8L  
 起亚霸锐 3.8L;起亚嘉华3.8L (08-11)  
 A= $\Phi$ 11, M10 B= $\Phi$ 12, M10 C=43.5, 43.5



Model: JFZ1925D Lester: 13782  
 Cargo: 113652  
 OEM: 37300-37110; AB195116  
 Spec: 12V, 95A Pulley type: 6S  
 Vehicle Applications:  
 Sonata V6 2.5L(索纳塔 V6 2.5L)  
 A=M8 B= $\Phi$ 10.5 C=45




Model: JFZ1925G Lester: 23900  
 OEM: OK559-18-300;AB111125  
 Spec: 12V, 110A Pulley type: 6S  
 Vehicle Applications:  
 KIA Carnival 2.5L  
 起亚嘉华2.5L, 索兰托2.5L  
 A= $\Phi$ 10.5 B= $\Phi$ 10.5, M10 C=62




Model: JFZ1925Q Lester: 11353  
 OEM: 37300-3F020;104210-6191  
 Spec: 12V, 180A  
 Pulley type: 6S(OAP)  
 Vehicle Applications:  
 Hyundai Equus, Rohens(现代雅科仕;劳恩斯)  
 A= $\Phi$ 11, M10 B= $\Phi$ 11, M10 C=49, 48.5




Model: JFZ1925U Lester: 11591;10106  
 OEM: 104210-2870;37300-3C510  
 Spec: 12V, 150A  
 Pulley type: 6S  
 Vehicle Applications: Hyundai Azera  
 (现代雅尊 3.3L V6 2012-2014)  
 A=M8 B= $\Phi$ 8.5 C=



Model: JFZ1927F      Lester: 11190  
 OEM: 37300-3E100  
 Spec: 12V, 130A      Pulley type: 6S  
 Vehicle Applications:  
 Santafe 2.7L, Sonata 2.7L  
 (圣达菲 2.7L, 索纳塔 2.7L)  
 A=Φ11, M10 B=Φ11, M10 C=60, 60




Model: JFZ1928D      Lester: 11013  
 OEM: 37300-39435  
 Spec: 12V, 120A  
 Pulley type: 6S  
 Vehicle Applications: KIA Carnival 3.5L  
 起亚嘉华 3.5L  
 A=Φ10.5, M10 B=Φ10.5, M10 C=50.7, 32




Model: JFZ1928D-1      Lester: 11012  
 OEM: 37300-39450  
 Spec: 12V, 120A      Pulley type: 5S  
 Vehicle Applications:  
 Terracan 3.5L, Sorento 3.5L  
 起亚特拉卡 3.5L, 索兰托 3.5L  
 A=Φ10.5, M10 B=Φ10.5, M10 C=48.5, 29.7



Model: JFZ1928E      Lester: 11016  
 OEM: 37300-39405; 37300-39400  
 Spec: 12V, 120A  
 Pulley type: 6S  
 Vehicle Applications:  
 Santafe 3.5L (圣达菲 3.5L)  
 A=Φ10.5, Φ10.5 B=Φ10.5, Φ10.5 C=29, 48




Model: JFZ1928F      Lester: 11191; 11193  
 Cargo: 115737      OEM: 37300-3C120  
 Spec: 12V, 130A      Pulley type: 6S  
 Vehicle Applications:  
 Santafe 3.3L, Sonata 3.3L  
 圣达菲 3.3L, 索纳塔 3.3L  
 A=Φ11, M10 B=Φ11, M10 C=43, 43



Model: JFZ1928F-1      Lester: 11192  
 OEM: 37300-3C150; 37300-3C160  
 Spec: 12V, 130A      Pulley type: 6S (OAP)  
 Vehicle Applications:  
 Hyundai Azera 3.8L, KIA opirus 3.8L  
 现代雅尊 3.8L, 起亚欧菲莱斯 3.8L  
 A=Φ11, M10 B=Φ11, M10 C=43, 43




Model: JFZ2522-2      Lester: 12360  
 OEM: 0-33000-6550;1-812000-440-0  
 Spec: 24V, 25A  
 Pulley type: 2S  
 Vehicle Applications: Komatsu  
 小松长脚双线  
 A=Φ12.5 B=Φ15 C=71




Model: JFZ2522-3      Lester: 12252  
 Cargo: 110657  
 OEM: 0-33000-6580;600-821-6190  
 Spec: 24V, 25A      Pulley type: 9S  
 Vehicle Applications: Komatsu  
 小松短脚多沟  
 A=M12 B=Φ15 C=72



Model: JFZ2522-4      Lester: 12251  
 Cargo: 110562  
 OEM: 0-33000-5840;600-821-7230  
 Spec: 24V, 30A      Pulley type: 2S  
 Vehicle Applications: Komatsu  
 小松短脚双五分  
 A=M12 B=Φ15 C=72




Model: JFZ2522-5  
 Spec: 24V, 25A  
 Pulley type: 2S  
 Vehicle Applications: Komatsu  
 小松长脚三线  
 A=Φ12.5 B=Φ15 C=72




Model: JFZ2522-6      Lester: 12361  
 OEM: 0-33000-6542  
 Spec: 24V, 30A  
 Pulley type: 1S  
 Vehicle Applications: Komatsu  
 小松直角  
 A=M8 B=Φ8.5 C=81




Model: JFZ2522-7  
 OEM: 600-821-9680  
 Spec: 24V, 25A  
 Pulley type: 2S  
 Vehicle Applications: Komatsu  
 小松短脚双七分  
 A=M12 B=Φ15 C=72




Model: JFZ2523      Lester: 12312  
 OEM: A2T70772; A2T70784; A2T72185  
 Spec: 24V, 30A  
 Pulley type: 2S  
 Vehicle Applications: Komatsu  
 小小三菱  
 A=M12 B=Φ13 C=81.4




Model: JFZ2524      Lester: 12256; 12309  
 OEM: 600-821-3850; A1T70783  
 Spec: 24V, 20A  
 Pulley type: 1S  
 Vehicle Applications:  
 PC60 (24V)  
 A=M8 B=Φ10.5 C=81



Model: JF262  
 OEM: A003T75280  
 Spec: 24V, 40A  
 Pulley type: 2S  
 Vehicle Applications:  
 A=M12 B=Φ12.5 C=104.5





Model: JFZ262  
 OEM: 27060-17240; 100211-6240  
 Spec: 24V, 60A  
 Pulley type: 2S  
 Vehicle Applications: Toyota Coaster  
 丰田考斯特中巴  
 A=M8 B=Φ10.5 C=57.5





Model: JFZ2621      Cargo: CA1852IR; 114809  
 OEM: A3TA8291; 5001847422; 5010306538  
 Spec: 24V, 60A  
 Pulley type: 2S  
 Vehicle Applications:  
 Renault (雷诺)  
 A=Φ8.2 B=Φ10.5 C=66.5





Model: JFZ2621-1  
 OEM: A2TA8191  
 Spec: 24V, 40A  
 Pulley type: 2S  
 Vehicle Applications:  
 Renault (雷诺)  
 A=Φ8.2 B=Φ10.5 C=66.5





Model: QDY1207A  
 OEM: L3708100A1  
 Spec: 12V, 1.2KW  
 Vehicle Applications:  
 Protegel.6, Lifan  
 (福美来1.6, 旗云, 力帆)  
 A=M8 B=Φ13.5 C=Φ74





Model: QDY1226 Lester: 17989  
 OEM: 36100-25020  
 Spec: 12V, 1.4KW  
 Vehicle Applications:  
 Hyundai Sonata 2.4L (M/T)  
 (现代御翔 2.4L M/T)  
 A=M10 B=M10 C=Φ74




Model: QDY1116  
 Spec: 12V, 0.9KW  
 Vehicle Applications:  
 SPARK 1.2L (乐驰1.2L)  
 A=Φ8.5 B=Φ68.5 C=Φ64



Model: QDY1218A  
 Spec: 12V, 1.4KW  
 Vehicle Applications:  
 Jinbei 2RZ (金客 2RZ)  
 A=M10 B=M10 C=Φ74




Model: QDY1256  
 OEM: 3708010-KK  
 Spec: 12V, 1.2KW  
 Vehicle Applications:  
 红旗世纪星VG20  
 A=M10 B=M10 C=Φ77




Model: QDJ1368  
 OEM: 3021990  
 Spec: 12V, 2.5KW  
 Vehicle Applications:  
 CA498  
 A=Φ11 B=Φ11 C=Φ95






Model: QDY1117  
 OEM: 24518889  
 Spec: 12V, 0.9KW  
 Vehicle Applications:  
 Wuling Rongguang Wuling Hongtu  
 (五菱荣光, 五菱鸿途)  
 A=Φ8.5 B=Φ8.5 C=Φ64



Model: QDY1201 Lester: 17708  
 OEM: 36100-23020  
 Spec: 12V, 1.2KW  
 Vehicle Applications:  
 Optima, Sportage, Tucson, Sonata (A/T)  
 (远舰, 狮跑, 途胜, 索纳塔 A/T)  
 A=M10 B=M10 C=Φ77




Model: QDY1202 Lester: 17709  
 OEM: 36100-23120  
 Spec: 12V, 1.2KW  
 Vehicle Applications:  
 Optima, Sportage, Tucson, Sonata (M/T)  
 (远舰, 狮跑, 途胜, 索纳塔 M/T)  
 A=M10 B=M10 C=Φ77





Lester: 32623  
 Vehicle Applications:  
 FSV(嘉华)  
 A= B= C=




Lester: 33187  
 Vehicle Applications:  
 (特拉卡)  
 A= B= C=





Model: QDY1101 Lester: 17827;16514  
 OEM: 36100-11150;36300-22000  
 Spec: 12V, 0.9KW  
 Vehicle Applications:  
 Accent, Cerato, Elantra, Yuedong (M/T)  
 (千里马, 赛拉图, 伊兰特, 悦动M/T)  
 A=M10 B=M10 C=Φ77





Model: QDY1253A  
 OEM: 486Q-3708010C  
 Spec: 12V, 1.2KW  
 Vehicle Applications:  
 Xinguang 491Q, Mianyang 491Q  
 新光491Q, 绵阳491Q  
 A=M10 B=M10 C=Φ77





Model: QDY1225  
 Lester: 17844  
 OEM: 31200-PPA-A01  
 Spec: 12V, 1.6KW  
 Vehicle Applications:  
 Honda Accord 2.4L (本田雅阁 2.4L 圆插)  
 A=Φ11.5 B=Φ14 C=Φ75




Model: QDY1292  
 OEM: 36100-42C10 (D4DB)  
 Spec: 12V, 2.2KW  
 Vehicle Applications:  
 Hyundai Forklift (现代叉车 4D52)  
 A=Φ14.5 B=Φ14.5 C=Φ100



Model: QDY1272  
 Spec: 12V, 0.9KW  
 Vehicle Applications:  
 KAPPA  
 A= B= C=



Model: QDY1261  
 Lester: 17772;17734  
 OEM: 36100-52520; M1T70481  
 Spec: 12V, 1.2KW  
 Vehicle Applications:  
 Galant, Saibao, FRC (赛豹, 骏捷, 兰萨, 戈兰)  
 A=M10 B=M10 C=Φ77



Model: QDY1280  
 OEM: 3708100B-EG01  
 Vehicle Applications:  
 长城炫丽、腾翼 C30  
 A= B= C=