

 惠普®
HUIPU



PROFESSIONAL HAIR TOOLS

*Guangzhou Oupu Hair-dressing Electric Appliance plant
Lengshuijiang Songye Electric Appliance Co . ,Ttd*

CE CB CCC S&E IHS GS SASO RoHS

Company profile

GUANGZHOU OUPU HAIR-DRESSING ELECTRIC APPLIANCE PLANT is the manufacturer of electronic and electric products with advanced equipment strong strength and complete management. Meanwhile, we have our own exporting license. We mainly dealing in making a series of hair care products for The brand “Purodi” ., “Huipu” , “Songye” hair dryer, hair curler, hair straightener and clipper.

Passed through several years of effort, we are the best electrical appliances manufacturer, which develop whole products range, now we are professional home appliances enterprise with a 7000 square meters factory.

From our company coming into existence, products are controlled strictly on quality from the design, molding, assembling, sales and service, which makes good impression on quality. With many years & acute development, we continue improving our products, our products enjoying their sales in whole China for special design, new appearance, and high quality; also have exported to England, Italy and Australia and other 40 countries, enjoying reputation in consumers professional in hairdressing line.


We hope that over passing our effort, provide excellent goods for consumers.

 松野®
SONGYE

 惠普®
HUIPU

 purodi®
普罗迪

CE CB S&E ITS SASO RoHS



The color is subject to the sample, is can be made in any color by customer' request

HP-3800

AC220-240V 50Hz or 110-120V 60Hz 1600-2000w

- Professional long-life AC motor or DC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone color,we will do it as your wish



HP-2016-A

AC220-240V 50Hz or 110-120V 60Hz 1600-2000w

- Professional long-life AC motor or DC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone color,we will do it as your wish



HP-8899

AC220-240V 50Hz or 110-120V 60Hz 2000W

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone color,we will do it as your wish



HP-6600

AC220-240V 50Hz or 110-120V 60Hz 1600 W

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone color,we will do it as your wish





Rator 猛禽

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 5 speed settings + 5 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish

风速, 功率调节器
Wind speed,
Power adjustment



HP-8988B

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-2015

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



Design of cold switch

HP-2016

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



Design of cold switch

HP-8899-3

AC220-240V 50Hz or 110-120V 60Hz 1600-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



Design of cold switch

HP-9522

AC220-240V 50Hz or 110-120V 60Hz 1600-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8600

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



LCD screen show the speeds and heatings control

HP-2200

AC220-240V 50Hz or 110-120V 60Hz 1600-2300w


- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8233

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



The negative ion instructions light



Design of cold seitch

HP-8988

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



Design of cold switch

HP-2018

AC220-240V 50Hz or 110-120V 60Hz 1900-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



Design of cold switch

HP-8893

AC220-240V 50Hz or 110-120V 60Hz 1600-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



Design of cold seitch

HP-8894

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish





HP-8892

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish

HP-8983

AC220-240V 50Hz or 110-120V 60Hz 1600-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-3200

AC220-240V 50Hz or 110-120V 60Hz 1600-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8829

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8895

AC220-240V 50Hz or 110-120V 60Hz 1600-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



Design of ultraviolet radiation



Design of cold switch

HP-8896

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8233-2

AC220-240V 50Hz or 110-120V 60Hz 1600-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- Design of cold shot
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



Design of cold switch

HP-2900

AC220-240V 50Hz or 110-120V 60Hz 1700-1900w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-2800

AC220-240V 50Hz or 110-120V 60Hz 1700-1900w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8839

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8897

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-3200B

AC220-240V 50Hz or 110-120V 60Hz 1500-1700w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8600-2

AC220-240V 50Hz or 110-120V 60Hz 1900-2100w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-8839B

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone cplor,we will do it as your wish



HP-9520

AC220-240V 50Hz or 110-120V 60Hz 2100-2300w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone color,we will do it as your wish



HP-6600-1

AC220-240V 50Hz or 110-120V 60Hz 1800w

- Professional long-life AC motor
- 2 speed settings + 3 temperature settings
- Over heating protection device
- 2 concentrator nozzles
- Professional power cord:2.5m-3.5m
- Removable filter
- Optional:Ionic function,diffuser
- CE,CB,SASO,ROHS Approval
- Optional Color:
Please offer pantone color,we will do it as your wish





CE CB    **RoHS**



HP-8850 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater: PTC
- Plate size: L110*W25mm
- One hour Auto shut off
- Extra power cord set 2.5 meter 360°swivel cord
- Automated triple safety device
- Approval: CE, RoHs



HP-8811 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater: PTC
- Plate size: L110*W25mm
- One hour Auto shut off
- Extra power cord set 2.5 meter 360°swivel cord
- Automated triple safety device
- Approval: CE, RoHs



HP-8823 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater: PTC
- Infrared function for caring your hair
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-8815 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-8817-1 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates,titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater:MCH
- One hour Auto shut off
- Extra power cord set 2.5 meter.360°swivel cord
- Automated triple safety device
- Approval:CE,RoHs



HP-8817-2 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates,titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater:MCH
- One hour Auto shut off
- Extra power cord set 2.5 meter.360°swivel cord
- Automated triple safety device
- Approval:CE,RoHs



HP-8817-3 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates,titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater:MCH
- One hour Auto shut off
- Extra power cord set 2.5 meter.360°swivel cord
- Automated triple safety device
- Approval:CE,RoHs



HP-8824 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360° swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-8824-1 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360° swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-8810 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 130-230°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360° swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-8816 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 140-220°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360° swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-8829 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 140-220°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360° swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-8172 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 140-220°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360° swivel cord
- Automated triple safety device
- Approval: CE, RoHS

CE CB



RoHS



HP-8821 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Floating Plates, titanium or ceramic for your choice
- Adjustable temperature LCD display 140-220°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360° swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-8817 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Flat iron and hair curler brush 2 in 1
- Adjustable temperature LCD display 130-230°C
- Heater: PTC
- One hour Auto shut off
- Extra power cord set 2.5 meter. 360° swivel cord
- Automated triple safety device
- Approval: CE, RoHS



HP-416 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Adjustable temperature LCD display 180-210°C(180-410°F)
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating
- Barrel size:11,13,19,22,25,28,32,38mm for choice



HP-428 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Adjustable temperature LCD display 180-210°C(180-410°F)
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating



HP-426 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Adjustable temperature LCD display 180-210°C(180-410°F)
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating



HP-522 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Adjustable temperature LCD display 180-210°C(180-410°F)
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating



HP-518 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- 5 in 1 interchangeable hair curling sets
- 2 gear temperature control
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating



HP-526 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- LED light indicate temperature from 110-210°C
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating



HP-427 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Adjustable temperature **from 180-210°C**
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating



HP-429 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Adjustable temperature from 180-210°C
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating



HP-525 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- LED light indicate temperature from 110-210°C
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating

HP-521 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- LED light indicate temperature from 110-210°C
- PTC heater,fast heat up and high temperature performance
- One hour auto-shut off
- 2.5m salon cord with 360°swivel for easy of use
- Aluminum barrel with ceramic coating



HP-520 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Hair straightener and curler 2 in 1
- Heater: PTC,fast heat up
- Titanium plate create shinier and silkier finish
- Adjustable temperature from 140-220°C
- 2.5m salon cord with 360°swivel for easy of use
- One hour auto shut-off





HP-7060 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Body material:PET
- Heater:PTC
- Temperature range:180-230°C (Lower temperature can be adjusted)
- Comb with silica gel ball,can be used directly to scalp
- 2.5m salon cord with 360°swivel for easy of use
- One hour auto-shut off

HP-7060mid AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Body material:PET
- Heater:PTC
- Temperature range:180-230°C (Lower temperature can be adjusted)
- Ceramic coating bristle
- 2.5m salon cord with 360°swivel for easy of use
- One hour auto-shut off



HP-7060mini AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Body material:PET
- Heater:PTC
- Temperature range:180-190°C
- Ceramic coating bristle
- 2m cord for home and travel use



Pink

Blue

Black

CE CB CCC S&E IFS GS SASO RoHS



HP-523 AC110-240V 50Hz/60Hz 45w

- Dual voltage 110-240V AC for world wide use
- Body material:PET
- Heater:PTC
- Temperature range:180-210°C
- Ceramic coating bristle
- 2.5m salon cord with 360°swivel for easy of use
- One hour shut off



CE CB    **RoHS**

Depth
replenishment

Deep
Cleaning

Dilute
fine lines



Steamed face machine



HP-168

AC110-220V 50Hz 16w

- Blades can be easily disassembled and cleaned easily
- According to different lengths of the hair can be adjusted from 0.8mm-2.0mm
- Built-N1-MH battery
- 3 hours charging,sustainable use of 4 hours
- Configure rechargeable battery
- LCD battery
- 4 kinds of charging protection methods
 - 1.Temperature protection
 2. Current protection
 - 3.Voltage protection
 - 4.Length protection
- Package:
- Color optional
- Carton Size:45.5*25*32.5cm



HP-928 AC110-220V 50Hz 16w

- Streamlined shape,the best ergonomic design
- Super Dressed System:ceramic knife+imports titanium alloy materials
Fixed knife,high hardness,sharp,durable
- Strong momentum:Dedicated 2.4V silver-palladium motor,longer service life
- 3 hours charging,sustainable use of 4 hours
- Removable head,easy to clean
- Head with chrome technology
- High-capacity high-performance nickel-metal hydride batteries,long life and efficient
- Limit of eight models comb(3,6,9,12mm as standard,16,20,25,30 optional)
- Push plate at the beginning of
- Charge work lights
- Dual charging plug



HP-999

AC110-220V 50Hz 18w

- Streamlined shape,the best ergonomic design
- Super Dressed System:ceramic knife+imports titanium alloy materials
Fixed knife,high hardness,sharp,durable
- Strong momentum:Dedicated 2.4V silver-palladium motor,longer service life
- 3 hours charging,sustainable use of 4 hours
- Removable head,easy to clean
- Head with chrome technology
- High-capacity high-performance nickel-metal hydride batteries,long life and efficient
- Limit of eight models comb(3,6,9,12mm as standard,16,20,25,30 optional)
- Push plate at the beginning of
- Charge work lights
- Dual charging plug

CE CB




RoHS



HP-187

AC110-220V 50Hz 16w

- Streamlined shape,the best ergonomic design
- Super Dressed System:ceramic knife+imports titanium alloy materials
Fixed knife,high hardness,sharp,durable
- Strong momentum:Dedicated 2.4V silver-palladium motor,longer service life
- 3 hours charging,sustainable use of 4 hours
- Removable head,easy to clean
- Head with chrome technology
- High-capacity high-performance nickel-metal hydride batteries,long life and efficient
- Limit of eight models comb(3,6,9,12mm as standard,16,20,25,30 optional)
- Push plate at the beginning of
- Charge work lights
- Dual charging plug



HP-188

AC110-220V 50Hz 16w

- Streamlined shape, the best ergonomic design
- Super Dressed System: ceramic knife+imports titanium alloy materials
Fixed knife, high hardness, sharp, durable
- Strong momentum: Dedicated 2.4V silver-palladium motor, longer service life
- 3 hours charging, sustainable use of 4 hours
- Removable head, easy to clean
- Head with chrome technology
- High-capacity high-performance nickel-metal hydride batteries, long life and efficient
- Limit of eight models comb (3, 6, 9, 12mm as standard, 16, 20, 25, 30 optional)
- Push plate at the beginning of
- Charge work lights
- Dual charging plug



HP-186

AC110-220V 50Hz 16w

- Streamlined shape,the best ergonomic design
- Super Dressed System:ceramic knife+imports titanium alloy materials
Fixed knife,high hardness,sharp,durable
- Strong momentum:Dedicated 2.4V silver-palladium motor,longer service life
- 3 hours charging,sustainable use of 4 hours
- Removable head,easy to clean
- Head with chrome technology
- High-capacity high-performance nickel-metal hydride batteries,long life and efficient
- Limit of eight models comb(3,6,9,12mm as standard,16,20,25,30 optional)
- Push plate at the beginning of
- Charge work lights
- Dual charging plug



HP-882

AC110-220V 50Hz 16w

- Streamlined shape,the best ergonomic design
- Super Dressed System:ceramic knife+imports titanium alloy materials
Fixed knife,high hardness,sharp,durable
- Strong momentum:Dedicated 2.4V silver-palladium motor,longer service life
- 3 hours charging,sustainable use of 2 hours
- Removable head,easy to clean
- Head with chrome technology
- High-capacity high-performance nickel-metal hydride batteries,long life and efficient
- Limit of eight models comb(3,6,9,12mm as standard,16,20,25,30 optional)
- Push plate at the beginning of
- Charge work lights
- Dual charging plug



Guangzhou Oupu Hair-dressing Electric Appliance plant

Lengshuijiang Songye Electric Appliance Co . ,Ttd

Company Address:NO.7 Building Electric Industrial Heqing

Town,Lengshuijiang City,China

Tex:020-36763420 Fax:020-36763420

Factory address:Technology park,Daxiang Industrial,Renhe Town

Guangzhou City,China

Tex:020-86451009 Fax:020-86451009

Web:www.gzoupumf.en.alibaba.com