

COOKING EQUIPMENT

Freestanding Cooking Range.....	18
Countertop Cooking Range.....	24
Electric Fryer, Gas Fryer & Pressure Fryer.....	26
Griddle.....	30
Salamander.....	31
Chicken Rotisserie	33
Chicken Rotisserie, Shawarma Machine & BBQ	34
Combi Oven	35
Chinese Stove.....	37
Steamer & Grill.....	38
Combination Cooker.....	39

REFRIGERATED EQUIPMENT

Refrigerated Counter.....	41
Pizza Table & Salad Counter.....	44
Salad Table.....	45
Blast Freezer & Back Bar Cooler.....	46
Upright Fridge & Freezer.....	47
Customizable Chiller.....	48
Bar Counter or Bar Station.....	50
Beverage Showcase.....	52
Supermarket Showcase.....	53
Cake Showcase.....	54
Wine Cooler.....	58
Cake Showcase & Ice Cream Showcase.....	59

STAINLESS STEEL PRODUCTS

Walk In Cool Room & Freezer Room.....	60
Work Bench Series.....	62
Cutting Board Bench.....	68
Shelving Series.....	69
Sink Bench Series.....	70
Storage Cabinet Series.....	74
Storage Cabinet & Mobile Bench.....	75
Storage Cabinet & Overshelf.....	76
Storage Cabinet Series.....	77
Trolley.....	78
Trolley, Range Hood & Oil Filter Box.....	79

FOOD PROCESSING EQUIPMENT

Vegetable Cutter & Food Cut Up Machine.....	73
Potato Peeler.....	74
Meat Grinder.....	75
Meat Grinder & Cheese Grinder.....	76
Meat Slicer & Dicer.....	77
Sausage Filler.....	78
Filling Mixer.....	79
Meat Tender&Meat Mixer&Smoke Furnace.....	80
Large Food Processing Equipment.....	81
Bone Saw Machine.....	82

BAKERY EQUIPMENT

Dough Mixer.....	84
Food Mixer.....	85
Electric Fryer, Gas Fryer & Pressure Fryer.....	26
Griddle.....	30
Salamander.....	31
Chicken Rotisserie	33
Chicken Rotisserie, Shawarma Machine & BBQ	34
Combi Oven	35
Chinese Stove.....	37
Steamer & Grill.....	38
Combination Cooker.....	39

BUFFET & FOOD WARMING EQUIPMENT

Buffet Fridge & Bain Marie	100
Bain Marie.....	101
Buffet Warmer.....	103
Bain Marie.....	104
Warming Showcase.....	106
Food Warmer Cart & Plate Warmer Cart	108
Food Warmer Cart, Warming Lamp & Towel Warmer	109

DISHWASHER & ACCESSORY

Dishwasher	111
Under Counter Dishwasher & Hood Dishwasher.....	112
Hood Dishwasher & Conveyor Dishwasher.....	113
Conveyor Dishwasher.....	114
Dishwasher Accessory.....	115

BAR EQUIPMENT

Ice Cream Machine	119
Ice Maker	121
Ice Crusher & Ice Blender.....	122
Chocolate Dispenser,Ice Cream Machine.....	123
Slush Machine	124
Juice Maker & Orange Juicer	125
Juice Dispenser.....	126
Coffee Machine & Coffee Grinder.....	127
Water & Coffee Boiler	128

SNACK FOOD EQUIPMENT

Spiral Potato Slicer	129
Crepe, Hamburger, Sandwich & Cone Machine	130
Waffle Maker & Hot Dog Machine.....	131
Popcorn & Chocolate Fountain Machine	132

LAUNDRY EQUIPMENT

Laundry Equipment.....	133
------------------------	-----

KITCHENWARE & RESTAURANT ACCESSORY

Weight Scale.....	138
Banquette Seating	139
Restaurant Chair.....	140
GN Pan.....	142
Kitchen Utensils.....	145
Restaurant Accessories.....	147
Bakery Wares.....	148

Cooking Equipment

Freestanding Cooking Range
 Countertop Cooking Range
 Electric Fryer, Gas Fryer & Pressure Fryer
 Griddle
 Salamander
 Chicken Rotisserie
 Chicken Rotisserie, shawarma Machine&BBQ
 Combi Oven
 Combi Oven, Food Steamer & Chinese Range



Freestanding Cooking Range

- A comprehensive commercial kitchen requires a full set of Luxury Combination Freestanding Ovens, to show Professional, Splendid, Brilliant and utility-valuable.
- All stainless steel body, strong and durable.
- Electronic ignition pulse system with flame-out protection device for each control.
- Heavy duty gas burner with individual switch and thermostat.
- Adjustable feet.
- Gas combination oven series good for pipeline gas, natural gas or LPG.
- Key components from famous international suppliers.



Freestanding Cooking Range




Range With 4-burner & Oven

- HK-YG4B-G09**
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 36.8 Kw, 125560 BTU/H
 N/W:156 Kgs
- HK-YG4B-G07**
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 36.8 Kw, 125560 BTU/H
 N/W: 117 Kgs
- HK-YG4B-E09**
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 31 Kw, 106000 BTU/H
 Electric Oven Temp.Range: 50-300 °C
 Electric Oven Power: 4.8 Kw, 380 V
 N/W:136 Kgs
- HK-YG4B-E07**
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 31 Kw, 106000 BTU/H
 Electric Oven Temp.Range: 50-300 °C
 Electric Oven Power: 4.8 Kw, 380 V
 N/W: 111 Kgs




Lava Rock Grill With Cabinet

- HK-YGLG-9**
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 17 Kw, 58004 BTU/H N/W: 137 Kgs
- HK-YGLG-7**
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 14.4 Kw, 19132 BTU/H N/W: 113 Kgs
- HK-YELG-9**
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 12 Kw, 380 V N/W:128 Kgs
- HK-YELG-7**
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 9 Kw, 380 V N/W:95 Kgs




2 Tanks 2 Baskets Fryer With Cabinet

- HK-YGF2-9**
 Dimension(LxWxH): 800x900x850+120 mm
 Capacity: 20+20 Liters
 Power: 31 Kw, 105772 BTU/H N/W: 103 Kgs
- HK-YGF2-7**
 Dimension(LxWxH): 700x700x850+60 mm
 Capacity: 20+20 Liters
 Power: 31 Kw, 105772 BTU/H N/W: 85 Kgs
- HK-YEF2-9**
 Dimension(LxWxH): 800x900x850+120 mm
 Capacity: 20+20 Liters Power: 24 Kw, 380 V
 Temperature Range: 50-200 °C N/W: 94 Kgs
- HK-YEF2-7**
 Dimension(LxWxH): 700x700x850+60 mm
 Capacity: 20+20 Liters Power: 24 Kw, 380 V
 Temperature Range: 50-200 °C N/W: 77 Kgs



Bain Marie With Cabinet

- HK-YGBM-9**
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 6 Kw, 20472 BTU/H N/W: 90 Kgs
- HK-YGBM-7**
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 6 Kw, 20472 BTU/H N/W: 77 Kgs
- HK-YEBM-9**
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 6 Kw, 380 V
 Temperature Range: 30-85 °C
 N/W: 86 Kgs
- HK-YEBM-7**
 Dimension(LxWxH): 700x700x850+60 mm
 Power: 5 Kw, 380 V N/W: 68 Kgs
 Temperature Range: 30-85 °C



Freestanding Cooking Range



Gas Griddle (2/3 Flat & 1/3 Grooved With Oven)

HK-YGG-GO9
 Dimension(LxWxH): 800x900x850 +120 mm
 Griddle Plate Size: 725x610x20 mm
 Power: 11.8+5.8 Kw, 60051 BTU/H
 N/W: 178 Kgs

HK-YGG-GO7
 Dimension(LxWxH): 700x700x850 +60 mm
 Griddle Plate Size: 625x496x20 mm
 Power: 11.8+5.8 Kw, 60051 BTU/H
 N/W: 148 Kgs

HK-YEG-E09
 Dimension(LxWxH): 800x900x850 +120 mm
 Griddle Plate Size: 725x610x20 mm
 Power: 16.8 Kw, 380 V N/W: 177 Kgs

HK-YEG-E07
 Dimension(LxWxH): 700x700x850 +60 mm
 Griddle Plate Size: 625x496x20 mm
 Power: 13.8 Kw, 380 V N/W: 139 Kgs




Griddle(2/3 Flat & 1/3 Grooved With Cabinet)

HK-YGG-9
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 11.8 Kw, 40262 BTU/H
 N/W: 125 Kgs

HK-YGG-7
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 11.8 Kw, 40262 BTU/H
 N/W: 95 Kgs

HK-YEG-9
 Dimension(LxWxH): 800x900x850+120 mm
 Power: 12 Kw, 380 V N/W:124 Kgs
 Temperature Range: 50-300 °C

HK-YEG-7
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 9 Kw, 380 V N/W: 86 Kgs
 Temperature Range: 50-300 °C



60L Gas Soup Kettle

HK-YGB-60
 Dimension(LxWxH): 700x700x850 +60 mm
 Capacity: 60 Liters N/W: 112 Kgs
 Power: 23 Kw, 78476 BTU/H
 Interlayer Pressure: ≤ 50 kPa

100L Gas Soup Kettle

HK-YGB-100
 Dimension(LxWxH): 800x900x850 +120 mm
 Capacity: 100 Liters N/W: 137 Kgs
 Power: 25 Kw, 85300 BTU/H
 Interlayer Pressure: ≤ 50 kPa

150L Gas Soup Kettle

HK-YGB-150
 Dimension(LxWxH): 800x900x850 +120 mm
 Capacity: 150 Liters N/W: 140 Kgs
 Power: 26 Kw, 88712 BTU/H
 Interlayer Pressure: ≤ 50 kPa



60L Electric Soup Kettle


HK-YEB-60
 Dimension(LxWxH): 700x700x850 +60 mm
 Capacity: 60 Liters N/W: 88 Kgs
 Power: 12 Kw, 380 V
 Interlayer Pressure: ≤ 50 kPa

100L Electric Soup Kettle

HK-YEB-100
 Dimension(LxWxH): 800x900x850 +120 mm
 Capacity: 100 Liters N/W: 122.5 Kgs
 Power: 18 Kw, 380 V
 Interlayer Pressure: ≤ 50 kPa

150L Electric Soup Kettle

HK-YEB-150
 Dimension(LxWxH): 800x900x850 +120 mm
 Capacity: 150 Liters N/W: 130 Kgs
 Power: 24 Kw, 380 V
 Interlayer Pressure: ≤ 50 kPa



Freestanding Cooking Range



Electric 4 Ceramic Hob With Cabinet

HK-YE4HP-7
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 8 Kw, 380 V
 N/W: 66 Kgs

HK-YE4HP-E (With Oven)
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 12.8 Kw, 380 V
 Temperature Range: 50-300 °C
 N/W: 94 Kgs



French Hot-plate Cooker With Cabinet

HK-YGFH-9
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 10 Kw, 34120 BTU/H
 N/W: 112 Kgs

HK-YGFH-7
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 10 Kw, 34120 BTU/H
 N/W: 87 Kgs



French Hot-plate Cooker With Oven

HK-YGFH-GO9
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 15.8 Kw, 53910 BTU/H
 N/W: 165 Kgs

HK-YGFH-GO7
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 15.8 Kw, 53910 BTU/H
 N/W: 122 Kgs



Gas Tilting Braising Pan

HK-YGT80
 Dimension(LxWxH): 800x900x850 +120 mm
 Capacity: 80 Liters
 Power: 24Kw, 81888 BTU/H
 N/W: 140 Kgs

HK-YGT60
 Dimension(LxWxH): 800x700x850 +60 mm
 Capacity: 60 Liters
 Power: 18 Kw, 61416 BTU/H
 N/W: 122 Kgs

Electric Tilting Braising Pan

HK-YET80
 Dimension(LxWxH): 800x900x850 +120 mm
 Capacity: 80 Liters
 Power: 12 Kw, 380 V
 N/W: 135 Kgs

HK-YET60
 Dimension(LxWxH): 800x700x850 +60 mm
 Capacity: 60 Liters
 Power: 10.5 Kw, 380 V
 N/W: 122 Kgs



Pasta Cooker With Cabinet

HK-YGNC-9
 Dimension(LxWxH): 800x900x850 +120 mm
 Power: 23.6 Kw, 80523 BTU/H
 N/W: 100 Kgs

HK-YGNC-7
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 23.6 Kw, 80523 BTU/H
 N/W: 82 Kgs

Electric Tilting Braising Pan

HK-YENC-9
 Dimension(LxWxH): 800x900x850+120 mm
 Power: 18 Kw, 380 V
 Temperature Range: 50-300 °C
 N/W:86 Kgs

HK-YENC-7
 Dimension(LxWxH): 700x700x850 +60 mm
 Power: 12 Kw, 380 V
 N/W:75 Kgs



Pasta Cooker With Cabinet

HK-YGPC-9
 Dimension(LxWxH): 800x900x850+60 mm
 Power: 23.6 Kw, 80523 BTU/H
 N/W:86 Kgs

HK-YGPC-7
 Dimension(LxWxH): 700x700x850+60 mm
 Power: 23.6 Kw, 80523 BTU/H
 Temperature Range: 50-300 °C
 N/W:82 Kgs

Electric Tilting Braising Pan

HK-YEPC-9
 Dimension(LxWxH): 800x900x850+60 mm
 Power: 18 Kw, 380 V
 N/W: 86 Kgs

HK-YEPC-7
 Dimension(LxWxH): 700x700x850+60 mm
 Power: 12 Kw, 380 V
 N/W: 75 Kgs

Freestanding Cooking Range



Gas Range 4 Burner With Oven
HK-YG4B-GO9A
 Dimension(LxWxH): 800x900x850+120 mm
 Power: 2x4.5+2x7.5 Kw, 103490 BTU/H
 Gas Oven Temperature Range: 120-330 °C
 Gas Oven Power: 5.8 Kw
HK-YG4B-GO7A
 Dimension(LxWxH): 700x700x850+60 mm
 Power: 2x3.5+2x4.5 Kw, 54590 BTU/H
 Gas Oven Temperature Range: 120-330°C
 Gas Oven Power: 5.8 Kw

Gas Range 4 Burner With Cabinet
HK-YG4B-9A
 Dimension(LxWxH): 800x900x850+120 mm
 Power: 2x4.5+2x7.5, 103490 BTU/H
HK-YG4B-7A
 Dimension(LxWxH): 700x700x850+60 mm
 Power: 2x3.5+2x4.5, 54590 BTU/H



Gas Range 6 Burner With Oven
HK-YG6B-GO9A
 Dimension(LxWxH): 1200x900x850+120 mm
 Power: 3x4.5+3x7.5 Kw, 122830 BTU/H
 Gas Oven Temperature Range: 120-330°C
 Gas Oven Power: 5.8 Kw
HK-YG6B-GO7A
 Dimension(LxWxH): 1050x700x850+60 mm
 Power: 3x3.5+3x4.5 Kw, 81888 BTU/H
 Gas Oven Temperature Range: 120-330°C
 Gas Oven Power: 5.8 Kw

Gas Range With 6 Burner & Cabinet
HK-YG6B-9A
 Dimension(LxWxH): 1200x900x850+120 mm
 Power: 3x4.5+3x7.5 Kw, 122830 BTU/H
Gas Range With Cabinet
HK-YG6B-7A
 Dimension(LxWxH): 1050x700x850+60 mm
 Power: 3x3.5+3x4.5 Kw, 81888 BTU/H



Gas Range 4 Burner With Cabinet (Griddle)
US-RA-4A
 Dimension(LxWxH): 800x900x850+120 mm
 Power: 29.8 Kw, 101678 BTU/H
 N/W: 192 Kgs
JUS-RA-4A
 Dimension(LxWxH): 700x700x850+120 mm
 Power: 29.8 Kw, 101678 BTU/H
 N/W: 192 Kgs



Gas Range With 3 Burner & Cabinet
HK-YG3B-7
 Dimension(LxWxH): 1050x700x850+120 mm
 Power: 3.5+4.5+7.5 Kw, 52886 BTU/H



Gas Range With 3 Burner & Oven
HK-YG3B-GO7
 Dimension(LxWxH): 1050x700x850+120 mm
 Power: 3.5+4.5+7.5 Kw, 52886 BTU/H
 Gas Oven Temperature Range: 120-330°C
 Gas Oven Power: 5.8 Kw



Gas Range With 6 Burner & Electric Oven
HK-YG6B-EO9
 Dimension(LxWxH): 1200x900x850 +120 mm
 Power: 46.8 Kw, 159000 BTU/H
 Electric Oven Temp. Range: 50-300 °C
 Electric Oven Power: 4.8 Kw, 380 V
 N/W:179 Kgs
HK-YG6B-EO7
 Dimension(LxWxH): 1050x700x850 +60 mm
 Power: 46.8 Kw, 159000 BTU/H
 Electric Oven Temp. Range: 50-300 °C
 Electric Oven Power: 4.8 Kw, 380 V
 N/W:144 Kgs

Gas Range With 6 Burner & Oven
HK-YG6B-GO9
 Dimension(LxWxH): 1200x900x850 +120 mm
 Power: 52.6 Kw, 178790 BTU/H
 N/W: 208 Kgs
HK-YG6B-GO7
 Dimension(LxWxH): 1050x700x850 +60 mm
 Power: 52.6 Kw, 178790 BTU/H
 N/W: 155 Kgs

Freestanding Cooking Range



Electric 4-plate Cooker With Cabinet
HK-YE4B-9
 Dimension(LxWxH): 800x900x850+120 mm
 Power: 9.2 Kw, 380 V
 N/W: 63 Kgs
HK-YE4B-7
 Dimension(LxWxH): 700x700x850+60 mm
 Power: 9.2 Kw, 380 V
 N/W: 55 Kgs



Electric 4-plate Cooker With Oven
HK-YE4HP-EO9
 Dimension(LxWxH): 800x900x850+120 mm
 Power: 14 Kw, 380 V
 N/W: 104 Kgs
HK-YE4B-EO7
 Dimension(LxWxH): 700x700x850+60 mm
 Power: 14 Kw, 380 V
 N/W: 94 Kgs



Electric 4 Hot-plate Cooker & Oven
HK-YE4HP-EO9
 Dimension(LxWxH): 800x900x850+120 mm
 Power: 20.8 Kw, 380 V
 N/W: 129 Kgs
Electric 6 Hot-plate Cooker & Oven
HK-YE6HP-EO9
 Dimension(LxWxH): 1200x900x850+120 mm
 Power: 28.8 Kw, 380 V
 N/W: 179 Kgs



Integration of the central island kitchen system equipment ZYD01

Overall Dimension: 3524x1668x1673 mm
 Operation Height: 850 mm
 Maximum integrated kitchen equipment standard the number of modules:10
 Module interface dimension: 700x300 mm
 Standard module dimension: 700x700x300 mm

Countertop Cooking Range


Luxury Counter Top Combination Oven


(Electric or Gas Model)  

- Luxury Countertop Combination Oven is another option for an economical & compact kitchen.
- All stainless steel body, strong and durable.
- Electronic ignition pulse system with flame-out protection device for each control.
- Heavy duty gas burner with individual switch and thermostat.
- Adjustable feet.
- Gas combination oven series good for pipeline gas, natural gas or LPG.




Countertop Cooking Range



 **Gas Stove (Counter top)**
HK-YTG4B
Dimension(LxWxH):
570x612x470 mm
Power: 14.2 Kw, 48450 BTU/H
N/W: 39 Kgs




 **Gas Fryer (Counter top)**
HK-YTGF6+6
Dimension(LxWxH):
600x612x470 mm
Tank Dimension(LxWxH):
300x240x150 mm
Capacity: 6+6 Liters
Power: 11.2 Kw, 38215 BTU/H
N/W: 33 Kgs




 **Electric Fryer (Counter top)**
HK-YTEF8+8
Dimension(LxWxH):
600x600x430 mm
Tank Dimension(LxWxH):
240x300x200 mm
Capacity: 8+8 Liters
Power: 3.25+3.25 Kw, 220-240 V
N/W: 25 Kgs



 **Gas Griddle (Counter top)**
TGH-21.R
Dimension(LxWxH):
660x612x470 mm
Griddle Plate Dimension(LxWxH):
590x434x16 mm
Power: 8.4 Kw, 28660 BTU/H
N/W:49 Kgs



 **Electric Griddle (Counter top)**
HK-YTEG
Dimension(LxWxH):
600x600x350 mm
Griddle Plate Dimension(LxWxH):
536x330x16 mm
Power: 5 Kw, 220-240 V
N/W:43 Kgs



 **Electric Lava Rock Grill**
HK-YTELG
Dimension(LxWxH):
650x600x350 mm
Roasting Surface Dimension
(LxWxH): 570x350 mm
Power: 7.2 Kw, 220-240 V
N/W: 38 Kgs



 **Gas Lava Rock Grill (Counter top)**
HK-YTGLG
Dimension(LxWxH):
650x612x470 mm
Roasting Surface Dimension
(LxWxH): 570x350 mm
Power: 16.8 Kw, 57320 BTU/H
N/W: 46 Kgs



 **Pasta Cooker (Counter top)**
HK-YTEP
Dimension(LxWxH):
600x600x350 mm
Power: 6 Kw, 220-240 V
N/W:25 Kgs




 **Electric Bain Marier (Counter top)**
HK-YTEB
Dimension(LxWxH):
700x600x350 mm
Power: 1.5 Kw, 220-240 V
N/W: 24 Kgs



 **Electric 4-Plate Cooker (Counter top)**
HK-YTE4B
Dimension(LxWxH):
600x600x350 mm
Power: 8 Kw, 220-240 V
N/W: 20 Kgs



 **Electric Ceramic Hob (Counter top)**
HK-YTE4HP
Dimension(LxWxH):
660x650x300 mm
Power: 8 Kw, 380 V
N/W: 21 Kgs

Electric Fryer, Gas Fryer & Pressure Fryer



Electric Fryer (1 Tank, 1 Basket)
FF-XTEF1
 Dimension(LxWxH): 290x460x310 mm
 Capacity: 5.5 Liters
 Power: 2.5 Kw, 220-240 V
 N/W: 4.6 Kgs



Electric Fryer (2 Tanks, 2 Baskets)
FF-XTEF2
 Dimension(LxWxH): 580x460x310 mm
 Capacity: 5.5+5.5 Liters
 Power: 2.5+2.5 Kw, 220-240 V
 N/W: 9 Kgs



Electric Fryer (1 Tank, 2 Baskets)
FF-XTEF3
 Dimension(LxWxH): 550x460x310 mm
 Capacity: 11 Liters
 Power: 5 Kw, 220-240 V
 N/W: 9 Kgs



Electric Fryer (1 Tank, 1 Basket)
FF-XTEF4
 Dimension(LxWxH): 330x600x435 mm
 Capacity: 12.5 Liters
 Power: 4.5 Kw, 220-240 V
 N/W: 15 Kgs



CE
Electric Fryer (1 Tank, 1 Basket)
HK-YEF-4L
 Dimension(LxWxH): 260x380x310 mm
 Capacity: 4 Liters
 Power: 2.0 Kw, 220-240 V
 N/W: 5 Kgs

HK-YEF-6L
 Dimension(LxWxH): 310x410x285 mm
 Capacity: 6 Liters
 Power: 2.5 Kw, 220-240 V
 N/W: 5.5 Kgs

HK-YEF-8L
 Dimension(LxWxH): 310x410x340 mm
 Capacity: 8 Liters
 Power: 3.25 Kw, 220-240 V
 N/W: 6 Kgs

HK-YEF-11L
 Dimension(LxWxH): 320x440x340 mm
 Capacity: 11 Liters
 Power: 3.5 Kw, 220-240 V
 N/W: 7 Kgs



CE
Electric Fryer (2 Tanks, 2 Baskets)
HK-YEF-4L-2
 Dimension(LxWxH): 480x380x310 mm
 Capacity: 4+4 Liters
 Power: 4 Kw, 220-240 V
 N/W: 9.5 Kgs

HK-YEF-6L-2
 Dimension(LxWxH): 550x410x285 mm
 Capacity: 6+6 Liters
 Power: 5 Kw, 220-240 V
 N/W: 12 Kgs

HK-YEF-8L-2
 Dimension(LxWxH): 540x420x340 mm
 Capacity: 8+8 Liters
 Power: 6.5 Kw, 220-240 V
 N/W: 14 Kgs

HK-YEF-11L-2
 Dimension(LxWxH): 670x440x340 mm
 Capacity: 11+11 Liters
 Power: 7 Kw, 220-240 V
 N/W: 15 Kgs



CE
Electric Fryer (1 Tank, 1 Basket)
HK-YEF-12L
 Dimension(LxWxH): 285x470x410 mm
 Capacity: 8 Liters
 Power: 3.25 Kw, 220-240 V
 N/W: 10 Kgs



CE
Electric Fryer (2 Tanks, 2 Baskets)
HK-YEF-12L-2
 Dimension(LxWxH): 580x470x410 mm
 Capacity: 8+8 Liters
 Power: 3.25+3.25 Kw, 220-240 V
 N/W: 17.5 Kgs

Electric Fryer, Gas Fryer & Pressure Fryer



Electric Fryer (1 Tank, 1 Basket)
FF-ZEF8
 Dimension(LxWxH): 300x415x290 mm
 Capacity: 8 Liters
 Power: 3 Kw, 220 V
 N/W: 15.8 Kgs

Electric Fryer (1 Tank, 2 Basket)
FF-ZEF16
 Dimension(LxWxH): 585x415x290 mm
 Capacity: 2x8 Liters
 Power: 2x3 Kw, 220 V
 N/W: 15.8 Kgs



Gas Fryer
HK-YGF2T-16L
 Dimension(LxWxH): 616x610x500+32 mm
 Capacity: 16 Liters
 Power: 6 Kw, 20470 BTU/H
 N/W: 27 Kgs



Electric Donut Fryer
FF-XEDF
 Dimension(LxWxH): 460x620x355 mm
 Capacity: 12 Liters
 Power: 3 Kw, 230 V
 N/W: 15.8 Kgs



Oil Filter Cart
FF-XOFC20
 Dimension(LxWxH): 450x330x350 mm
 Oil Filtering Capacity: 5 Liters/ min
 Pump Flow: 20 Liters/ min
 Discharge Pressure: 0.33 Mpa
 Power: 0.55 Kw, 220-240 V
 N/W: 4.6 Kgs
 1. Rational and technological design, high efficiency of oil fitting
 2. Equipped with switch protection cover, safe and unique.



HK-YEF-28L



HK-YEF-28L-2

Freestanding Electric Fryer (1 Tank, 2 Baskets)
HK-YEF-28L
 Dimension(LxWxH): 400x800x1100 mm
 Capacity: 28 Liters
 Power: 18 Kw, 380 V
 N/W: 60 Kgs

Freestanding Electric Fryer (2 Tanks, 2 Baskets)
HK-YEF-28L-2
 Dimension(LxWxH): 800x800x1100 mm
 Capacity: 28+28 Liters
 Power: 36 Kw, 380 V
 N/W: 101 Kgs



Freestanding Electric Fryer (1 Tank, 2 Baskets)
FF-XEF1C
 Dimension(LxWxH): 400x840x940 mm
 Capacity: 21 Liters
 Power: 10 Kw, 380 V
 N/W: 38 Kgs

Freestanding Electric Fryer (3 Tanks, 3 Baskets)
FF-XEF3C
 Dimension(LxWxH): 780x770x930 mm
 Capacity: 12+12+12 Liters
 Power: 4.5+4.5+4.5 Kw, 220-240 V
 N/W: 74 Kgs

Freestanding Electric Fryer (2 Tanks, 4 Baskets)
FF-XEF2C
 Dimension(LxWxH): 880x840x940 mm
 Capacity: 21+21 Liters
 Power: 20 Kw, 380 V
 N/W: 56 Kgs

Electric Fryer, Gas Fryer



Electric Oil-Water Mixed Fryer
FF-XEFW
 Dimension(LxWxH): 495x785x950 mm
 Capacity: 44 Liters
 Power: 13.5 Kw, 380 V
 N/W: 56 Kgs



Electric Auto-lift Up Fryer
FF-ZEF8CL
 Dimension(LxWxH): 265x565x300 mm
 Capacity: 8 Liters
 Power: 3 Kw, 220 V
 Digital Control



Electric Auto-lift Up Fryer
FF-ZEF12CL
 Dimension(LxWxH): 355x565x300 mm
 Capacity: 12 Liters
 Power: 3 Kw, 220 V
 Digital Control



Gas Fryer (1 Tank, 2 Baskets)
HK-YGF2T-28L
 Dimension(LxWxH): 398x700x1100+35 mm
 Capacity: 27 Liters
 Power: 18 Kw, 61605 BTU/H
 N/W: 53 Kgs
HK-YGF2T-36L
 Dimension(LxWxH): 500x700x1080 mm
 Capacity: 40 Liters
 Power: 27 Kw, 92410 BTU/H
 N/W: 62 Kgs



Gas Fryer (1 Tank, 1 Basket)
HK-YGF1-9
 Dimension(LxWxH): 400x900x850 +120 mm
 Capacity: 21 Liters
 Power: 15.5 Kw, 52886 BTU/H
 N/W: 60 Kgs
 1. High combustion efficiency
 2. Temperature control device
 3. Flame failure safety devices, safe and reliable
HK-YGF1-7
 Dimension(LxWxH): 360x750x850 +120 mm
 Capacity: 21 Liters
 Power: 15.5 Kw, 52886 BTU/H
 N/W: 53 Kgs



Electric Fryer, Gas Fryer & Pressure Fryer



Electric Pressure Fryer (Counter Top)
HK-YTEF16
 Dimension(LxWxH): 350x400x500 mm
 Capacity: 16 Liters
 Power: 3 Kw, 220-240 V
 Temperature Range: 50-200 °C
 N/W: 18 Kgs



Electric Pressure Fryer (Freestanding)
HK-YEPF-M
 Dimension(LxWxH): 960x460x1230 mm
 Capacity: 25 Liters
 Power: 12 Kw, 380 V
 Temperature Range: 50-300 °C
 N/W: 140 Kgs



Freestanding Electric Pressure Fryer
HK-YEPF-D
 Dimension(LxWxH): 960x460x1230 mm
 Capacity: 25 Liters
 Power: 12 Kw, 380 V
 Temperature Range: 50-300 °C
 N/W: 140 Kgs



Freestanding Electric Pressure Fryer
HK-YEPF-L
 Dimension(LxWxH): 960x460x1230 mm
 Capacity: 25 Liters
 Power: 12 Kw, 380 V
 Temperature Range: 50-300 °C
 N/W: 140 Kgs



Equipped with auto oil filter and computer control system.

Griddle

- Stainless steel body, 20 mm thick griddle plate, independent electronic ignition switch, flame
- failure safety protection device, built-in heating system groups, 152 mm adjustable feet.



Electric Griddle (Flat)
FF-XEG36
Dimension(LxWxH): 914x616x406 mm
Griddle Plate Dimension(LxWxH): 910x490x20 mm
Power: 12 Kw, 380 V /50Hz
N/W: 102/115 Kgs



Electric Griddle
FF-XEG5
Dimension(LxWxH): 760x600x355 mm
Griddle Plate Dimension(LxWxH): 695x400x16 mm
Power: 6 Kw, 380 V /50Hz
N/W: 61/72 Kgs

Electric Griddle (Flat)
FF-XEG24
Dimension(LxWxH): 609x616x406 mm
Griddle Plate Dimension(LxWxH): 605x490x20 mm
Power: 8 Kw, 380 V /50Hz
N/W: 72/85 Kgs

Electric Griddle (Flat)
FF-XEG48
Dimension(LxWxH): 1216x616x406mm
Griddle Plate Dimension(LxWxH): 1212x490x20 mm
Power: 16 Kw, 380 V /50Hz
N/W: 135/160 Kgs



Electric Griddle (Flat)
FF-XEG1
Dimension(LxWxH): 550x450x230 mm
Griddle Plate Dimension(LxWxH): 548x350x10 mm
Power: 3 Kw, 220-240 V
N/W: 23 Kgs



Electric Griddle (Flat)
FF-XEG2
Dimension(LxWxH): 730x500x230 mm
Griddle Plate Dimension: (LxWxH): 728x400x10 mm
Power: 4.4 Kw, 220-240 V/380 V
N/W: 34 Kgs



Gas Griddle (flat)
FF-XGG24
Dimension(LxWxH): 609x660x565 mm
Griddle Plate Dimension: 605x490x20 mm
Power: 48000 BTU/H
N/W: 79 Kgs



Electric Griddle(Flat)
FF-XTEF610
Dimension(LxWxH): 610x500x270 mm
Power: 9 Kw, 220-240 V
N/W: 40 Kgs



Electric Griddle(Flat)
FF-XTEF760
Dimension(LxWxH): 760x500x270 mm
Power: 9 Kw, 220-240 V
N/W: 48 Kgs



Salamander



Electric Lift Salamander
HK-YES-600
Dimension(LxWxH): 600x450x500 mm
Power: 4 Kw, 220-240 V
Temperature Range: 50-300 °C
Heating Zone: 590x320 mm
Up & Down Travel: 0-140 mm
N/W: 49 Kgs



Electric Lift Salamander
HK-YES-800
Dimension(LxWxH): 800x450x500 mm
Power: 5.6 Kw, 220-240 V
Temperature Range: 50-300 °C
Heating Zone: 790x320 mm
Up & Down Travel: 0-140 mm
N/W: 61 Kgs



Electric Lift Salamander (counter top)
FF-XES1
Dimension(LxWxH): 610x340x280 mm
Power: 2 Kw, 220-240 V
N/W: 17 Kgs

Electric Lift Salamander
HK-YES-450
Dimension(LxWxH): 450x450x500 mm
Power: 2.8 Kw, 220-240 V
Temperature Range: 50-300 °C
Heating Zone: 440x320 mm
Up & Down Travel: 0-140 mm
N/W: 38.5 Kgs



Electric Salamander
GS-2500
Dimension(LxWxH): 650x350x360 mm
Power: 2.5 Kw, 220 V /50Hz
N/W: 16 Kgs
Heating element are infrared heater
Glass in front of the heater



Electric Lift Salamander(counter top)
FF-XES2
Dimension(LxWxH): 800x450x470 mm
Power: 4 Kw, 220-240 V
N/W: 28 Kgs

FF-XES3
Dimension(LxWxH): 580x390x390 mm
Power: 2.2 Kw, 220-240 V
N/W: 18 Kgs

All stainless steel body with adjustable layers, individual temperature control



Gas Lift Salamander
HK-YGS
Dimension(LxWxH): 885x550x587 mm
Power: 11.5 Kw, 39238 BTU/H
N/W: 74 Kgs



Gas Infrared Ray Salamander
FF-XGS1
Dimension(LxWxH): 620x440x610 mm
Power: 7 Kw
N/W: 41 Kgs
Infrared radiation heating



Gas Infrared Ray Salamander
FF-XGS2
Dimension(LxWxH): 880x440x610 mm
Power: 10.3 Kw
N/W: 47 Kgs
Infrared radiation heating

Salamander



ELT
Hamburger Machine
FF-XHM2
 Dimension: 406x660x290 mm
 Power: 2.4 Kw, 220-240 V
 N/W: 28 Kgs



ELT
Vacuum Meat Salting Machine
FF-XMSMV
 Dimension: 953x860x914 mm
 Power: 0.5 Kw
 Voltage: 220-240 V
 N/W: 75 Kgs



ELT
Meat Salting Machine
FF-XMSM
 Dimension: 953x660x914 mm
 Power: 0.38 Kw
 Voltage: 220-240 V
 N/W: 59 Kgs



Powder Wrapping Table
SPR2-160-80-(80+28)
 Dimension: 1600x800x800+280 mm



Gas
Gas Lava Rock Grill
FF-XTGLG
 Dimension: 760x600x350 mm
 Power: 14.6 Kw
 N/W: 72 Kgs



ELT
2-Head Electric Ceramic Hob
B-ECC65
 Dimension: 400x650x400 mm
 Power: 4 Kw
 Voltage: 220-240 V



ELT
Electric Hot Plate Cooker
HK-YEH1
 Dimension: 350x420x100 mm
 Power: 2 Kw
 Voltage: 220-240 V
 N/W: 4.8 Kgs



ELT
Electric Hob
HK-YEH2
 Dimension: 600x420x100 mm
 Power: 2+2.5 Kw
 Voltage: 220-240 V
 N/W: 8 Kgs



ELT
Commercial Induction Cooker
HK-YIC
 Dimension: 340x445x115 mm
 Power: 3.5 Kw, 220-240 V
 N/W: 13.6 Kgs

Chicken Rotisserie



ELT
Electric Rotisserie
FF-XER1
 Dimension(LxWxH): 810x670x610 mm
 Power: 4.6 Kw, 220-240 V
 N/W: 65 Kgs
 Stainless steel body with glass window in front and back, 4 hanging baskets could bake 12 pcs of chickens.

FF-XER2
 Dimension(LxWxH): 1030x670x810 mm
 Power: 6.2 Kw, 220-240 V
 N/W: 81 Kgs
 Stainless steel body with glass window in front and back, 4 hanging baskets could bake 12 to 16 pcs of chickens.



Gas
Gas Rotisserie
FF-XER3
 Dimension(LxWxH): 1010x810x800 mm
 Gas Pressure: 2800-3000 Pa
 Power: 9.4 Kw
 Temperature Range: 0-390 °C



ELT
Electric Rotisserie
FF-XER-U
 Dimension(LxWxH): 1000x900x1000 mm
 Power: 9.7 Kw, 380 V
 N/W: 174 Kgs
Electric Rotisserie
FF-XERL
 Dimension(LxWxH): 1000x900x1140 mm
 Power: 9.7 Kw, 380 V
 N/W: 179 Kgs



Electric Chicken Rotisserie
FF-PCR
 Dimension(LxWxH): 1500x980x1675 mm
 • Holds approximately 72 chickens
 • Full S/Steel heavy duty construction
 • 3 tier
 • Refractory stone base
 • 3 Independent chains
 • Storage cabinet under



ELT
Electric Chicken Rotisserie
HK-YER430
 Dimension(LxWxH): 1480x580x2000 mm
 Power: 42.5 Kw, 380 V
 Rev: 6 rpm
 N/W: 257 Kgs
 1. High efficiency infrared ray heating element, high heating efficiency.
 2. Adjustable baking distance, easy cleaning.



ELT
Electric Rotisserie
FF-XFER
 Dimension(LxWxH): 670x553x1587 mm
 Power: 8.2 Kw, 220-240 V
 N/W: 106 Kgs



Gas
Gas Rotisserie
FF-XFGR
 Dimension(LxWxH): 670x553x1587 mm
 Power: 8.2 Kw
 Lamp Power: 0.2 Kw, 220-240 V
 N/W: 91 Kgs
 Good quality glasses three sides, infrared baking, fast high efficiency and energy saving.

Chicken Rotisserie, Shawarma Machine & BBQ



Electric Chicken Rotisserie HK-YER35U

Dimension(LxWxH): 1000x860x1100 mm
Power: 11 Kw, 380 V
Max Capacity: 35 pcs chickens
N/W: 195 Kgs

HK-YER35LW
Dimension(LxWxH): 1000x860x2080 mm
Power: 13.7 Kw, 380 V
Max Capacity: 70 pcs chickens
N/W: 370 Kgs

(Upper layer for 35 chickens cooking, lower layer for 35 chickens keeping warm)

- Hot air circulation heating mode, top heating.
- Draught fan blowing-in heating mode.
- Heating up fast and even.



Gas Chicken Rotisserie HK-YGR3

Dimension(LxWxH): 1200x500x730 mm
Power: 18 Kw, 61418 BTU/H
Lamp Power: 0.2 Kw, 220-240 V
Max Capacity: 15 pcs chickens
N/W: 77 Kgs

Infrared ray baking, high baking speed, high efficiency, energy saving.

Use of Gas: LPG, Nature Gas.



Gas Chicken Rotisserie HK-YGR6

Dimension(LxWxH): 1200x500x1260 mm
Power: 36 Kw, 122836 BTU/H
Lamp Power: 0.3 Kw, 220-240 V
Max Capacity: 15 pcs chickens
N/W: 126 Kgs

Infrared ray baking, high baking speed, high efficiency, energy saving.

Use of Gas: LPG, Nature Gas.



Electric Shawarma Machine HK-YESW

Dimension(LxWxH): 534x607x950 mm
Power: 9.9 Kw, 380 V
Rotation Speed: 2.5 rpm
Diameter for broiled meat < 400 mm
N/W: 34 Kgs,
Each heating element has three levels (3.3 Kw, 1.65 Kw and 0.825 Kw)



Gas Shawarma Machine HK-YGSW

Dimension(LxWxH): 534x700x1015 mm
Power: 14.8 Kw, 220 V/50 Hz, 110 V/60 Hz
Rev: 1 rpm
Gas Flow: 1.17 Kgs/H (LPG), 1.565 m³/H (Nature Gas)
N.W/G.W: 31/46 Kgs



Smokeless Barbecue Oven HK-JBBQ

Dimension(LxWxH): 1100x385x240 mm
Power: 8.4 Kw
Power: 0.45 Kw, 220-240 V
N/W: 18 Kgs

Combi Oven



Electric Combi Steamer MC-31.3

Dimension(LxWxH): 670x710x678 mm
Voltage: 3~380V/50Hz
Power: 6 Kw
Max Capacity: 3 pcs GN 1/1
N/W: 44 Kgs




Electric Combi Steamer MC-31.6

Dimension(LxWxH): 670x710x1018 mm
Voltage: 3~380V/50Hz
Power: 13.5 Kw
Max Capacity: 6 pcs GN 1/1 N/W:73 Kgs



A. Thermostat control w/super-heated function(Max:140°C)

B. Temperature control Max:100°C w/superheated steam in 140°C



Feature

- Low water level protection and overheat protection
- Water auto refill function
- Pressure reless valve insulated glass door
- Insulated stainless steel boiler to avoid heat loss



Steam Cabinet Stand(Model:S31-6)
For 12nos GN1/1,2"



Removable door gasket for easy replacement



Manual drain valve for emptying the water tank



Adjustable rack rail



Double pane insulated glass door

Combi Oven



Electric Combi Steamer
MC-31.3K2
Dimension(LxWxH):670x710x678 mm
Voltage:3~380V/50Hz
Power: 6 Kw
Max Capacity:3 pcs GN 1/1
N/W:44 Kgs



Electric Combi Steamer
MC-31.6K2

Dimension(LxWxH):670x710x678 mm
Voltage:3~380V/50Hz
Power: 6 Kw
Max Capacity:3 pcs GN 1/1
N/W:44 Kgs




- Digital display for time, temperature and program
- Electronic control panel w/30 programs for creating numerous menus.
- Functions: steaming, roasting or combi cooking mode
- Built-in humidity control, 1/2 heating mode and timer function
- Stainless Steel boiler to strengthen the steaming function



Removable door gasket for easy replacement



Manual drain valve for emptying the water tank



Adjustable rack rail



Double pane insulated door



Steam Cabinet Stand(Model:S31-6)-For 12nos GN1/1,2"

Chinese Stove



YDSS-001



YDSD-001



YDDD-001

1 Fryer+1 Boiler Stove
YDSS-001

Dimension(LxWxH): 1200x1000x800 mm
Air Blower Power: 22V/50Hz,250W
Gas Consumption:
LPG(kg/h): 3.9
Nature Gas(m3/h): 5.7
Gas Pipe Dia.(mm): 38
Water In Pipe Dia.(mm): 15
Water Drainage Pipe Dia.(mm): 32

1 Fryer+1 Boiler Stove
YDSD-001


Dimension(LxWxH): 1900x950x800 mm
Air Blower Power: 22V/50Hz,550x2W
Gas Consumption:
LPG(kg/h): 3.9x2
Nature Gas(m3/h): 5.7x2
Gas Pipe Dia.(mm): 38
Water In Pipe Dia.(mm): 15
Water Drainage Pipe Dia.(mm):32

1 Fryer+1 Boiler Stove
YDDD-001

Dimension(LxWxH): 2000x1000x800 mm
Air Blower Power: 22V/50Hz,550x2W
Gas Consumption:
LPG(kg/h): 3.9x2
Nature Gas(m3/h): 5.7x2
Gas Pipe Dia.(mm): 38
Water In Pipe Dia.(mm): 15
Water Drainage Pipe Dia.(mm): 32



Ultra-quiet burner
CO emission rate
close to zero



Double electromagnetic
distribution control



Atmosphere linkage control
enhance efficiency