



WEiBU

| AIO | PIO | Mini PC |

WEIBU Information Inc

Product Mix



Product Presentation

WEIBU devotes to innovation and development of AIO, Mini PC, industrial machine, commercial computer motherboards and a series of computer related products. It provides the market with specialized hardware and software products services.



Platform

Update: New Model - T24

Slim & Powerful - Standard Thin mini ITX AIO

Desktop replacement - Micro ATX PIO

Sleek portable AIO


Small & Powerful - Mini PC

T24-SPEC Card



Model	T24	
Color	White / Black	
Unit Dimension	542.5mm (L) * 331mm (H) * 50mm (D)	
Display	23.8 " IPS FHD: 1920x1080 178/178 Viewing angle ; 250nits Typical brightness ; 14ms response time	
Multi Touch	N/A	
CPU	<ul style="list-style-type: none"> ★Support Intel Kaby Lake-G I7-8709G & I5-8305G Processors ★Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™i3 Pentium®/Celeron® Up to 65W desktop Processors ★Support Intel Gemini Lake/Apollo Lake/Braswell Pentium/Celeron SOC Processors ★Support AMD Ryzen & 7-Gen A-Series / Athlon™ Processor 	
Motherboard	Thin Mini ITX FOR Intel B360/H310/H310C/H110/Kaby Lake-G/J3160 & AMD A320	
Memory	2 x DDR4 SO-DIMM Max 32G	
Graphic	Integrated Intel HD	
Discrete graphics Card	N/A	
Storage	SSD	1 x M.2 2280/2260/2242 SSD Slot
	HDD	2 x 2.5" SATA HDD
Optical Drive	1 x12.7mm/9.5mm ODD (Optional)	
I/O Port	Back (MB)	1 x 12V-19V Power port 1 x HDMI 1 x DP (For B360) 4 x USB 3.0 1 x Microphone 1 x Headphone/Speaker 1 x Gigabit LAN 1 x COM (Optional)
	Side	2 x USB2.0/3.0 ,1 x Type C , 1 x 3 in1 Card Reader , 2 x Audio jacks
Wifi	802.11b/g/n/a (PCI-E / M.2), Bluetooth (Optional)	
Chassis intrusion	Optional	
Kensington Lock	Yes	
Camera	2.0M+Array mic (Optional)	
Speaker	Built in (2x3W)	
Power Solution	90W/120W Power Adaptor (AC:110V~240V) 120W Internal PSU (AC:110V~240V)	
VESA Mount	100mm x 100mm	
OS Support	Microsoft Windows 10 (Optional)	

T24 Roadmap



Subject to change without notice

Kabylake-S

Coffee lake-S

Kabylake-G

Braswell J3160


AMD A320

The image features a central blue horizontal band with the text "Thin mini ITX Platform" in white, italicized font. The background is a light gray geometric pattern of overlapping triangles.

Thin mini ITX Platform



Thin mini ITX AIO



Subject to change without notice

Kabylake-S

Coffee lake-S

Kabylake-G

Braswell J3160


AMD A320

A24A-L5/L6 SPEC Card



Model		A24A
Color		White
Dimension (mm)		574 x 443 x 52
Panel Size		23.6" 1920x1080 (4K 3840x2560 Optional)
Plane Frame		Toughened Glass
Touch Panel Support		Optional
CPU		<ul style="list-style-type: none"> ★Support Intel Kaby Lake-G I7-8709G & I5-8305G Processors ★Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™ i3 Pentium®/Celeron® Up to 65W desktop Processors ★Support Intel Gemini Lake/Apollo Lake/Braswell Pentium/Celeron SOC Processors ★Support AMD Ryzen & 7-Gen A-Series / Athlon™ Processor
Motherboard		Thin Mini ITX FOR Intel B360/H310/H310C/H110/Kaby Lake-G/J3160 & AMD A320
Memory		2 x DDR4 SO-DIMM Slot
Graphics		Intel HD Graphics
Discrete graphics Card		N/A
Storage	Emmc	N/A
	SSD	1 x M.2 SSD Slot
	HDD	1 x 2.5" SATA HDD
ODD Support		YES
Battery		N/A
Base		Adjustable Base
I/O Port	Below (Mother board)	1 x 12V-19V Power port 1 x HDMI 2 x USB 3.0 2 x USB 2.0 1 x Microphone 1 x Headphone/Speaker 1 x Gigabit LAN
	Side	2 x USB2.0
Wifi		Wi-Fi 802.11b/g/n card
Bluetooth		Built in
Camera		2.0M (Dual microphone)
Speaker		Built in
Power Adaptor		120W Power Adaptor
VESA Mount		YES
OS Support		Microsoft Windows 10 32/64bit Drivers

A24S-L5/L6 SPEC Card



Model	A24S	
Color	White	
Dimension (mm)	574 x 443 x 52	
Panel Size	23.6" 1920x1080 (4K 3840x2560 Optional)	
Plane Frame	Toughened Glass	
Touch Panel Support	Optional	
CPU	<ul style="list-style-type: none"> ★ Support Intel Kaby Lake-G I7-8709G & I5-8305G Processors ★ Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™ i3 Pentium®/Celeron® Up to 65W desktop Processors ★ Support Intel Gemini Lake/Apollo Lake/Braswell Pentium/Celeron SOC Processors ★ Support AMD Ryzen & 7-Gen A-Series / Athlon™ Processor 	
Motherboard	Thin Mini ITX FOR Intel B360/H310/H310C/H110/Kaby Lake-G/J3160 & AMD A320	
Memory	2 x DDR4 SO-DIMM Slot	
Graphics	Intel HD Graphics	
Discrete graphics Card	N/A	
Storage	Emmc	N/A
	SSD	1 x M.2 SSD Slot
	HDD	1 x 2.5" SATA HDD
ODD Support	YES	
Battery	N/A	
Base	Speaker Base 2 x USB2.0 1 x Microphone 1 x Headphone/Speaker 1 x 3-in-1 card reader	
I/O Port	Below (Mother board)	1 x 12V-19V Power port 1 x HDMI 2 x USB 3.0 2 x USB 2.0 1 x Microphone 1 x Headphone/Speaker 1 x Gigabit LAN
	Side	2 x USB2.0
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	2.0M (Dual microphone)	
Speaker	Built in	
Power Adaptor	120W Power Adaptor	
VESA Mount	YES	
OS Support	Microsoft Windows 10 32/64bit Drivers	

A24L-L5/L6 SPEC Card



Model	A24L	
Color	White	
Dimension (mm)	574 x 428 x 52	
Panel Size	23.6" 1920x1080 (4K 3840x2560 Optional)	
Plane Frame	Toughened Glass	
Touch Panel Support	Optional	
CPU	★Support Intel Kaby Lake-G I7-8709G & I5-8305G Processors ★Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™ i3 Pentium®/Celeron® Up to 65W desktop Processors ★Support Intel Gemini Lake/Apollo Lake/Braswell Pentium/Celeron SOC Processors ★Support AMD Ryzen & 7-Gen A-Series / Athlon™ Processor	
Motherboard	Thin Mini ITX FOR Intel B360/H310/H310C/H110/Kaby Lake-G/J3160 & AMD A320	
Memory	2 x DDR4 SO-DIMM Slot	
Graphics	Intel HD Graphics	
Discrete graphics Card	N/A	
Storage	Emmc	N/A
	SSD	1 x M.2 SSD Slot
	HDD	1 x 2.5" SATA HDD
ODD Support	YES	
Battery	N/A	
Base	Aluminium Alloy L Base	
I/O Port	Below (Mother board)	1 x 12V-19V Power port 1 x HDMI 2 x USB 3.0 2 x USB 2.0 1 x Microphone 1 x Headphone/Speaker 1 x Gigabit LAN
	Side	2 x USB2.0 1 x Microphone 1 x Headphone/Speaker 1 x 3-in-1 card reader
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	2.0M (Dual microphone)	
Speaker	Built in	
Power Adaptor	120W Power Adaptor	
VESA Mount	YES	
OS Support	Microsoft Windows 10 32/64bit Drivers	

A22L-L5/L6 SPEC Card




Model	A22L	
Color	White/Black	
Dimension (mm)	518 x 359 x 58	
Panel Size	21.5" 1920x1080	
Plane Frame	Toughened Glass	
Touch Panel Support	Optional	
CPU	<ul style="list-style-type: none"> ★ Support Intel Kaby Lake-G I7-8709G & I5-8305G Processors ★ Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™ i3 Pentium®/Celeron® Up to 65W desktop Processors ★ Support Intel Gemini Lake/Apollo Lake/Braswell Pentium/Celeron SOC Processors ★ Support AMD Ryzen & 7-Gen A-Series / Athlon™ Processor 	
Motherboard	Thin Mini ITX FOR Intel B360/H310/H310C/H110/Kaby Lake-G/J3160 & AMD A320	
Memory	2 x DDR4 SO-DIMM Slot	
Graphics	Intel HD Graphics	
Discrete graphics Card	N/A	
Storage	Emmc	N/A
	SSD	1 x M.2 SSD Slot
	HDD	1 x 2.5" SATA HDD
ODD Support	YES	
Battery	N/A	
Base	Aluminium alloyL Base	
I/O Port	Below (Mother board)	1 x 12V-19V Power port 1 x HDMI 2 x USB 3.0 2 x USB 2.0 1 x Microphone 1 x Headphone/Speaker 1 x Gigabit LAN
	Side	2 x USB2.0 1 x Microphone 1 x Headphone/Speaker
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	2.0M (Dual microphone)	
Speaker	Built in	
Power Adaptor	120W Power Adaptor	
VESA Mount	YES	
OS Support	Microsoft Windows 10 32/64bit Drivers	

A20-L5/L6 SPEC Card




Model		A20
Color		Black/White
Dimension (mm)		518 x 359 x 58
Panel Size		19.5" 1600x900
Plane Frame		Toughened Glass
Touch Panel Support		Optional
CPU		<ul style="list-style-type: none"> ★ Support Intel Kaby Lake-G I7-8709G & I5-8305G Processors ★ Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™ i3 Pentium®/Celeron® Up to 65W desktop Processors ★ Support Intel Gemini Lake/Apollo Lake/Braswell Pentium/Celeron SOC Processors ★ Support AMD Ryzen & 7-Gen A-Series / Athlon™ Processor
Motherboard		Thin Mini ITX FOR Intel B360/H310/H310C/H110/Kaby Lake-G/J3160 & AMD A320
Memory		2 x DDR4 SO-DIMM Slot
Graphics		Intel HD Graphics
Discrete graphics Card		N/A
Emmc		N/A
Storage	SSD	1 x M.2 SSD Slot
	HDD	1 x 2.5" SATA HDD
ODD Support		YES
Battery		N/A
Base		L Metal base
I/O Port	Below (Mother board)	1 x 12V-19V Power port 1 x HDMI 2 x USB 3.0 2 x USB 2.0 1 x Microphone 1 x Headphone/Speaker 1 x Gigabit LAN
	Side	2 x USB2.0 1 x Microphone 1 x Headphone/Speaker
Wifi		Wi-Fi 802.11b/g/n card
Bluetooth		Built in
Camera		2.0M (Dual microphone)
Speaker		Built in
Power Adaptor		120W Power Adaptor
VESA Mount		YES
OS Support		Microsoft Windows 10 32/64bit Drivers

K24-L5/L6 SPEC Card



Model	K24	
Color	Black	
Dimension (mm)	547 x 428 x 55	
Panel Size	23.8" 1920x1080	
Plane Frame	Frameless	
Touch Panel Support	N/A	
CPU	<ul style="list-style-type: none"> ★ Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™ i3 Pentium®/Celeron® Up to 65W desktop Processors ★ Support Intel Gemini Lake/Apollo Lake/Braswell Pentium/Celeron SOC Processors ★ Support AMD Ryzen & 7-Gen A-Series / Athlon™ Processor 	
Motherboard	Thin Mini ITX FOR Intel B360/H310/H310C/H110/J3160 & AMD A320	
Memory	2 x DDR4 SO-DIMM Slot	
Graphics	Intel HD Graphics	
Discrete graphics Card	N/A	
Storage	Emmc	N/A
	SSD	1 x M.2 SSD Slot
	HDD	1 x 2.5" SATA HDD
ODD Support	N/A	
Battery	N/A	
Base	Metal base	
I/O Port	Below (Mother board)	1 x 12V-19V Power port
		1 x HDMI
Side		2 x USB 3.0
		2 x USB 2.0
Wifi		1 x Microphone
		1 x Headphone/Speaker
Bluetooth		1 x Gigabit LAN
		2 x USB2.0
Camera		Wi-Fi 802.11b/g/n card
Speaker		Built in
Power Adaptor		2.0M (Dual microphone)
VESA Mount		Built in
OS Support		120W Power Adaptor
		N/A
		Microsoft Windows 10/7 32/64bit Drivers

K22-L5/L6 SPEC Card




Model	K22	
Color	Black	
Dimension (mm)	490 x 315 x 55	
Panel Size	21.5" 1920x1080	
Plane Frame	Frameless	
Touch Panel Support	N/A	
CPU	<ul style="list-style-type: none"> ★ Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™ i3 Pentium®/Celeron® Up to 65W desktop Processors ★ Support Intel Gemini Lake/Apollo Lake/Braswell Pentium/Celeron SOC Processors ★ Support AMD Ryzen&7-Gen A-Series/Athlon™ Processor 	
Motherboard	Thin Mini ITX FOR Intel B360/H310/H310C/H110/J3160 & AMD A320	
Memory	2 x DDR4 SO-DIMM Slot	
Graphics	Intel HD Graphics	
Discrete graphics Card	N/A	
Emmc	N/A	
Storage SSD	1 x M.2 SSD Slot	
HDD	1 x 2.5" SATA HDD	
ODD Support	N/A	
Battery	N/A	
Base	Metal base	
I/O Port	Below (Mother board)	1 x 12V-19V Power port 1 x HDMI 2 x USB 3.0 2 x USB 2.0 1 x Microphone 1 x Headphone/Speaker 1 x Gigabit LAN
	Side	2 x USB2.0
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	200W (Dual microphone)	
Speaker	Built in	
Power Adapter	120W Power Adapter	
VESA Mount	N/A	
OS Support	Microsoft Windows 10/7 32/64bit Drivers	

The image features a central blue horizontal band with the text "Micro ATX Platform" in white, italicized font. The background is a light gray geometric pattern of overlapping triangles and polygons.

Micro ATX Platform



Micro ATX PIO



Subject to change without notice


Kabylake-S

Coffee lake-S

L5 with any M-ATX MB

AMD A320

D24-L5/L6 SPEC Card



Model	D24	
Color	Black	
Dimension (mm)	561 x 430 x 99	
Panel Size	23.8" 1920x1080	
Plane Frame	Toughened Glass	
Touch Panel Support	Optional	
CPU	★Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™i3/Pentium®/Celeron® Up to 65W desktop Processors ★Support AMD Ryzen&7-Gen A-Series/Athlon™ Processor	
Motherboard	Micro ATX FOR Intel B360/H310/H310C/H110 & AMD A320	
Memory	2 x DDR4 U-DIMM Slot	
Graphics	HD Graphics	
Discrete graphics Card	Maximum 40W Discrete Graphics Card	
Storage	Emmc	N/A
	SSD	N/A
	HDD	1 x 2.5" HDD or SSD or 1 x 3.5" HDD
ODD Support	YES	
Battery	N/A	
Base	Metal L Base	
I/O Port	Below (Mother board)	1 x Gigabit LAN 1 x HDMI 1 x VGA 2 x USB3.0 or 4 x USB3.0 2 x USB2.0 or 4 x USB2.0 3 x Phone Jacks 1 x PS/2 Keyboard or Mouse
	Side	2 x USB3.0 1 x 3-in-1 card reader
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	2.0M (Dual microphone)	
Speaker	Built in	
Power	200W Power Supply	
OS Support	Microsoft Windows 10 32/64bit Drivers	

D24V-L5/L6 SPEC Card



Model	D24V	
Color	Black	
Dimension (mm)	561 x 430 x 99	
Panel Size	23.8" 1920x1080	
Plane Frame	Toughened Glass	
Touch Panel Support	N/A	
CPU	★Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™i3/Pentium®/Celeron® Up to 65W desktop Processors ★Support AMD Ryzen&7-Gen A-Series/Athlon™ Processor	
Motherboard	Micro ATX FOR Intel B360/H310/H310C/H110 & AMD A320	
Memory	2 x DDR4 U-DIMM Slot	
Graphics	HD Graphics	
Discrete graphics Card	Maximum 150W Discrete Graphics Card	
Storage	Emmc	N/A
	SSD	N/A
	HDD	1 x 2.5" HDD or SSD or 1 x 3.5" HDD
ODD Support	YES	
Battery	N/A	
Base	Metal L Base	
I/O Port	Below (Mother board)	1 x Gigabit LAN 1 x HDMI 1 x VGA 2 x USB3.0 or 4 x USB3.0 2 x USB2.0 or 4 x USB2.0 3 x Phone Jacks 1 x PS/2 Keyboard or Mouse
	Side	2 x USB2.0 1 x 3-in-1 card reader
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	2.0M (Dual microphone)	
Speaker	Built in	
Power	400W Power Supply	
VESA Mount	YES	
OS Support	Microsoft Windows 10 32/64bit Drivers	

AMV22/23 SPEC Card



Model	AMV23/AMV22	
Color	Black	
Dimension (mm)	561 x 430 x 110	
Panel Size	21.5" & 23" 1920x1080	
Plane Frame	Plastic	
Touch Panel Support	N/A	
CPU	★Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™i3/Pentium®/Celeron® Up to 65W desktop Processors ★Support AMD Ryzen&7-Gen A-Series/Athlon™ Processor	
Motherboard	Micro ATX FOR Intel B360/H310/H310C/H110 & AMD A320	
Memory	2 x DDR4 U-DIMM Slot	
Graphics	HD Graphics	
Discrete graphics Card	Maximum 40W Discrete Graphics Card	
Storage	Emmc	N/A
	SSD	N/A
	HDD	1 x2.5" HDD or SSD or 1 x3.5" HDD
ODD Support	YES	
Battery	N/A	
Base	Metal L Base	
I/O Port	Below (Mother board)	1 x Gigabit LAN 1 x HDMI 1 x VGA 2 x USB3.0 or 4 x USB3.0 2 x USB2.0 or 4 x USB2.0 3 x Phone Jacks 1 x PS/2 Keyboard or Mouse
	Side	2 x USB2.0 1 x 3-in-1 card reader
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	N/A	
Camera	2.0M	
Speaker	Built in	
Power	200W Power Supply	
VESA Mount	YES	
OS Support	Microsoft Windows 10 32/64bit Drivers	

AMV20/18 SPEC Card



Model	AMV20/AMV18	
Color	Black	
Dimension (mm)	486 x 396 x 106	
Panel Size	19.5" 1600x900 OR 18.5" 1366*768	
Plane Frame	Plastic	
Touch Panel Support	N/A	
CPU	★Support Intel® for 8th/7th/6th Generation Core™ i7/Core™ i5/Core™i3/Pentium®/Celeron® Up to 65W desktop Processors ★Support AMD Ryzen&7-Gen A-Series/Athlon™ Processor	
Motherboard	Micro ATX FOR Intel B360/H310/H310C/H110 & AMD A320	
Memory	2 x DDR4 U-DIMM Slot	
Graphics	HD Graphics	
Discrete graphics Card	Maximum 40W Discrete Graphics Card	
Storage	Emmc	N/A
	SSD	N/A
	HDD	1 x 2.5" HDD or SSD or 1 x 3.5" HDD
ODD Support	YES	
Battery	N/A	
Base	L Metal base	
I/O Port	Below (Mother board)	1 x Gigabit LAN 1 x HDMI 1 x VGA 2 x USB3.0 2 x USB2.0 3 x Phone Jacks 1 x PS/2 Keyboard 1 x PS/2 Mouse
	Side	2 x USB2.0 1 x 3-in-1 card reader
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	N/A	
Camera	2.0M	
Speaker	Built in	
Power	200W Power Supply	
OS Support	Microsoft Windows 10 32/64bit Drivers	

Sleek portable AIO

Special size motherboard

MP Schedule	Q1 2018	Q2 2018	Q3 2018	Q4 2018
<p><i>S Series</i> 23.8" /21.5" /19.5" Full HD</p>		<p><i>Apollo Lake N3350/N3450/N4200</i></p>		
		<p><i>Braswell J3160</i></p>		
<p><i>XS Series</i> 21.5" /19.5" Full HD Touch Panel Optional</p>	<p><i>Baytrail-M N3540/N2940/N2840</i></p>			<p><i>Braswell J3160</i></p>

Subject to change without notice

Apollolake

Braswell

Baytrail-M

S24 SPEC Card



Model		S24
Color		Black
Dimension (mm)		542 x 322 x 35
Panel Size		23.8" 1920x1080
Plane Frame		Plastic
Touch Panel Support		N/A
CPU		Intel Braswell J3160 (BGA) Intel Apollo lake N3350/N3450/N4200 (BGA)
Motherboard		Special MB
Memory		4GB LPDDR3 (BGA)
Graphics		Intel HD Graphics
Discrete graphics Card		N/A
Storage	Emmc	32G
	SSD	1 x 2.5" SATA SSD (OR HDD)
	HDD	1 x 2.5" SATA HDD (OR SSD)
ODD Support		N/A
Battery		N/A
Base		L Metal base
I/O Port	Below (Mother board)	1 x Gigabit LAN 1 x HDMI 5 x USB3.0 1 x Microphone/Headphone 1 x TF card reader 1 x 12V Power DC Jack
	Side	/
Wifi		Wi-Fi 802.11b/g/n card
Bluetooth		Built in
Speaker		Built in
Power Adaptor		36W Power Adaptor (12V/3A)
VESA Mount		N/A
OS Support		Microsoft Windows 10 32/64bit Drivers

S22 SPEC Card



Model	S22	
Color	Black	
Dimension (mm)	495 x 293 x 35	
Panel Size	21.5" 1920x1080	
Plane Frame	Plastic	
Touch Panel Support	N/A	
CPU	Intel Braswell J3160 (BGA) Intel Apollo lake N3350/N3450/N4200 (BGA)	
Motherboard	Special MB	
Memory	4GB LPDDR3 (BGA)	
Graphics	Intel HD Graphics	
Discrete graphics Card	N/A	
Storage	Emmc	32G
	SSD	1 x 2.5" SATA SSD
	HDD	1 x 2.5" SATA HDD
ODD Support	N/A	
Battery	N/A	
Base	L Metal base	
I/O Port	Below (Mother board)	1 x Gigabit LAN 1 x HDMI 5 x USB3.0 1 x Microphone/Headphone 1 x TF Card reader 1 x 12V Power DC Jack
	Side	/
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	2.0M (Dual microphone)	
Speaker	Built in	
Power Adaptor	36W Power Adaptor (12V/3A)	
VESA Mount	N/A	
OS Support	Microsoft Windows 10 32/64bit Drivers	

X22S SPEC Card



Model	X22S	
Color	White/Black	
Dimension (mm)	518 x 359 x 44	
Panel Size	21.5" 1920x1080	
Plane Frame	Toughened Glass	
Touch Panel Support	YES (Optional)	
CPU	Intel Pentium N3540 / Celeron N2940 (SOC) Intel Braswell J3160 (SOC) Intel Apollo Lake & Gemini Lake (SOC)	
Motherboard	Special MB	
Memory	1 x DDR3L or DDR4 SO-DIMM Slot	
Graphics	Intel HD Graphics	
Discrete graphics Card	N/A	
Storage	Emmc	N/A
	SSD	1 x mSATA SSD Slot
	HDD	1 x 2.5" SATA HDD
ODD Support	N/A	
Battery	Optional (2~3 Hours)	
Base	Aluminium alloy Base	
I/O Port	Below (Mother board)	1 x Gigabit LAN 1 x HDMI 1 x USB3.0 1 x 12V-19V Power port 1 x 3-in-1 card reader
	Side	2 x USB2.0 1 x Microphone 1 x Headphone/Speaker
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	2.0M (Dual microphone)	
Speaker	Built in	
Power Adaptor	65W Power Adaptor	
OS Support	Microsoft Windows 10 32/64bit Drivers	

X20S SPEC Card



Model	X20S	
Color	White/Black	
Dimension (mm)	518 x 359 x 44	
Panel Size	19.5" 1600x900	
Plane Frame	Toughened Glass	
Touch Panel Support	YES (Optional)	
CPU	Intel Pentium N3540 / Celeron N2940 (SOC) Intel Braswell J3160 (SOC) Intel Apollo Lake & Gemini Lake (SOC)	
Motherboard	Special MB	
Memory	1 x DDR3L or DDR4 SO-DIMM Slot	
Graphics	Intel HD Graphics	
Discrete graphics Card	N/A	
Storage	Emmc	N/A
	SSD	1 x mSATA SSD Slot
	HDD	1 x 2.5" SATA HDD
ODD Support	N/A	
Battery	Optional (2~3 Hours)	
Base	Aluminium alloy Base	
I/O Port	Below (Mother board)	1 x Gigabit LAN 1 x HDMI 1 x USB3.0 1 x 12V-19V Power port 1 x 3-in-1 card reader
	Side	2 x USB2.0 1 x Microphone 1 x Headphone/Speaker
Wifi	Wi-Fi 802.11b/g/n card	
Bluetooth	Built in	
Camera	2.0M (Dual microphone)	
Speaker	Built in	
Power Adaptor	65W Power Adaptor	
OS Support	Microsoft Windows 10 32/64bit Drivers	

Mini PC

Mini PC

MP Schedule	Q1 2018	Q2 2018	Q3 2018	Q4 2018
H3V Kaby Lake-G			Kaby lake-G i7-8709G&i5-8305G	
F4G-EX1 Gemini Lake			Gemini lake N5000/N4100/N4000	
F4G-EX3 Gemini Lake			Gemini lake N5000/N4100/N4000	
S1 Skylake-S	Kabylake-S H110		Kaby lake-G i7-8709G&i5-8305G	
H1A Apollo Lake	Apollo lake J3355/J3455/J4205			
Q5 Braswell	Braswell J3160			
F3C Cherry Trail	Cherry Trail Z8350			

Subject to change without notice

Kabylake-S

Kabylake-G

Apollo lake

Braswell

Cherry Trail

Gemini lake

H3V SPEC Card



Model	H3V
Dimension	174.5*153.5*65mm (whole machine)
	Mini-STX Motherboard, 140x147mm
Processor	Intel Kabylake -G i7-8709G(100W)&i5-8305G(65W)processors
Memory	DDR4 SO-DIMM x2, Up to 32GB
Graphics	1) Integrated in HD Graphics
	2) Radeon RX Graphics
Storage	1) SATA/PCIe M key 2242
	2) SATA/PCIe M key 2280(PCIe 3.0 x4 Optane & NVME SSD)
Wireless	Wifi 802.11 b/g/n/ac, Bluetooth 4.0
LAN	Intel i219-v10/100/1000Mbs Lan(with M.2 2230)
Front I/O Port	Headphone/Mic Jack *1, PWR*1
	TBT3*1(optional), Header, 2x USB2.0
Back I/O Port	DC In *1 (19V/230W),
	USB3.0 *5
	HDMI *2
	DP*2
	RJ45*1
Audio out jack*1	
Mic in jack *1	
Support OS	WIN10 / Linux

F4G-EX1 SPEC Card



Model	F4G-EX1
Dimension	138*138*33 mm (whole machine)
	130*130mm (PCBA)
OS	WIN10 / Linux
Type	MINI BOX
Processor	Intel® Gemini Lake Dual Core/Quad CoreN5000/N4100/N4000 Up To 2.7 GHz
Power	12V/3A
Graphics	Intel® UHD Graphics 605
Memory	2* DDR4 SO-DIMM
Lan	RTL8111x 10/100/1000Mbps
Audio	HD Audio
Storage	Onboard 32G eMMC
WIFI/BT	Intel 3165(802.11ac)
Rear IO	1 x DC_IN 1 x RJ45 1 x MINI DP 1 x HDMI 1 x Type C gen 1 1 x Speaker/Headset Jack
Side IO	1 x Type C gen 1, 2 x USB3.0 2 x USB2.0 1 x Micro SD card read 1 x PWR button

F4G-EX3 SPEC Card



Model	F4G-EX3
Dimension	160*134*32mm (whole machine) 150*123mm (PCBA)
Processor	Intel® Gemini Lake Dual Core/Quad Core N5000/N4100/N4000 Up To 2.7 GHz
Memory	Onboard 4G or 8G
Graphics	Intel® UHD Graphics 605
Storage	Onboard 64G eMMC 5.0
Wireless	2.4G+5G (802.11 a/b/g/n/ac)
Bluetooth	BT 4.0
LAN	1000Mbps
Front I/O Port	1 x Digital Microphone, 1 x Type-C 2 x USB 3.0 1 x TF card 1 x PWR Button
Back I/O Port	1 x DC_IN 1 x VGA 1 x RJ45 1 x HDMI 2 x USB2.0 1 x Speaker/Headset Jack
Support OS	WIN10 / Linux

Q5 SPEC Card



Model		Q5
Size(mm)	180 x 180 x 30	
Material	ABS	
Color	Black/White	
CPU	Intel Broadwell I3-5005U Intel Braswell Celeron J3160	
Chipset	SOC	
Memory	2 x DDR3L Support up to 8G	
GPU	Intel HD Graphics	
Storage	1 x M-SATA SSD (16GB/32GB/64GB)	
HDD/SSD	1 x 2.5" HDD or SSD	
WIFI	Wifi 802.11 b/g/n/ac	
BT	BT 4.0	
I/O	Front I/O	2 x USB 2.0 1 x 3in1 card reader
	Side	/
	Back I/O	1 x DC in 1 x VGA 1 x HDMI 2 x USB 3.0 2 x USB 2.0 1 x MIC 1 x Speaker 1 x 1000M Ethernet port 1 x S/PDIF
Adaptor	40W	
Accessories	1 x Adaptor 1xuser manual	
OS	Windows 10	

H1A SPEC Card



Model		H1A
Size(mm)		120x160x36
Material		Aluminium case with anodizing
Color		Silver + Pink gold
CPU		Intel Apollo lake J3355/J3455/J4205
Chipset		SOC
Memory		2 x DDR3L Support up to 16G
GPU		Intel HD Graphics
Storage		1 x M.2 SSD (32GB/64GB eMMC)
HDD/SSD		1 x 2.5" HDD or SSD
WIFI		Wifi 802.11 b/g/n/ac
BT		BT 4.0
I/O	Front I/O	2 x USB 2.0 1 x 4in1 card reader
	Side	/
	Back I/O	1 x DC in 1 x VGA 1 x HDMI 6 x USB 3.0 1 x MIC 1 x Speaker 1 x 1000MB Ethernet port
Adaptor		12V 3A
Accessories		1 x Adaptor 1xuser manual
OS		Windows 10

H1B SPEC Card



Model	H1B	
Size(mm)	120x160x36	
Material	Aluminium case with anodizing	
Color	Black/Silver/Pink gold	
CPU	Intel Braswell J3160 Quad Core (1.60-2.24GHz)	
Chipset	SOC	
Memory	2 x DDR3L Support up to 16G	
GPU	Intel HD Graphics	
Storage	1 x M.2 SSD (32GB/64GB eMMC)	
HDD/SSD	1 x 2.5" HDD or SSD	
WIFI	Wifi 802.11 b/g/n/ac	
BT	BT 4.0	
I/O	Front I/O	2 x USB 2.0 1 x 4in1 card reader
	Side	/
	Back I/O	1 x DC in 1 x VGA 1 x HDMI 6 x USB 3.0 1 x MIC 1 x Speaker 1 x 1000MB Ethernet port
Adaptor	12V 3A	
Accessories	1 x Adaptor 1xuser manual	
OS	Windows 10	

F3C SPEC Card



Model	F3C	
Size(mm)	134x128x45	
Material	Aluminium case with anodizing	
Color	Black	
CPU	Intel Atom cherrytrail Z8350	
Chipset	SOC	
Memory	2G/4G DDR3L	
GPU	Intel HD Graphics	
Storage	16GB/32GB/64GB eMMC	
HDD/SSD	/	
WIFI	Wifi 802.11b/g/n/ac	
BT	BT 4.0	
I/O	Front I/O	1 x USB 3.0 1 x TF 1 x Speaker/MIC
	Side	/
	Back I/O	1 x DC in 1 x VGA 1 x HDMI 4 x USB2.0,1xUSB 3.0 1 x RJ45
Adaptor	5V 3A	
Accessories	1xadaptor 1xuser manual	
OS	Windows 10/Linux	

THANKS

Shenzhen WEIBU Information Inc

Add: 3 Building, Changyuan New Material Harbor, Hi-tech Park,
Nanshan District, Shenzhen, China

E-mail: Desktop@weibu.com

Tel: [+86\(755\) 26507599/33985108](tel:+86(755)26507599/33985108)

